

F

F
1945- 1960

Description of WICKENS property - to be beeded to
FRANKLIN

Part of the Southwest quarter of Section Ten (10), Township Nine (9) North, Range Two (2) West, in Monroe County, Indiana, bounded and described as follows, to-wit:


Beginning at the Southwest corner of the said quarter section, thence running East on the Section line for a distance of 2640 feet and to the Southeast corner of said quarter Section; thence running North a distance of 12.22 feet and to the Southeast corner of Halcyon Heights Addition to the Town of Ellettsville, Indiana; thence running North 50 degrees West over and along the said South line of Halcyon Heights Addition for a distance of 2,040 feet; thence running South 37 degrees, 30 minutes West for a distance of 88.5 feet, thence running South 80 degrees West for a distance of 40 feet; thence running South 37 degrees, 30 minutes West for a distance of 200 feet; thence running North 50 degrees West 421.3 feet, thence running North 37 degrees, 30 minutes East for a distance of 200 feet and to the Southwest corner of Lot No. 46 in said Halcyon Heights Addition; thence running North 50 degrees West for a distance of 112 feet; thence running North 37 degrees, 30 minutes West for a distance of 880.5 feet; thence running North 48 degrees West for a distance of 314 feet; thence running South 79 degrees West for a distance of 654 feet; thence running South for a distance of 380 feet; thence running South 77 degrees West for a distance of 509 feet, more or less, and to the West line of said quarter Section, said point being 1836 feet North of the place of beginning, thence running South over and along the said West line of the said quarter Section a distance of 1836 feet and to the place of beginning; containing 72.59 acres, more or less.

Description of FRANKLIN property - 7 acres

Part of the Southwest quarter of Section Ten (10), Township Nine (9) North, Range Two (2) West, in Monroe County, Indiana, bounded and described as follows, to-wit:

Beginning at a point 209 feet South of the Northwest corner of the said quarter Section, thence running South for a distance of 627 feet, more or less, and to the Northwest corner of the Fred Wickens real estate as described in Deed Record 112, pages 354-355 in the office of the Recorder of Monroe County, Indiana; thence running North 77 degrees East for a distance of 509 feet, thence running North and parallel to the West line of the said quarter section 627 feet, thence running South 77 degrees West for a distance of 509 feet and to the West line of the said quarter section, and to the place of beginning.

1872


$$\begin{array}{r} 1450 \\ 1438.32 \\ \hline 11.68 \end{array}$$




ROGERS TO FLOYD

OR. ROGERS TO FLOYD

A pt. c/n^g lot 156 - Beg @ a pt. that is 900 ft. East +
 1384.25 ft. South of the N.W. Cor. of Sec. lot 180
 then east for 382.24 ft, more or less + to the
 west line of said lot 156, which point is the cor.
 pt. of Beg. then east 37.76 ft to a fence
 then north-parallel to the west line of
 said Sec. 156 to the north line of said lot.
 then west 37.76 ft to the west line of said
 lot; then south to the pt. of Beg.

Be it that part of Sec. lot 156 lying west
 of the fence as now located between the
 lands of Grantor & Grantee



AIP-3-5-3

WINNICK

June 29, 1959

Isaac Floyd
Transfer

Lot-B

Beginning at a point that is 900 Ft. east and ^{11076.00}~~1384.25~~ Ft. south of the north west corner of seminary lot 180; thence running east for a distance of 420 Ft. more or less, and to the east line of seminary lot 186; thence north on the said east line of seminary lot 186, for a distance of 102.75 feet; thence west for a distance of 420 feet more or less, to a line 900 feet east of the said northwest corner of seminary lot 180; thence south for a distance of 102.75 feet and to the place of beginning.

Containing in all one (1) acre more or less.

Lot-A


Beginning at a point that is 900 feet east and ^{973.25}~~1281.40~~ feet south of the northwest corner of seminary lot 180; thence running east for a distance of 420 feet more or less, and to the east line of seminary lot 186; thence north on the said east line of seminary lot 186, for a distance of 102.75 feet; thence west 420 feet more or less, to a line 900 feet east of the said northwest corner of seminary lot 180; thence south, for a distance of 102.75 feet and to the place of beginning.

Containing in all one (1) acre more or less.

$$\begin{array}{r} 1384.25 \\ 102.75 \\ \hline 1281.50 \end{array}$$

$$\begin{array}{r} 1281.40 \\ 102.75 \\ \hline 1178.65 \end{array}$$

John T. Sappleton
Civil Engineer & Surveyor



300
 424
 1324
 1262
 62

1324
 1262
 62

631
 631
 1262
 362

300
 424
 1324

1324
 1262
 62

911
 306.21
 11


300
 631
 1262
 424
 631

306.21
 102.75
 11.00

15 APR 1940

1262

SEM 186



Roger

424' E+W

102.75' = N+S

$$\begin{array}{r} 420 \text{ or} \\ 362.24 \\ \hline 457.76 \end{array}$$

$$\begin{array}{r} 1487 \\ 102.75 \\ \hline 385.75 \\ 308.25 \\ \hline 1077.20 \end{array}$$

$$\begin{array}{r} 102.75 \\ 2 \\ \hline 205.50 \end{array}$$

$$\begin{array}{r} 102.75 \\ 2 \\ \hline 205.50 \end{array}$$

1262.24

900

434

1334

631.12

631.12

362.24

279
625
5.09

180

179

THOS FLOYD

THOS FLOYD

4 1/2 ACRES

SHAW

ITEM 22

LOT LINE

LOT LINE

SOLD
1 ACRES

SOLD
1 ACRES

SHAW

THOS FLOYD

MINNAC

MARKET HATCHERY

185

186

362.24

631.12

631.12

4 AC. EXCEPTION
ITEM 20

4 AC. EXCEPTION
ITEM 24

631.12

631.12

420
362.24
57.76
20.76
37.76

ITEM 26+27

CORRECTED BY ITEM 28

362.24

20

382.24


27.76

410.00

500

362.24


133.76



October 5, 1959

A part of the northwest quarter of the southeast quarter of section number 21, T8N; R2W. Beginning at a point that is 658 feet south, and 606.5 feet west of the northeast corner of the said northwest quarter of the southeast quarter, all in section 21, T8N; R2W, Monroe County, Indiana. Thence running south 50 degrees west for a distance of 164.3 feet, thence running south for a distance of 257.5 feet and to the north right of way line of state road number 45, thence running north 50 degrees east over and along the said right of way line for a distance of 286 feet, thence leaving the north right of way line of said state road 45, and running north 27 degrees and 30 minutes west for a distance of 200 feet and to the place of beginning. Containing in all 0.98 acres more or less.

John T. Stapp
Civil Engineer & Surveyor




May 7, 1959.

Raymond Freeman
to
Wayne Corlett

A part of the northeast quarter of the southwest quarter, and a part of the northwest quarter of the southeast quarter; -all in section 21-T8N;R2W.

Beginning at a point that is 331.11 feet south and 265 feet west of the northeast corner of the said northeast quarter of the southwest quarter, and in the center line of the Garrison Chapel Road; thence running east for a distance of 335 feet; thence running south for a distance of 152 feet; thence running south 88 degrees-15 minutes west for a distance of 253 feet and to the center line of the Garrison Chapel Road; thence running north 27 degrees-30 minutes west over and along the said center line of the Garrison Chapel Road for a distance of 178 feet and to the place of beginning. Containing in all 1.04 acres, more or less.

John T. Dyer
Civil Engineer




Sept. 4, 1958

Raymond Freeman
To
Warren and Norma Vandeventer

A part of the Northwest quarter of the Southeast quarter of section number 21, T8N-R2W. Beginning at a point that is 550 feet South and 320 feet West of the Northeast corner of the said North West quarter of the Southeast quarter; all in section 21, T8N-R2W, and on the West right of way line of a county road; Thence running West for a distance of 238.5 feet; Thence running South 29 East for a distance of 252 feet; and to the North right of way line of State highway number 45; Thence running North 50 East over and along the said North right of way line of State road number 45, for a distance of 146 feet; and to the West right of way line of the said county road; Thence leaving the North right of way line of said State road number 45 and running North 5-30- East over and along the West right of wayline of said county road for a distance of 118 feet and to the place of beginning. Containing in all 0.74 of an acre more or less.

John T. Septimus
Civil Engineer


Isaac Floyd
to
Ralph Rogers Co.



July 31, 1959

A part of Seminary lots 186, 156, 149 & 179. Beginning at a point that is 900 feet east and 1178.65 feet south of the northwest corner of seminary lot 180; thence running north for a distance of 413 feet; thence running east for a distance of 420 feet, more or less, and to an old line fence between the land of the grantor and the grantee; thence running south for a distance of 413 feet; thence running west for a distance of 420 feet, and to the place of beginning. Containing in all 4.00 acres, more or less.

John T. Appleton
Civil Engineer & Surveyor



June 29, 1959

Isaac Floyd
Transfer

Lot-B

Beginning at a point that is 900 Ft. east and 1384.25 Ft. south of the north west corner of seminary lot 180; thence running east for a distance of 420 Ft. more or less, and to the east line of seminary lot 186; thence north on the said east line of seminary lot 186, for a distance of 102.75 feet; thence west for a distance of 420 feet more or less, to a line 900 feet east of the said northwest corner of seminary lot 180; thence south for a distance of 102.75 feet and to the place of beginning.

Containing in all one (1) acre more or less.

Lot-A

Beginning at a point that is 900 feet east and 1281.40 feet south of the northwest corner of seminary lot 180; thence running east for a distance of 420 feet more or less, and to the east line of seminary lot 186; thence north on the said east line of seminary lot 186, for a distance of 102.75 feet; thence west 420 feet more or less, to a line 900 feet east of the said northwest corner of seminary lot 180; thence south for a distance of 102.75 feet and to the place of beginning.

Containing in all one (1) acre more or less.

John T. Sappleton
Civil Engineer & Surveyor

Survey for
Robt. W. Fee


April 9, 1959

Note:-From a field survey of lots
76, 77, 78 & 79 in the Dixie Highway Add.
(recorded in Plat Book 3-Page 35) I have
found the following conditions.

The old fence line at the north side of
this real estate is on the north side of
the 12 foot alley. As I was not familiar
with the status of this alley as to
vacation, etc, I place the I.P.s on the lot
lines (see plat) at the fence line.

The strip of ground lying westward adjacent
adjacent to lot 79 is an area left by the
original sub-dividers for their part of
Euclid Ave. The records show it to be 22
feet wide, but by measuring over and along
the addition (east & west) I found only 20
feet existing between the west line of
lot 79 and old existing line fence (see
plat)

John T. Stephenson
Civil Engineer & Surveyor



A PT. OF THE SE $\frac{1}{4}$ OF SEC. 29-T9N, R1W,
BLOOMINGTON, TOWNSHIP, MONROE CO, INDIANA.


BEG. @ A PT. THAT IS 369 FT ^{60 FT. NORTH} EAST OF THE
S.W. COR. OF THE SAID SE $\frac{1}{4}$ ^{+ ON THE N-R/W LINE OF S.E. #46} THENCE RUNNING NORTH
FOR A DISTANCE OF 165 FT; THENCE RUNNING WEST FOR A
DISTANCE OF 237.3 FT; THENCE RUNNING SOUTH FOR A DISTANCE
OF 137 FT & TO THE N-R/W LINE OF S.E. #46
THENCE RUNNING IN A SOUTHEASTLY DIRECTION OVER
& ALONG A 6° CURVE TO THE LEFT WHICH
FORMS THE N-R/W OF SAID S.E. #46 FOR A
DISTANCE OF 240.635 FT & TO THE PLACE BEGINNING
CONTAINING IN ALL

—H—

BEG @ PT. THAT IS 280.5 FT ^{and 225 ft. north} EAST OF THE S.W. COR. OF THE
SAID SE $\frac{1}{4}$; THENCE RUNNING WEST FOR 148.5 FT; THENCE
RUNNING SOUTH FOR A DISTANCE OF 137 FT & TO THE
NORTH R/W LINE OF S.E. #46; THENCE RUNNING IN A
SOUTHEASTLY DIRECTION ALONG A 6° CURVE TO THE
LEFT WHICH ALSO FORMS THE NORTH R/W LINE OF S.E. #46
FOR A DISTANCE OF 150 FT; THENCE RUNNING NORTH FOR A
DISTANCE OF 160 FT & TO THE PLACE BEGINNING. CONTAINING
IN ALL 0.52 ACRES \pm



Wentell Fuller
Real Estate



SW CORNER
OF THE SE 1/4 OF SEC. # 29 T9N, R1W

Wendell Oller
Sect. 29 Bloomington Twp.

a PT. of the SE 1/4 Sec. 29 - T9N - R1W

Commencing ^(429') 2.6 poles East of the SW Cor. of the
SE 1/4 of Sec. 29, Thence running North ^(1035.37) 62.75 poles;
thence West ^(297') 18 poles; thence ^(1035.37) 62.75 poles to the
Section line; thence East to place of beginning
Containing $7\frac{1}{2}$ acres, more or less.


$$\begin{array}{r} 16.50 \\ .75 \\ \hline 8250 \\ 115.50 \\ \hline 123750 \end{array}$$

$$\begin{array}{r} 1023 \\ 12.37 \\ \hline 1035.37 \end{array}$$

$$\begin{array}{r} 1035.50 \\ 105 \\ \hline 930.50 \\ 1035 \\ \hline 1965 \\ 383 \\ \hline 297 \end{array}$$

$$\begin{array}{r} 165 \\ 137 \\ \hline 28 \end{array}$$

N



$$\begin{array}{r} 165 \\ 60 \\ \hline 225 \\ 137 \\ \hline 88 \end{array}$$

$$\begin{array}{r} 297 \\ 60 \\ \hline 237 \end{array}$$

$$\begin{array}{r} 297 \\ 2 \\ \hline 148.5 \end{array}$$

Completed

Ordered By

Date:

Phone

Lot 'No.

Addition

Section No.

T

NR.

Description :

STAKE 4 $\frac{1}{2}$ Acres

Notes:


	4207 1/2

Fee

John T. Stapleton, Civil Engineer and Surveyor

1027
1384.21-
10275-

1384.25 -
500.25 -
884.25 -



WORK ORDER

Completed

Ordered By ISAAC M. L. YOD

Date _____ Phone _____

Lot No. _____ Addition _____

Section No. _____ T _____ N R _____

Description: _____

106	106	106	106
5	4	424	8
114	113	104	104
4	3	2	1

102.75 102.75 102.75

Notes: _____

STAKE OUT & DESCRIBE
8 LOTS

Fee _____

John T. Stapleton, Civil Engineer and Surveyor

PLAT

Scale for Section
660 Ft.--1 Inch
1/8 Inch--82 1/2 Ft.

Each side large squares,
80-rods 1320 feet
Area of square 40 acres

Locating Land of _____

In _____ County _____

Section _____ Township _____ Range _____

Acres

VICTOR A. NETCOTT
COUNTY SURVEYOR
MONROE COUNTY
BLOOMINGTON, INDIANA

Table of Measurements

16 1/2 Feet--1 Rod
80 Rods--1/4 Mile
160 Rods--1/2 Mile
320 Rods--1 Mile
6280 Feet--1 Mile

LINEAR


7.92 Inches--1 Link
100 Links
66 Feet
4 Rods
80 Chains--1 Mile

Squares,

272 1/4 Square Feet--1 Square Rod
160 Square Rods--43,560 Square Feet 1--Acre
640 Acres--1 Square Mile 1 Section

1 Square Acre is --
12.65 Rods Square
208 Feet 8 1/2 Inches Square
3 Chains 16 1/4 Links Square

N



OFFICE OF COUNTY SURVEYOR
MONROE COUNTY
VICTOR A. NETCOTT, SURVEYOR
BLOOMINGTON, INDIANA

DESCRIPTION OF FOUR ACRE TRACT

Part of Seminary Lot one hundred eighty six (186) in the north east quarter of Section 6, Township 8 North: Range 1 West bounded and described as follows, to wit; Beginning at a point nine hundred (900) feet east and one thousand four hundred eighty seven (1487) feet south of the northwest corner of Seminary Lot One hundred eighty (180) running thence east four hundred twenty four (424) feet to the east line of said Seminary Lot one hundred eighty six (186); running thence south over and along said east line four hundred eleven (411) feet; running thence west four hundred twenty four (424) feet to a point nine hundred (900) feet east of the west line of Seminary Lot one hundred eighty five (185); running thence north four hundred eleven (411) feet to the place of beginning; containing in all four (4) acres more or less.

\$700⁰⁰

Irane M. Sub & 2nd Dist, registered - 1942
Rebecca Floyd Harley Mitchell &
Ernest
him + my

OFFICE OF COUNTY SURVEYOR
MONROE COUNTY
VICTOR A. NETCOTT, SURVEYOR
BLOOMINGTON, INDIANA

DESCRIPTION OF ONE ACRE TRACT

Part of Seminary Lot one hundred eighty six (186) in the Northeast quarter of Section 6 Township 8 North: Range 1 West bounded and described as follows, to wit; Beginning at a point nine hundred (900) feet east and one thousand three hundred eighty four and twenty five hundredths (1384.25) feet south of the northwest corner of Seminary Lot one hundred eighty (180) running thence east four hundred twenty four (424) feet to the east line of said Seminary Lot one hundred eighty six (186): running thence south over and along said east line one hundred two and seventy five hundredths (102.75) feet; running thence west four hundred twenty four (424) feet to a point nine hundred (900) east of the west line of Seminary Lot one hundred eighty five (185); running thence north one hundred two and seventy five hundredths (102.75) feet to the place of beginning containing in all one acre more or less.

#200-

Lotus Winnick

WORK ORDER

Completed

Ordered By

ISAAC FLOYD - PER REGISTER

Date

April 16 - 59

Phone

Lot No.

Addition

Section No.

T

N R

Description:

424' E & W - 102'-9" N & S

Notes:

Survey SOUTH 1 ACRE ON
ANNE LEE LANE & 1 ADJACENT ACRE

PT 175 -


Fee

John T. Stapleton, Civil Engineer and Surveyor

Section 17-T10N;R2W

Section Cor.

474.5'



section line

Section 20-T10N;R2W


Note:- Description in section 17 is O.K.

Corrected description for
Real Estate in Section 20-T10N;R2W.

A part of the north half of the northwest quarter of section 20-T10N;R2W. Beginning at a point this is 474 1/2 feet east of the northwest corner of said section 20; thence running east over and along the north line of the said northwest quarter for a distance of 896 feet; thence running south 71 degrees west for a distance of 912 1/2 feet and to the center line of the Stinesville- Spencer Road; thence running north 5 degrees-47 minutes west for a distance of 297 feet, and to the place of beginning. Containing in all 3.75 acres, more or less.

John T. Stapleton
Civil Engineer


STEPHEN FERRAN.



$$\begin{array}{r}
 3.0724 \\
 297 \overline{) 912.50} \\
 \underline{891} \\
 21.50 \\
 \underline{20.79} \\
 710 \\
 \underline{694} \\
 1660 \\
 \underline{1588} \\
 720
 \end{array}$$

SW 1/4 - 17


S.W. Cor.



$$\begin{array}{r}
 90 \\
 13 \\
 \hline
 71
 \end{array}$$

$$\frac{C}{A} = \text{COSECANT } D$$

$$\begin{array}{r}
 13 \\
 69 \\
 \hline
 82
 \end{array}$$





OUT LOT 13




7TH ST.

ST. MAPLE	LARRY DYER 10-20-31	FLORENCE DOWNING NO RECORD	RAY AXSON 11-26-55	EDW. WENBACH 4-22-39	RICHARD TWINNALL 3-18-48	JESSE EVANS 8-18-50	LLOYD GRIFFIN 5-25-40 6-26-48	10-6-55 FEB 8 CHURCH	CHURCH	CHURCH
	JUSTINE CRAG								CHURCH	
	CLOVIS BRUCE								CHURCH	
	CARL STEVENS								CHURCH	
	WM GASSER	PURVIS MCGONNIN	LOUIS BIRCHMEYER	AGNES LAYMAN	EDW. STEWART	PAUL THORNTON	JACKMAN		(TRUSTEES) CHURCH	JACKSON ST.

6TH ST.

FAIRVIEW CHURCH



Sept. 15, 1958

A part of the South East quarter of the North West quarter of section number 22; T9N; R1W. Monroe county Indiana.

Beginning at a point that is 722 feet East of the South West corner of the South East quarter of the North West quarter of section number 22; T9N; R1W. Thence running North for a distance of $379\frac{1}{2}$ feet; Thence running East for a distance of 238 feet; Thence running South for a distance of $379\frac{1}{2}$ feet; Thence running West for a distance of 238 feet, and to the place of beginning. Containing in all 2.07 acres more or less.

John T. Stapleton
Civil Engineer


JIM

FERGUSON

D.T.S.



Aug 1914



Bird
Land
excavation

J. H. T. Stapleton
Civil Engineer



WORK ORDER

Completed _____

Ordered By _____

Date _____

Phone _____

Lot No. _____

Addition _____

Section No. 31

T 3

N


R

12

Description: _____

Notes: _____

12.5
12.5
34.5
15
39.5



903
37.5
125.5

Fee _____

John T. Stapleton, Civil Engineer and Surveyor

LEONARD FORD TRACTS

TRACT #1 - A part of the Southeast Quarter of the Northwest Quarter of Section 31 - Township 9 North; Range 1 East:


Beginning at the Northeast corner of the said Quarter-Quarter; thence running West for a distance of 511.5 feet; thence running South 50 degrees East for a distance of 610.5 feet; thence running 73 degrees East for a distance of 49.5 feet and to the East line of the said Quarter-Quarter; thence running North for a distance of 363 feet and to the place of beginning; containing in all 2.39 acres, more or less.

TRACT #2 - A part of the Southeast Quarter of the Northwest Quarter of Section 31 - Township 9 North; Range 1 East:

Beginning at a point that is 511.5 feet West of the Northeast corner of the said Quarter-Quarter; thence running West for a distance of 808.5 feet more or less, and to the Northwest corner of the said Quarter-Quarter; thence running South for a distance of 297 feet; thence running South 79 degrees East for a distance of 990 feet; thence running North 73 degrees East for a distance of 313.5 feet; thence running North 50 degrees East for a distance of 610.5 feet and to the place of beginning; containing in all 9.57 acres, more or less.

TRACT #3 - A part of the Southeast Quarter of the Northwest Quarter of Section 31 - Township 9 North; Range 1 East:

Beginning at a point that is 297 feet South of the Northwest corner of the said Quarter-Quarter; thence running South for a distance of 297 feet; thence running North 85 degrees East for a distance of 907.5 feet; thence running North 73 degrees East for a distance of 66 feet; thence running North 79 degrees West for a distance of 990 feet and to the place of beginning; containing in all 3.68 acres, more or less.



LEONARD FORD - TRACTS

RAYMOND FREEMAN

Part of Northwest quarter of Southeast quarter of Section 21 Township 8 Range 2 West; beginning at a point that is 610 feet North and 325 feet West of Southeast corner of said quarter quarter and at the intersection of the West right away line of county pike road and the North right away line of State Highway number 45; thence running North 8 degrees East over and along the West right away line of said county pike road for a distance of 127 feet; thence leaving the said West right away line and running South 86 degrees - 30 minutes West for a distance of $164\frac{1}{2}$ feet; thence running South 65 degrees West for a distance of 80 feet; thence running South 37 degrees-15 minutes East for a distance of 200 feet and to North right away line of State Road number 45; thence running North 51 degrees East over and along the said right away line of State Road number 45 for a distance of 125 feet to the place of beginning. Containing in all 0.68 acres more or less.

AIR PHOTO - 4-37

FE

160,000
~~128,000~~
~~160,000~~
~~256,000~~
~~23~~
~~888,000~~
~~592,000~~
~~680,000~~

400
~~16,000~~
~~18.5~~
~~80,000~~
~~128,000~~
~~160,000~~
~~256,000~~
~~23~~
~~888,000~~
~~592,000~~
~~680,000~~

40
~~40~~
~~16,000~~
~~18.5~~
~~80,000~~
~~128,000~~
~~160,000~~
~~256,000~~
~~23~~
~~888,000~~
~~592,000~~
~~680,000~~


0.68 AC.I

51.5
 12

N 86° 30' E
 164.5

N 37° 15' W
 200

N 55° 30' E
 80



Leland Freeman
to
Frederick B. Freeman

December 28, 1956

A part of the northeast quarter of the northwest quarter of section 11; T9N; R2W. Beginning at a point that is 869.5 feet west of the northeast corner of the said quarter quarter; thence running east and over and along the north line of the said quarter quarter for a distance of 115 feet; thence running south for a distance of 225 feet; thence running west for a distance of 115 feet; thence running north for a distance of 225 feet and to the place of beginning. Containing in all 0.60 acres, more or less.

John T. Stephens
Civil Engineer

WORK ORDER

650-1072.5

Completed

32 1/2 R = 536.25

40 1/4 R = 812.62

Ordered By

Date

Phone 67-3

Lot No.


Addition

Section No. 11

T. 9 N R. 20


Description:

Notes:



Fee

John T. Stapleton, Civil Engineer and Surveyor



LELAND FREEMAN

TO

FREDERICK B. FREEMAN.


LEO FREEMAN
TO
BUD LANE - R/W AGREEMENT.

3 FT. BY PARALLEL LINES - ON EACH SIDE OF THE
FOLLOWING DESCRIBED CENTER LINE: - BEGINNING
AT THE N.W. CORNER OF LOT III IN THE GREENACRES
ADDITION TO THE CITY OF BLOOMINGTON, INDIANA;
THEN RUNNING S 33° E FOR A DISTANCE OF 60 FT + TO THE
REAL POINT OF BEGINNING, THENCE RUNNING N 89°-08' EAST
FOR A DISTANCE OF 394 FT + TO THE PROPERTY LINE
DIVIDING THE FREEMAN + LANE REAL ESTATE.

JS


Notes
 ADD
 Pt. Sem 134

$$\frac{8-44}{16-88} = 17-28$$



$$\begin{array}{r} 15384 \\ 260 \overline{) 400} \\ \underline{260} \\ 1400 \\ \underline{1300} \\ 1000 \\ \underline{780} \\ 2200 \\ \underline{2080} \\ 1200 \end{array}$$

$$\begin{array}{r} 45387 \\ 360 \overline{) 1634} \\ \underline{1080} \\ 5540 \\ \underline{5400} \\ 1400 \end{array}$$



$$\frac{16-88}{2} = 94$$

$$\begin{array}{r} 3.1416 \\ 6.2832 \\ \underline{260} \\ 3769920 \\ \underline{185664} \\ 1633632 \end{array}$$

$$\begin{array}{r} 1634-360 \\ 19 = 17-28 \end{array}$$

$$\frac{6}{750}$$

$$\begin{array}{r} 46 \\ 60 \overline{) 280} \\ \underline{240} \\ 400 \\ \underline{360} \\ 400 \end{array}$$

17


$$\begin{array}{r} 1634 = \text{Gecum.} \\ 10485 \\ \underline{8170} \\ 13072 \\ \underline{6536} \\ 792498 \end{array}$$

$$176-5$$

$$\begin{array}{r} 175-17 \\ 40 \\ \underline{135-17} \\ 105-7\frac{1}{2} \\ \underline{30.095} \end{array}$$

360

$$\begin{array}{r} 70.8 \\ 40 \\ \underline{30.8} \end{array}$$



$$\begin{array}{r} 220 \\ 234 \\ 470 \\ 150 \\ \underline{620} \\ 90.4 \end{array}$$

$$50.099$$

Fox

658.5
636.0
22.5 in max lane
10
38.5

$$\begin{array}{r} 85 \\ 21.2 \\ \hline 8.2 \end{array}$$

264.7 1/4

$$\begin{array}{r} 132 \\ 265 \overline{) 350} \\ \underline{265} \\ 850 \\ \underline{795} \\ 650 \end{array}$$

656.5

$$\begin{array}{r} 89-60 \\ -2-26 \\ \hline 87-34 \end{array}$$

$$\begin{array}{r} 105.59 \\ - 101.32 \\ \hline 4.27 \\ + 31677 \\ \hline 10359 \\ \hline 1393788 \end{array}$$

$$\frac{C}{B} = \sec D$$

$$\begin{array}{r} 85.50 \\ - 1.39 \\ \hline 83.61 \end{array}$$

$$\begin{array}{r} 83 \\ 468 \\ \hline 551 \\ 181.0 \\ \hline 633.0 \end{array}$$

Handwritten calculations on a grid background:

- $1055 \div 105 = 10$
- $100099 \div 100 = 100.099$
- $148 \div 183 = 0.80874317$
- $3.31 \div 0.60 = 5.51666667$
- $51 \div 92.5 = 0.55135135$
- $217 \div 25 = 8.68$
- $25 \div 633 = 0.03949447$


145-7 1/2

$$\begin{array}{r} 105.5 \\ 105.3 \\ \hline 527.5 \\ 527.3 \\ \hline 1055 \\ \hline 1113025 \end{array}$$

[illegible]

GORDON FISHER

ACTUAL



MELVIN FORBES TRACTS

Tract No. 1:

A part of the Northwest quarter of the Southwest quarter of Section 14, Township 9 North, Range 1 West, in Monroe County, Indiana, bounded and described as follows, to-wit: Beginning at a point 179.11 feet North and 1070.78 feet East of the Southwest corner of said quarter quarter, and on the North right of way line of Bethel Lane; thence running North 6 degrees 45 minutes West for a distance of 199.5 feet; thence running North 81 degrees 30 minutes East for a distance of 100 feet; thence running South 6 degrees 45 minutes East for a distance of 200 feet and to the North line of Bethel Lane; thence running South 81 degrees 30 minutes West for a distance of 100 feet and to the place of beginning. Containing in all 0.46 acre, more or less.

Tract No. 2:

A part of the Northwest quarter of the Southwest quarter of Section 14, Township 9 North, Range 1 West, in Monroe County, Indiana, bounded and described as follows, to-wit: Beginning at a point 164.36 feet North and 971.88 feet East of the Southwest corner of said quarter quarter, and on the North right of way line of Bethel Lane; thence running North 6 degrees 45 minutes West for a distance of 200.2 feet; thence running North 81 degrees 30 minutes East for a distance of 100 feet; thence running South 6 degrees 45 minutes East for a distance of 199.5 feet and to the North right of way line of Bethel Lane; thence running South 81 degrees 30 minutes West for a distance of 100 feet and to the place of beginning. Containing in all 0.46 acre, more or less.

Tract No. 3:

A part of the Northwest quarter of the Southwest quarter of Section 14, Township 9 North, Range 1 West, in Monroe County, Indiana, bounded and described as follows, to-wit: Beginning at a point 149.61 feet North and 872.98 feet East of the Southwest corner of said quarter quarter, and on the North right of way line of Bethel Lane; thence running North 6 degrees 45 minutes West for a distance of 200 feet; thence running North 81 degrees 30 minutes East for a distance of 100 feet; thence running South 6 degrees 45 minutes East for a distance of 200.2 feet and to the North right of way line of Bethel Lane; thence running South 81 degrees 30 minutes West for a distance of 100 feet and to the place of beginning. Containing in all 0.46 acre, more or less.

Tract No. 4:

A part of the Northwest quarter of the Southwest quarter of Section 14, Township 9 North, Range 1 West, in Monroe County, Indiana, bounded and described as follows, to-wit: Beginning at a point 134.86 feet North and 774.08 feet East of the Southwest corner of said quarter quarter, and on the North right of way line of Bethel Lane; thence running North 6 degrees 45 minutes East for a distance of 200.6 feet; thence running North 81 degrees 30 minutes East for a distance of 100 feet; thence running South 6 degrees 45 minutes East for a distance of 200 feet and to the North line of Bethel Lane; thence running South 81 degrees 30 minutes West for a distance of 100 feet and to the place of beginning. Containing in all 0.46 acre, more or less.

Long 1/4 - 1/4 Sec.

MELVIN FORBES TRACTS

Tract No. 5:

A part of the Northwest quarter of the Southwest quarter of Section 14, Township 9 North, Range 1 West, in Monroe County, Indiana, bounded and described as follows, to-wit: Beginning at a point that is 120.11 feet North and 675.18 feet East of the Southwest corner of said quarter quarter, and on the North right of way line of Bethel Lane; thence running North 6 degrees 45 minutes West for a distance of 201 feet; thence running North 81 degrees 30 minutes East for a distance of 200.6 feet and to the North line of Bethel Lane; thence running South 81 degrees 30 minutes West for a distance of 100 feet and to the place of beginning, Containing in all 0.46 acre, more or less.

Tract No. 6:

A part of the Northwest quarter of the Southwest quarter of Section 14, Township 9 North, Range 1 West, in Monroe County, Indiana, bounded and described as follows, to-wit: Beginning at a point that is 112.27 feet North and 575.49 feet East of the Southwest corner of said quarter quarter and on the North right of way line of Bethel Lane; thence running North 6 degrees 10 minutes West for a distance of 194.5 feet; thence running North 81 degrees 30 minutes East for a distance of 100 feet; thence running South 6 degrees 45 minutes East for a distance of 201 feet and to the North right of way line of Bethel Lane; thence running South 81 degrees 30 minutes West for a distance of 100 feet and to the place of beginning. Containing in all 0.45 acre, more or less.

Tract No. 7:

A part of the Northwest quarter of the Southwest quarter of Section 14, Township 9 North, Range 1 West, in Monroe County, Indiana, bounded and described as follows, to-wit: Beginning at a point that is 104.43 feet North and 475.80 feet East of the Southwest corner of said quarter quarter, and on the North right of way line of Bethel Lane; thence running North 6 degrees 10 minutes West for a distance of 179 feet; thence running North 75 degrees 58 minutes West for a distance of 94 feet; thence running North 81 degrees 30 minutes West for a distance of 6 feet; thence running South 6 degrees 10 minutes East for a distance of 194.5 feet and to the North line of Bethel Lane; thence running South 81 degrees 30 minutes West for a distance of 100 feet and to the place of beginning. Containing in all 0.43 acre, more or less.

Tract No. 8:

A part of the Northwest quarter of the Southwest quarter of Section 14, Township 9 North, Range 1 West, in Monroe County, Indiana, bounded and described as follows, to-wit: Beginning at a point that is 93.44 feet North and 336.14 feet East of the Southwest corner of said quarter quarter, and on the North right of way line of Bethel Lane; thence running North 6 degrees 10 minutes West for a distance of 152.7 feet; thence running North 74 degrees 52 minutes East for a distance of 100.5 feet; thence running North 75 degrees 58 minutes East for a distance of 89.5 feet; thence running South 6 degrees 10 minutes East for a distance of 170.5 feet and to the North line of Bethel Lane; thence running South 85 degrees 30 minutes West for a distance of 100 feet and to the place of beginning. Containing 0.37 acre, more or less.

MELVIN FORBES TRACTS


Tract No. 9:

A part of the Northwest quarter of the Southwest quarter of Section 14, Township 9 North, Range 1 West, in Monroe County, Indiana, bounded and described as follows, to-wit: Beginning at a point that is 93.09 feet North and 204.55 feet East of the Southwest corner of said quarter quarter, and on the North right of way line of Bethel Lane; thence running North 4 degrees 40 minutes West for a distance of 127.2 feet; thence running North 74 degrees 52 minutes East for a distance of 136 feet; thence running South 6 degrees 10 minutes East for a distance of 152.7 feet and to the North line of Bethel Lane; thence running South 85 degrees 30 minutes West for a distance of 132 feet and to the place of beginning. Containing in all 0.43 acre, more or less.













Tract No. 10:

A part of the Northwest quarter of the Southwest quarter of Section 14, Township 9 North, Range 1 West, in Monroe County, Indiana, bounded and described as follows, to-wit: Beginning at a point that is 71.31 feet North and 54.82 feet East of the Southwest corner of said quarter quarter, and on the North right of way line of Bethel Lane; running thence North 3 degrees 45 minutes East for a distance of 99.5 feet; thence running North 72 degrees 30 minutes East for a distance of 86.5 feet; thence running North 74 degrees 52 minutes East for a distance of 49.5 feet; thence running South 4 degrees 40 minutes East for a distance of 127.2 feet and to the North line of Bethel Lane; thence running South 85 degrees 30 minutes West for a distance of 150.2 feet and to the place of beginning. Containing in all 0.37 acre, more or less.

MELVIN FORBES.



10 - BEG. @ A Pt. THAT IS



Pt. SW 1/4 - SEC 14 - T9N; R1W

BEQ. @


NW COR - NW-SW 1/4

D. E. = 110 - PAGE 476

202d (1320)

1320'

BETHEL ROAD



Melvin Forbes Tracts

Tract #1

A part of the Northwest quarter of the Southwest quarter of section 14, T 9 N, R 1 W. Beginning at a point that is 1114.57 feet East and 189.77 feet North of the Southwest corner of said quarter quarter and on the North right-of-way line of Bethel Lane; thence running North 6 degrees 45 minutes East for a distance of 200 feet; thence running South 81 degrees 30 minutes West for a distance of 100 feet; thence running South 6 degrees 45 minutes East for a distance of 199.5 feet and to the North line of Bethel Lane; thence running North 81 degrees 30 minutes East for a distance of 100 feet and to the place of beginning. Containing in all .46 acres, more or less.

Tract #2

A part of the Northwest quarter of the Southwest quarter of section 14, T 9 N, R 1 W. Beginning at a point that is 1015.67 feet East and 175 feet North of the Southwest corner of the said quarter quarter and on the North right-of-way line of Bethel Lane; thence running North 6 degrees 45 minutes West for a distance of 199.5 feet; thence running South 81 degrees 30 minutes West for a distance of 100 feet; thence running South 6 degrees 45 minutes East for distance of 200.2 feet and to the North line of Bethel Lane; thence running North 81 degrees 30 minutes East for a distance of 100 feet and to the place of beginning. Containing in all .46 acres, more or less.

Tract #3

A part of the Northwest quarter of the Southwest quarter of section 14, T 9 N, R 1 W. Beginning at a point that is 916.77 feet East and 160.23 feet North of the Southwest corner of the said quarter quarter and on the North right-of-way line of Bethel Lane; thence running North 6 degrees 45 minutes West for a distance of 200.2 feet; thence running South 81 degrees 30 minutes West for a distance of 100 feet; thence running South 6 degrees 45 minutes East for a distance of 200 feet and to the North line of Bethel Lane; thence running North 81 degrees 30 minutes East for a distance of 100 feet and to the place of beginning. Containing in all .46 acres, more or less.

Tract #4

A part of the Northwest quarter of the Southwest quarter of section 14, T 9 N, R 1 W. Beginning at a point that is 817.87 feet East and 145.46 feet North of the Southwest corner of the said quarter quarter and on the North right-of-way line of Bethel Lane; thence running North 6 degrees 45 minutes West for a distance of 200 feet; thence running South 81 degrees 30 minutes West for a distance of 100 feet; thence running South 6 degrees 45 minutes East for a distance of 200.6 feet and to the North line of Bethel Lane; thence running North 81 degrees 30 minutes East for a distance of 100 feet and to the place of beginning. Containing in all .46 acres, more or less.

Tract #5

A part of the Northwest quarter of the Southwest quarter of section 14, T 9 N, R 1 W. Beginning at a point that is 718.97 feet East and 130.69 feet North of the Southwest corner of the said quarter quarter; and on the North right-of-way line of Bethel Lane; thence running North 6 degrees 45 minutes West for a distance of 200.6 feet; thence running South 81 degrees 30 minutes West for a distance of 100 feet; thence running South 6 degrees 45 minutes East for a distance of 201 feet and to the North line of Bethel Lane; thence running North 81 degrees 30 minutes East for a distance of 100 feet and to the place of beginning. Containing in all .46 acres, more or less.

Tract #6

A part of the Northwest quarter of the Southwest quarter of section 14, T 9 N, R 1 W. Beginning at a point that is 620.07 feet East and 115.92 feet North of the Southwest corner of the said quarter quarter, and on the North right-of-way line of the Bethel Lane; thence running North 6 degrees 45 minutes West for a distance of 201 feet; thence running South 81 degrees 30 minutes West for a distance of 100 feet; thence running South 6 degrees 10 minutes East for a distance of 194.5 feet and to the North line of Bethel Lane; thence running North 85 degrees 30 minutes East for a distance of 100 feet and to the place of beginning. Containing in all .45 acres, more or less.

Tract #7

A part of the Northwest quarter of the Southwest quarter of section 14, T 9 N, R 1 W. Beginning at a point that is 520.37 feet East and 108.08 feet North of the Southwest corner of the said quarter quarter and on the North right-of-way line of the Bethel Lane; thence running North 6 degrees 10 minutes West for a distance of 194.5 feet; thence running South 81 degrees 30 minutes West for a distance of 6 feet; thence running South 75 degrees 58 minutes West for a distance of 94 feet; thence running South 6 degrees 10 minutes East for a distance of 179 feet and to the North line of Bethel Lane; thence running North 85 degrees 30 minutes East for a distance of 100 feet and to the place of beginning. Containing in all .43 acres, more or less.

Tract #8

A part of the Northwest quarter of the Southwest quarter of section 14, T 9 N, R 1 W. Beginning at a point that is 380.8 feet East and 97.11 feet North of the Southwest corner of the said quarter quarter and on the North line of the Bethel Lane; thence running North 6 degrees 10 minutes West for a distance 170.5 feet; thence running South 75 degrees 58 minutes West for a distance 89.5 feet; thence running South 74 degrees 52 minutes West for a distance of 10.5 feet; thence running South 6 degrees 10 minutes East for a distance of 152.7 feet and to the North right-of-way line of Bethel Lane; thence running North 85 degrees 30 minutes East for a distance of 100 feet and to the place of beginning. Containing in all .37 acres, more or less.

Tract #9

A part of the Northwest quarter of the Southwest quarter of section 14, T 9 N, R 1 W. Beginning at a point that is 281.10 feet East and ~~87.75~~ 78.91 feet North of the Southwest corner of the said quarter quarter and on the North right-of-way line of the Bethel Lane; thence running North 6 degrees 10 minutes West for a distance of 152.7 feet; thence running South 74 degrees 52 minutes West for a distance of 136 feet; thence running South 4 degrees 40 minutes East for a distance of 127.2 feet and to the North line of Bethel Lane; thence running North 85 degrees 30 minutes West for a distance of 132 feet and to the place of beginning. Containing in all .43 acres, more or less.

Tract #10


A part of the Northwest quarter of the Southwest quarter of section 14, T 9 N, R 1 W. Beginning at a point that is 67 feet North of the Southwest corner of the said quarter quarter and on the North right-of-way line of the Bethel Lane; thence running North 3 degrees 45 minutes East for a distance of 99.5 feet; thence running North 72 degrees 30 minutes East for a distance of 86.5 feet; thence running North 74 degrees 52 minutes East for a distance of 49.5 feet; thence running South 4 degrees 40 minutes East for a distance of 127.2 feet and to the North line of Bethel Lane; thence running South 85 degrees 30 minutes West over and along the said North right-of-way of the Bethel Lane for a distance of 150.2 feet and to the place of beginning. Containing in all .37 acres, more or less.

Plat of
Forbes Tracts

Melvin


Section 14

T. 9 N. R. 1 W.



F.B. 6/23

Melvin
Forbes



Melvin Forbes

59
67

07.75
14.77

66
14.77
14.77


340
132
472
130.2
622.2

89-68
8536
430



5969




516.77
58.90
1015.67



88-40
81-30
2-30



9890
500
4545000



1494 = 14.77

EAST
NORTH

- # 1 → 1114.57 ✓ or ✓
- # 2 → 1015.67 ✓ or ✓
- # 3 → 916.77 ✓ or ✓
- # 4 → 817.87 ✓ or ✓
- # 5 → 718.97 ✓ or ✓
- # 6 → 620.07 ✓ or ✓
- # 7 → 520.37 OK ✓
- # 8 → 380.80 OK ✓
- # 9 → 281.10 OK ✓
- # 10 → 149.57 OK ✓

- #1 194.77 OK
- #2 180.00 OK
- #3 165.23 OK
- #4 150.46 OK
- #5 135.69 OK
- #6 127.84
- #7 120.01
- #8 109.03
- #9 101.19
- #10 90.84

67
48.9
115.9

620.07
494.50
1114.57

98.90
494.50

99.7
1594

1114.57
494.50
620.07
199.40
420.67
39.87
380.80
39.87
420.67

194.77
55.08
139.69


14.77
4

59.08

620.07
99.70

99.70
2
19940
30.80
23520

620.07
239.20
380.87



136.0
86.5
49.5
86.5
136.0

127
153
280

59.08
18.82
77.90
10.35
11.78
100.03

140
134
56.0
42.0
40.0
87.68
23
56280
37520
0.431480

100.03

780
2
15.68
3.14
18.62

154.77
59.08
135.69


14.77
4
59.08

48.90
73.07
122.77

99.70
131.59
231.29
149.73
381.02

153
 171
324
 2
 179
 195
374
 18700
 23
 56100
 37400
430100

89-60
 81-30
8-30
 89-60
 85-30
4-30



9890
 500
4945000

195
 201
396
 19800
 23
 39400
 39600
455400


9969
 622.2
19938
 19938
 19938
 69814
620270 18

1494
 494.5
7470
 5976
 13446
 5976
73878 30

150.2
 132
282.2
 140
422.2
 200
622.2

0787
 620
15740
 4722
287940

86.5
 156
2825
 2234
3069



585000
 1494
 989
13446
 15752
 13446
1515566

67.00
 48.90
 115.90
 73.87
189.77

272
 100
372
 412
 100
512

14.77
 7.84
3.14
 73.85
 1058
 784
1882

130.69
 14.77
 #6 - 115.92

#1 - 189.77
 14.77
 #2 - 175.00
 14.77

372
 282.1
 89.3
 100
 89.5
10.5

14.77
 5
7385
 784
 3.14
84.83
 7.84
92.67
 10.35
10302
 11.78
11460

130.69
 115.92
14.77

48.90
 73.87
 122.77

127
 100
227
 2 - 114
 143
 342
 456
 114
16302
 23
 48906
 32604
574546

115.92
 6.93


81.90
 6.93
 74.97
 67
 897

#3 - 160.23
 14.77
 #4 - 145.46
 14.77
 #5 - 130.69
 14.77
 #6 - 115.92
 7.84
 #7 - 108.08
 7.84
 100.24
 3.14
 #8 - 97.10
 7.84
 #9 - 86.26
 10.35
 #10 - 75.51
 11.78
 67412
 7

PLAT of
PART of NE QUARTER
of SEC 24-TWP 8N-R1W
MONROE COUNTY, INDIANA.

169.9
141.5 EAST
EST. FENCE LINE
208.7
73.0 SOUTH
150.0
125.0
150.0
N 28° 12' W 150.0
N 28° 12' W 218.0
N 28° 12' W 218.0
N 28° 12' W 286.0
N 28° 12' W
S 62° W
NORTH R/W S.R. 45
STONE
J. R. 45

CERTIFIED CORRECT:



FRISBIE ADD.

GREEN VIEW ADD.

Corrected Deed
Fleener Property
Lot #1

A part of the Northeast quarter of Section 24, Twp. 9 North, Range 1 West, in Monroe County, Indiana, described as follows: Beginning at a point that is $1369\frac{1}{2}$ feet North and 222 feet west of the Southeast corner of the said Northeast quarter; thence running South 73 feet and to the North right-of-way line of State Road 45; thence running South 62 degrees West over and along the said North right-of-way line for a distance of 150 feet; thence North 28 degrees West 150 feet and to a point that is $1369\frac{1}{2}$ feet North of the South line of said Northeast quarter; thence running East for a distance of 208.7 feet and to the place of beginning. Containing 0.44 acres, more or less.

Lot #2

A part of the Northeast quarter of Section 24, Twp 9 North, Range 1 West, in Monroe County, Indiana, described as follows: Beginning at a point that is $1369\frac{1}{2}$ feet North and ~~140.7~~ ^{230.7} feet West of the Southeast corner of the said Northeast quarter; thence running South 28 degrees East 150 feet and to the North right-of-way line of State Road 45; thence running South 62 degrees West over and along the said right-of-way line for a distance of 125 feet; thence North 28 degrees West 218 feet and to a point that is $1369\frac{1}{2}$ feet North of the South line of said Northeast quarter; thence running East for a distance of 141.5 feet and to the place of beginning. Containing 0.53 acres, more or less.



Lot #3

A part of the Northeast quarter of Section 24, Twp. 9 North, Range 1 West, in Monroe County, Indiana, described as follows: Beginning at a point that is $1369\frac{1}{2}$ feet North and ~~582.2~~ ^{582.2} feet West of the Southeast corner of the said Northeast quarter; thence running South 28 degrees East 218 feet and to the North right-of-way line of State Road 45; thence running South 62 degrees West over and along the said right-of-way line for a distance of 150 feet; thence North 28 degrees West 286 feet and to a point that is $1369\frac{1}{2}$ feet North of the South line of said Northeast quarter; thence running East for a distance of 169.9 feet and to the place of beginning. Containing 0.84 acres, more or less.

Frushy was in
would like to get
work done before
27th he will pay
us the 27th

A part of the SW $\frac{1}{4}$ of Sec 12. + 8 R2W,
described as follows, to wit: Beginning at
a point ~~from~~ 435 $\frac{1}{2}$ feet North and 160 rods
East of the SW corner of said SW $\frac{1}{4}$,
thence South 217 feet and 9 inches,
thence East 500 to the place of beginning
containing 2 $\frac{1}{2}$ acres more or less

Joe Fisher
Leveled Spring Road





[illegible]

Hand-drawn map of Leonard Springs Rd. showing lots 1 through 8, dimensions, and surrounding roads like Bloomfield Road. Includes handwritten notes like "Joe Trishie 9292" and "114-598".

Map details:

- Leonard Springs Rd.** (Vertical road on the left, 217' 9" wide)
- Bloomfield Road** (Horizontal road at the bottom)
- 500 ft.** (Horizontal dimension across the top and bottom of the lot grid)
- 217' 9"** (Vertical dimension on the right side of the lot grid)
- Joe Trishie 9292** (Handwritten note in the lower right)
- 114-598** (Handwritten note in the lower right)
- Over 1** (Handwritten note near lot 1)
- 2**, **3**, **4** (Handwritten numbers near lots 2, 3, and 4)
- 8** (Handwritten number near lot 8)
- 5** (Handwritten number near lot 5)
- 120'**, **100'**, **180'**, **100'** (Horizontal dimensions for lots 1, 2, 3, and 4)
- 90'**, **90'**, **90'**, **90'** (Vertical dimensions for lots 1, 2, 3, and 4)
- 200'** (Horizontal dimension for lot 1)
- 100'**, **100'**, **100'** (Horizontal dimensions for lots 2, 3, and 4)
- 110'**, **110'**, **110'** (Vertical dimensions for lots 2, 3, and 4)
- 114-598** (Handwritten note near lot 4)



TOPOGRAPHIC SURVEY
of
FRATERNITY ROW ADD
LOTS 19 & 20
SCALE: 1" = 40' 18 APR 55
SURY E.W. BRUNNEMER, L.S.

101-120

Pt. of THE N $\frac{1}{2}$ of Sec. 134. Commencing @ the N.W. Cor. of said lot; thence east 264ft-7 $\frac{1}{4}$ "; thence South 650ft + 6 inches; thence west 264ft-7 $\frac{1}{4}$ " to the west line of said lot. thence north 658 + 6 inches to the place of 'Benny'.

160
13
173
90
263
90
353
90
443
90
533
95
628
3
638

119
159
108-7 $\frac{1}{2}$
264 7 $\frac{1}{2}$

119
40
755

119
90
10710
23
32130
21420
246330

0033
7
5837

333
80
413
80
493
80
573
80
653

165.58
80
844.640

23
2533320
1685280
15426720

160
360
520
13
533

453
453
578


119
95
595
1071
11303
11323
33513
33610
260015

13
50
53
80
173
80
253
80
333
80
413
80
493
80
573

573
85
658

360
160
520
95
615
30
645
13
658

Plat of
Mac Fox-Tracts
Maxwell Lane



Copy
F.B. 66

Max Fox Tracts

Lot # 1

A part of the N $\frac{1}{2}$ of Seminary lot #134 to the city of Bloomington, Ind., beginning at a point that is 13 feet South of the NW corner of said seminary lot #134; thence running South 160 feet. Thence running East 119 feet. Thence running North 160 feet. Thence running West 119 feet to the place of beginning. Containing in all 0.44 acres, more or less.

Lot # 2

A part of the North half of seminary lot #134 to the city of Bloomington, Ind., beginning at a point that is 173 feet South of the NW corner of said seminary lot #134; thence running South 90 feet. Thence running East 119 feet. Thence running North 90 feet. Thence running West 119 feet to the place of beginning. Containing in all 0.25 acres, more or less.

Lot # 2A

A part of the N $\frac{1}{2}$ of seminary lot #134 to the city of Bloomington, Ind., beginning at a point that is 263 feet South of the NW corner of said seminary lot #134; thence running South 90 feet. Thence running East 119 feet. Thence running North 90 feet. Thence running West 119 feet to the place of beginning. Containing in all 0.25 acres, more or less.

Lot #3

A part of the N $\frac{1}{2}$ of seminary lot #134 to the city of Bloomington, Ind., beginning at a point that is 353 feet South of the NW corner of said seminary lot #134; thence running South 90 feet. Thence running East 119 feet. Thence running North 90 feet. Thence running West 119 feet to the place of beginning. Containing in all 0.25 acres more or less.

Lot #4

A part of the N $\frac{1}{2}$ of seminary lot #134 to the city of Bloomington, Ind., beginning at a point that is 443 feet South of the NW corner of said seminary lot #134; thence running South 90 feet. Thence running East 119 feet. Thence running North 90 feet. Thence running West 119 feet to the place of beginning. Containing in all 0.25 acres more or less.

Lot #5

A part of the N $\frac{1}{2}$ of seminary lot #134 to the city of Bloomington, Ind., beginning at a point that is 533 feet South of the NW corner of said seminary lot #134; thence running South 95 feet. Thence running East 119 feet. Thence running North 95 feet. Thence running West 119 feet to place of beginning. Containing in all 0.26 acres, more or less.

Lot #6

A part of the N $\frac{1}{2}$ of seminary lot #134 to the city of Bloomington, Ind., beginning at a point that is 13 feet South and 159 feet East of the NW corner of said seminary lot #134; thence running South 80 feet. Thence running East 105 feet 7 $\frac{1}{4}$ inches. Thence running North 80 feet. Thence running West 105 feet 7 $\frac{1}{4}$ inches to place of beginning. Containing in all 0.20 acres, more or less.

Lot #7

A part of the $N\frac{1}{2}$ of seminary lot #134 to the city of Bloomington, Ind., beginning at a point that is 93 feet South and 159 feet East of the NW corner of said seminary lot #134; thence running South 80 feet. Thence running East 105 feet $7\frac{1}{4}$ inches. Thence running North 80 feet. Thence running West 105 feet $7\frac{1}{4}$ inches to place of beginning. Containing in all 0.20 acres, more or less.

Lot #8

A part of the $N\frac{1}{2}$ of seminary lot #134 to the city of Bloomington, Ind., Beginning at a point that is 173 feet South and 159 feet East of said seminary lot #134; thence running South 80 feet. Thence running East 105 feet $7\frac{1}{4}$ inches. Thence running North 80 feet. Thence running West 105 feet $7\frac{1}{4}$ inches to place of beginning. Containing in all 0.20 acres, more or less.

Lot #9

A part of the $N\frac{1}{2}$ of seminary lot #134 to the city of Bloomington, Ind., beginning at a point that is 159 feet East and 253 feet South of the NW corner of said seminary lot #134; thence running South 80 feet. Thence running East 105 feet $7\frac{1}{4}$ inches. Thence running North 80 feet. Thence running West 105 feet $7\frac{1}{4}$ inches to place of beginning. Containing in all 0.20 acres, more or less.

Lot #10

A part of the $N\frac{1}{2}$ of seminary lot #134 to the city of Bloomington, Ind., beginning at a point that is 159 feet East and 333 feet South of the NW corner of said seminary lot #134; thence running South 80 feet. Thence running East 105 feet $7\frac{1}{4}$ inches. Thence running North 80 feet. Thence running West 105 feet $7\frac{1}{4}$ inches to place of beginning. Containing in all 0.20 acres more or less.

Lot #11

A part of the $N\frac{1}{2}$ of seminary lot #134 to the city of Bloomington, Ind., beginning at a point that is 159 feet East and 413 feet South of the NW corner of said seminary lot #134; thence running South 80 feet. Thence running East 105 feet $7\frac{1}{4}$ inches. Thence running North 80 feet. Thence running West 105 feet $7\frac{1}{4}$ inches to place of beginning. Containing in all 0.20 acres more or less.

Lot #12

A part of the $N\frac{1}{2}$ of seminary lot #134 to the city of Bloomington, Ind., beginning at a point that is 159 feet East and 493 feet South of the NW corner of said seminary lot #134; thence running South 80 feet. Thence running East 105 feet $7\frac{1}{4}$ inches. Thence running North 80 feet. Thence running West 105 feet $7\frac{1}{4}$ inches to place of beginning. Containing in all 0.20 acres, more or less.

Lot #13

A part of the $N\frac{1}{2}$ of seminary lot #134 to the city of Bloomington, Ind., beginning at a point that is 119 feet East and 573 feet South of the NW corner of said seminary lot #134; thence running South 85 feet. Thence running East 105 feet $7\frac{1}{4}$ inches. Thence running North 85 feet. Thence running West 105 feet $7\frac{1}{4}$ inches to place of beginning. Containing in all 0.21 acres more or less.

Tract #6

A part of the Northwest quarter of the Southwest quarter of section 14, T 9 N, R 1 W. Beginning at a point that is 620.07 feet East and 115.92 feet North of the Southwest corner of the said quarter quarter; and on the North right-of-way line of the Bethel Lane; thence running North 6 degrees 45 minutes West for a distance of 201 feet; thence running South 81 degrees 30 minutes West for a distance of 100 feet; thence running South 6 degrees 10 minutes East for a distance of 194.5 feet and to the North line of Bethel Lane; thence running North 85 degrees 30 minutes East for a distance of 100 feet and to the place of beginning. Containing in all .45 acres, more or less.

Tract #7

A part of the Northwest quarter of the Southwest quarter of section 14, T 9 N, R 1 W. Beginning at a point that is 520.37 feet East and 108.08 feet North of the Southwest corner of the said quarter quarter and on the North right-of-way line of the Bethel Lane; thence running North 6 degrees 10 minutes West for a distance of 194.5 feet; thence running South 81 degrees 30 minutes East for a distance of 6 feet; thence running South 75 degrees 58 minutes West for a distance of 94 feet; thence running South 6 degrees 10 minutes East for a distance of 179 feet and to the North line of Bethel Lane; thence running North 85 degrees 30 minutes East for a distance of 100 feet and to the place of beginning. Containing in all .43 acres, more or less.

Tract #8

A part of the Northwest quarter of the Southwest quarter of section 14, T 9 N, R 1 W. Beginning at a point that is 380.8 feet East and 97.1 feet North of the Southwest corner of the said quarter quarter and on the North line of the Bethel Lane; thence running North 6 degrees 10 minutes West for a distance of 170.5 feet; thence running South 75 degrees 58 minutes West for a distance of 89.5 feet; thence running South 74 degrees 52 minutes West for a distance of 10.5 feet; thence running South 6 degrees 10 minutes East for a distance of 152.7 feet and to the North right-of-way line of Bethel Lane; thence running North 85 degrees 30 minutes East for a distance of 100 feet and to the place of beginning. Containing in all .37 acres, more or less.

Tract #9

A part of the Northwest quarter of the Southwest quarter of section 14, T 9 N, R 1 W. Beginning at a point that is 281.10 feet East and ~~87.75~~ 78.51 feet North of the Southwest corner of the said quarter quarter and on the North right-of-way line of the Bethel Lane; thence running North 6 degrees 10 minutes West for a distance of 152.7 feet; thence running South 74 degrees 52 minutes West for a distance of 136 feet; thence running South 4 degrees 40 minutes East for a distance of 127.2 feet and to the North line of Bethel Lane; thence running North 85 degrees 30 minutes West for a distance of 132 feet and to the place of beginning. Containing in all .43 acres, more or less;

Tract #10

A part of the Northwest quarter of the Southwest quarter of section 14, T 9 N, R 1 W. Beginning at a point that is 67 feet North of the Southwest corner of the said quarter quarter and on the North right-of-way line of the Bethel Lane; thence running North 3 degrees 45 minutes East for a distance of 99.5 feet; thence running North 72 degrees 30 minutes East for a distance of 86.5 feet; thence running North 74 degrees 52 minutes East for a distance of 49.52 feet; thence running South 4 degrees 40 minutes East for a distance of 127.2 feet and to the North line of Bethel Lane; thence running South 85 degrees 30 minutes West over and along the said North right-of-way of the Bethel Lane for a distance of 150.2 feet and to the place of beginning. Containing in all .37 acres, more or less.

Melvin Forbes overall description

A part of the Northwest quarter of the Southwest quarter of section 14, T 9 n, R 1 W. Beginning at a point that is 1114.57 feet East and 189.77 feet North of the Southwest corner of the said quarter quarter and on the North right-of-way line of Bethel Lane; thence running North 6 degrees 45 minutes West for a distance of 200 feet; thence running South 81 degrees 30 minutes West for a distance of 606.1 feet; thence running South 75 degrees 58 minutes West for a distance of 223.4 feet; thence running South 74 degrees 52 minutes West for a distance of 196 . feet; thence running South 72 degrees 30 minutes West for a distance of 86.5 feet; thence running South 3 degrees 45 minutes West for a distance of 99.5 feet and to the North right-of-way line of Bethel Lane; thence running North 85 degrees 30 minutes East over and along the said North right-of-way line of Bethel Lane for a distance of 622.2 feet; thence running North 81 degrees 30 minutes East continuing over and along the North right-of-way line of the said Bethel Lane for a distance of 500 feet and to the place of beginning. Containing in all 4.51 acres, more or less.

Nov. 3, 1955
JES

Melvin Forbes Tracts

Tract #1

A part of the Northwest quarter of the Southwest quarter of section 14, T 9 N, R 1 W. Beginning at a point that is 1114.57 feet East and 189.77 feet North of the Southwest corner of said quarter quarter and on the North right-of-way line of Bethel Lane; thence running North 6 degrees 45 minutes East for a distance of 200 feet; thence running South 81 degrees 30 minutes West for a distance of 100 feet; thence running South 6 degrees 45 minutes East for a distance of 199.5 feet and to the North line of Bethel Lane; thence running North 81 degrees 30 minutes East for a distance of 100 feet and to the place of beginning. Containing in all .46 acres, more or less.

Tract #2

A part of the Northwest quarter of the Southwest quarter of section 14, T 9 N, R 1 W. Beginning at a point that is 1015.67 feet East and 175 feet North of the Southwest corner of the said quarter quarter and on the North right-of-way line of Bethel Lane; thence running North 6 degrees 45 minutes West for a distance of 199.5 feet; thence running South 81 degrees 30 minutes West for a distance of 100 feet; thence running South 6 degrees 45 minutes East for distance of 200.2 feet and to the North line of Bethel Lane; thence running North 81 degrees 30 minutes East for a distance of 100 feet and to the place of beginning. Containing in all .46 acres, more or less.

Tract #3

A part of the Northwest quarter of the Southwest quarter of section 14, T 9 N, R 1 W. Beginning at a point that is 916.77 feet East and 160.23 feet North of the Southwest corner of the said quarter quarter and on the North right-of-way line of Bethel Lane; thence running North 6 degrees 45 minutes West for a distance of 200.2 feet; thence running South 81 degrees 30 minutes West for a distance of 100 feet; thence running South 6 degrees 45 minutes East for a distance of 200 feet and to the North line of Bethel Lane; thence running North 81 degrees 30 minutes East for a distance of 100 feet and to the place of beginning. Containing in all .46 acres, more or less.

Tract #4

A part of the Northwest quarter of the Southwest quarter of section 14, T 9 N, R 1 W. Beginning at a point that is 817.87 feet East and 145.46 feet North of the Southwest corner of the said quarter quarter and on the North right-of-way line of Bethel Lane; thence running North 6 degrees 45 minutes West for a distance of 200 feet; thence running South 81 degrees 30 minutes West for a distance of 100 feet; thence running South 6 degrees 45 minutes East for a distance of 200.6 feet and to the North line of Bethel Lane; thence running North 81 degrees 30 minutes East for a distance of 100 feet and to the place of beginning. Containing in all .46 acres, more or less.

Tract #5

A part of the Northwest quarter of the Southwest quarter of section 14, T 9 N, R 1 W. Beginning at a point that is 718.97 feet East and 130.69 feet North of the Southwest corner of the said quarter quarter; and on the North right-of-way line of Bethel Lane; thence running North 6 degrees 45 minutes West for a distance of 200.6 feet; thence running South 81 degrees 30 minutes West for a distance of 100 feet; thence running South 6 degrees 45 minutes East for a distance of 201 feet and to the North line of Bethel Lane; thence running North 81 degrees 30 minutes East for a distance of 100 feet and to the place of beginning. Containing in all .46 acres, more or less.

WORK ORDER

Completed _____

Ordered By *Mrs. Ray Fisher*

Date *Oct. 18, 1955*

Phone *7624 or*

Lot No. _____

Addition _____

Bedford - 5290

Section No. _____

T _____

N R _____

Description: *Address in Bedford - 1118 17th St.*

Notes: _____

*Sic Court proceedings 1954
Brown vs Fisher*


Send to Mr. Tackitt

Fee _____


John T. Stapleton, Civil Engineer and Surveyor

Mrs. Ray Fisher

A part of Out-Lot Number 28 in the city of Bloomington, commencing at a point 54 feet East of the Southwest corner of said lot; running thence East 50 feet to a point; running thence North 132 feet to an alley; running thence West 50 feet; running thence South 132 feet to the place of beginning.



Mrs RAY FISHED




March 9, 1955

Wyatt Fowler-Transfer

A part of the southwest quarter of the northeast quarter of section 29-T7NR1w:-Beginning at a point that is 900 feet east and 45 feet north of the southwest corner of the said quarter quarter and in the center line of a County Pike Road running from State Highway number 37 to the Town of Harrodsburg, Indiana; thence running south 84 degrees ^{WEST} over and along the center line of the said County Pike Road for a distance of 225 feet; thence running north 37 degrees-30 minutes east for a distance of 231 feet; thence running south 41 degrees east for a distance of 120 feet; thence running south for a distance of 66 feet and to the place of beginning. Containing in all 0.47 acres, more or less.

Note: Computed from Air Photo 3-65 and from demensions furnished me by the owner.

Copy



Pt.

A. pt. of the SW $\frac{1}{4}$ of NE $\frac{1}{4}$ - SEC. 29 - T 7 N, R 1 W

Pt. A = 900 ft East of 45 ft NORTH of the SW Cor
of the SAID $\frac{1}{4}$ $\frac{1}{4}$ & on the E. of County Road
leading from S.R. #37 to the town of Harrodsburg
Thence running S 84 W over & along the E. of
said County Road for a distance of 150 ft;

Marwell Manor

Old Sem. Line

Data on Seminary Lot 135
from
Preliminary Survey

Recorded as
1300-J-12
Existing-1323
Old fence line

Deeded-407'
Existing-407'

Deeded 893'

Existing-895' to R/W Line-Road

Approx. 16'

Reed's Deed-records 10.5' surplus ground then
is shown as the recorded north & south distance
for Sem. 135 (740.5 plus 579.5')

Recorded as 1309'

Existing-1324'

1309' to R/W Line

Deeded 893'

Deeded by record

568.5'

1/4 section line-Records show to be east line of Sem. 135.
Recorded as 1309'-Existing 1324'

740.5' to R/W Line

R/W Fence

Deeded-913'-Existing-900' fence to fence
to R/W Line-Road

Deeded-407'

Existing-410'

Approx. 16'

Jog in Fence

Section Line

Recorded as 1300'
Existing-1326'

Records show section line to be
the south line of Sem. 135

Approx. 15'

HILLSIDE

John T. Supplian
Civil Engineer

CP 1
813

WALTON FEITZ

WORK ORDER

Completed _____

Ordered By _____

Date _____

Phone _____

Lot No. Sec. 135 or 4

Addition _____

Section No. _____

T. _____

N. R. _____

Description: _____

Notes: _____

1300

N 84 $\frac{3}{4}$ ° E - 74 $\frac{1}{2}$ P 78.74 $\frac{1}{2}$ P

1309
N 5 $\frac{1}{2}$ ° W - 79.36 $\frac{1}{2}$ P

55 $\frac{1}{2}$ ° E - 79.36 $\frac{1}{2}$ P

1308

1/4 Sec. Line

1299.3

584.8 W - 74 $\frac{1}{2}$ P - 78.74 $\frac{1}{2}$ P

John T. Stapleton, Civil Engineer and Surveyor

(J-16) Sec. Line

$$\begin{array}{r} 407 \\ 13 \overline{) 895} \\ \underline{12} \end{array}$$

$$\begin{array}{r} 61 \\ 13 \overline{) 793} \\ \underline{78} \end{array}$$


$$\begin{array}{r} 61 \\ 13 \overline{) 793} \\ \underline{78} \end{array}$$

$$\begin{array}{r} 410 \\ 13 \overline{) 5330} \\ \underline{520} \\ 130 \\ \underline{130} \\ 0 \end{array}$$

~~407~~
51

$$\begin{array}{r} 740.50 \\ 579.50 \\ \hline 1320.00 \end{array}$$

$$\begin{array}{r} 61 \\ 13 \overline{) 793} \\ \underline{78} \end{array}$$



$$\begin{array}{r} 407 \\ 13 \overline{) 895} \\ \underline{1318} \end{array}$$


$$\begin{array}{r} 579.5 \\ 740.0 \\ \hline 1319.5 \end{array}$$

$$\begin{array}{r} 740.50 \\ 568.50 \\ \hline 1309.00 \\ 13 \\ \hline 1322 \end{array}$$

Sum 135

Lester Figg-Loan
West half of lots 25 & 26
in the
Town of Stinesville, Indiana.

(Main Street-40 feet wide-Asphalt Pavement-Stone Sidewalks)



August 24, 1954

I, the undersigned, a licensed civil engineer in the state of Indiana, do hereby certify that the above plat is a true and correct plat of lots numbers 25 and 26 in the Town of Stinesville, Indiana, according to the available records covering said area. I further certify that that the improvements situated upon said above mentioned real estate are as shown on the above plat.

John T. Sappleton
Civil Engineer

Figg
Copy



Pt. of NW $\frac{1}{4}$ - Sec 10 - T5N, R1W

Req. @ APT. 2388 ft. South + 25 ft east
of the NW Cor of said Sec 10; - east 100 ft.
South 270 ft; - over 100 ft - North to Req.



$$\begin{array}{r} 155 \\ 12 \\ \hline 310 \\ 155 \\ \hline 1860 \end{array}$$

$$\begin{array}{r} 11500 \\ 1862 \\ \hline 13362 \\ 23 \\ \hline 40086 \\ 26724 \\ \hline 307326 \end{array}$$

$$\begin{array}{r} 270 \\ 100 \\ \hline 27000 \\ 23 \\ \hline 27000 \\ 52000 \\ \hline 1367000 \end{array}$$

$$\begin{array}{r} 125 \\ 12 \\ \hline \end{array}$$

$$\begin{array}{r} 25 \\ 88 \\ \hline 113 \end{array}$$



102 ft


115 ft

DRIVEWAY

12 ft

270 ft

Flynn to Hollers
Transfer



Sept. 2, 1954

A part of the northwest quarter of section 10-T8N; R1W. Beginning at a point that is 2388 feet south and 113 feet east of the northwest corner of said section 10; thence east 12 feet; thence south 270 feet; thence west 100 feet; thence north 115 feet; thence east 88 feet; thence north 155 feet and to the place of beginning. Containing in all 0.31 acres, more or less.

John T. Steptoe
Civil Engineer

TERRY TO B.B.T.

A PART OF THE SW $\frac{1}{4}$ OF SEC. 16-TION, R2W

BEGINNING AT A POINT THAT IS 1361.77
FT. NORTH & 379.15 FT. EAST OF THE SW COR.
OF THE SAID SW $\frac{1}{4}$; THENCE RUNNING
N 84° E FOR A DISTANCE OF 206 FT; THENCE
RUNNING N 3° W FOR A DISTANCE OF 259 FT;
THENCE RUNNING S 57° - $30'$ E FOR A DISTANCE
OF 94 FT; THENCE RUNNING N 3° W FOR A
DISTANCE OF 470 FT; THENCE RUNNING
N 84° - $30'$ W FOR A DISTANCE OF 300 FT;
THENCE RUNNING S 3° E FOR A DISTANCE OF
729 FT. & TO THE PLACE OF BEGINNING.
CONTAINING IN ALL 4.14 ACRES, MORE OR LESS.

TERRY TO

NELSON FICQ. TRUSTEE

106-419

B9 @ A Pt. on the W. line of said SW $\frac{1}{4}$ 1330 ft
 north of the SW. cor of sec. 16; N 84 E - 336 ft
 south parallel to said west line said SW $\frac{1}{4}$
 a distance of 259 ft; thence in a westerly direction
 parallel to the north line of said tract a distance
 of 336 ft to the west line of said SW $\frac{1}{4}$
 thence north 259 ft to Bay

$$\begin{array}{r} 0699 \\ 1326 \\ \hline 14194 \\ 20991 \\ 06991 \\ \hline 526874 \end{array}$$

~~13~~

$$\begin{array}{r} 45 \\ 334.15 \\ \hline 375.15 \end{array}$$

$$\begin{array}{r} 1326 \\ 1326 \\ \hline 7556 \\ 2652 \\ 3978 \\ 1326 \\ \hline 1758276 \end{array}$$

$$\begin{array}{r} 1330 \\ + 1330 \\ \hline 39500 \\ 39500 \\ 1330 \\ \hline 1778900 \\ 1758276 \\ \hline 20624 \end{array}$$

$$\begin{array}{r} 334.15 \\ 45 \overline{) 379.15} \\ \underline{379} \\ 15 \end{array}$$

$$\begin{array}{r} 470 \\ 229 \\ \hline 729 \end{array}$$

$$\begin{array}{r} 1326.67 \\ 35.10 \\ \hline 1361.77 \end{array}$$

BLOOMINGTON CRUSHED STONE CO., INC.


Crushed Stone

Aglime

PHONE 3411

CASCADES PARK ROAD

BLOOMINGTON, INDIANA



$$\begin{array}{r} 180 \\ 94 \\ \hline 86 \end{array}$$

$$\begin{array}{r} 0699 \\ 1327 \\ \hline 4863 \end{array}$$


$$\begin{array}{r} 1398 \\ 2097 \\ \hline 0699 \end{array}$$

$$\begin{array}{r} 0699 \\ \hline 527543 \end{array}$$

$$\begin{array}{r} 0526750 \\ \hline 1326750 \end{array}$$

$$\begin{array}{r} 5166 \\ 9975 \\ 5252 \\ 2992 \\ \hline 0526750 \\ 0330 \\ \hline 9975 \end{array}$$

C. B. TOWNSEND
TO
FLYNN



A PT. OF THE NW $\frac{1}{4}$ OF THE SE $\frac{1}{4}$ OF SEC. 21-T8N; R1E
13EG. @ THE N.W. COR. OF SAID $\frac{1}{4}$ $\frac{1}{4}$; THENCE RUNNING EAST
236 FT. TO THE CENTER OF CO. PKE ROAD; THENCE RUNNING
S 77° E OVER & ALONG THE C. OF SAID CO. PICE ROAD - 832 FT.,
THENCE RUNNING S 13° E - 1174 FT.
A+ TO THE S.E. COR. OF THE SAID $\frac{1}{4}$ $\frac{1}{4}$; THENCE RUNNING WEST
300 FT; THENCE RUNNING N 58° W - 1247 FT. TO THE WEST
LINE OF SAID $\frac{1}{4}$ $\frac{1}{4}$; THENCE RUNNING NORTH 706 FT. &
TO THE PLACE OF BEGINNING. CONTAINING IN ALL 26.12 ACRES,
MORE OR LESS

[Signature] - 1-28-1954

C. B. TOWNSEND
TO
FLYNN

Description for
Gordan Fisher-Loan

A part of the southwest quarter of section 28; T9N; R1W. Beginning at a point that is 1460.87 feet north and 807.48 feet east of the southwest corner of the said southwest quarter and on the west property line of North College Avenue as extended north from the City of Bloomington, Indiana; thence running north 9 degrees west over and along the said west property line of North College Avenue for a distance of 50 feet; thence running north 12 degrees west and remaining over and along the said west property line of North College Avenue for a distance of 50 feet; thence running north 18 degrees west and continuing over and along the west property line of North College Ave for a distance of 50 feet and to the south right of way line of a 30 foot road; thence running south 65 degrees west over and along the said south right of way line of the said 30 foot road for a distance of 48.5 feet; thence running south 89 degrees west and remaining over and along the south right of way line of the said 30 foot road for a distance of 156 feet and to the east right of way line of a 30 foot road running north and south; thence running south 1 degree 30 minutes west over and along the said east right of way line of the said north and south 30 foot road for a distance of 95.5 feet; thence running south 4 degrees east and continuing over and along the east right of way line of the said north and south 30 foot road for a distance of 39.50 feet; thence running east for a distance of 253.5 feet and to the place of beginning. Containing in all 0.74 acres, more or less.

Civil Engineer.


12-7-53
GORDAN FISHER
LOAN
COPY
H.S.

GORDON FISHER - LOAN

A PT. OF THE S.W. $\frac{1}{4}$ OF SEC. 28 - T9N R1W,
 BEGINNING AT A POINT THAT IS 1460.87' FT. NORTH
 AND 807.48 FT. EAST OF THE S.W. COR. OF THE
 SAID SOUTHWEST $\frac{1}{4}$ AND ON THE WEST
 PROPERTY LINE OF COLLEGE AVE, AS EXTENDED
 NORTH FROM THE CITY OF BLOOMINGTON,
 INDIANA; THENCE RUNNING N9W over & along
 the SAID W.P.L. of College Ave. FOR A distance
 of 50 ft. Thence running N12W & remaining
 over & along the W.P.L. of College Ave.
 for a distance of 50 ft. Thence running
 N18W & continuing over & along the W.P.L.
 of College Ave. for a distance of 50 ft
 to the South R/W line of a 30 ft
 Road running east & west; thence running
 S65W over & along the said South ^{R/W} line
 of the said 30 ft Road for a distance
 of 48.5 ft. Thence running S83W & remaining
 over & along the South R/W line of the said
 30 ft road for a distance of 156 ft & to the
 East R/W line of a 30 ft road running N+S.
 Thence running S-V-30 west & over & along the
 East R/W line of said 30 ft road for a
 distance of 95.5 ft. Thence running S4E & continuing
 over & along the East R/W line of the said 30
 ft. Road for a distance of 39.50 ft. Thence
 running east for a distance of 253.5 ft &
 to the place of beginning. Contains in all
 0.74 Acres, more or less.

135.00
 95.50
 39.50
 269.00

135.00
 95.50
 39.50
 269.00



Page 70


May 23, 1953

Chas. Faris-Transfer

A part of the northeast quarter of section 24-T9N;R1W-Beginning at a point that is 83 rods (1369 $\frac{1}{2}$ feet) north and 170 feet west of the southeast corner of the said northeast quarter; thence running south for a distance of 75 feet and to the north right of way line of State Highway number 45; thence running south 62 degrees west over and along the said north right of way line for a distance of 150 feet; thence running north for a distance of 145.41 feet and to a point that is 83 rods north of the south line of the said northeast quarter; thence running east for a distance of 132.43 feet and to the place of beginning. Containing in all 0.33 acres, more or less.

C. E.

7015




$$C \times \sin E = "B"$$

$$B \times \tan D = "A"$$

CAS. J. FARIS

NE 1/4 Sec. 24-T3N; R1W


100-70



1369 1/2 ft


830 ft North +
170 ft West
SE. Cor - NE 1/4

Oliver Lamm-Transfer



A part of the northwest quarter of the northwest quarter of section 19-19N;R1W . Beginning at a point that is 1075 feet north south and 55 feet west of the northeast corner of the said quarter and in the center line of the old Ellettsville-Bloomington Asphalt Road; thence running south 75 degrees-30 minutes west for a distance of 435 feet; thence running north 14 degrees-30 minutes east for a distance of 100 feet; thence running north 75 degrees-30 minutes east for a distance of 435 feet, more or less; and to the center line of the old Ellettsville-Bloomington Asphalt Road; thence running south 14 degrees-30 minutes west for over and along the center line of said road for a distance of 100 feet and to the place of beginning. Containing in all one (1) acre, more or less.

Copy
Oliver Lamm
TO
FARMER
Aug 28 1922



December 19, 1952


Fisher Transfer

A part of seminary lot 76 in the City of Bloomington, Indiana. Beginning at a point that is 767 feet west and 256.5 feet north of the southeast corner of the said seminary lot number 76; thence running south 8 54 feet; thence running west 61.5 feet; thence running north 54 feet; thence running east 61.5 feet and to the place of beginning.

John T. Stapleton

Copy

James Rice
to
Fluck Investment Co.



April 2, 1952

A part of the southeast quarter of the northwest quarter of section 10-T9N;R2W. Beginning at a point that is 700 feet north and 490 feet west of the southeast corner of the said quarter quarter; thence and in the center of the old Bloomington-Ellettsville road; thence running north 39 degrees west over and along the center line of the said Bloomington-Ellettsville road for a distance of 82 feet and to center line of a branch (also the old east or southeast line of the old H.E. Marshall and Ed. M. Parks property as point out by Mrs. Court Welch and Mr. James Rice) thence running south 77 degrees west over and along the center line of said branch for a distance of 134 feet and to the northeast line of Temperance Street in the town of Ellettsville, Indiana; thence running south 50 degrees east over and along the said line of Temperance Street for a distance of 160 feet; thence running north 41 degrees-30 minutes east for a distance of 92 feet and to the place of beginning.

John T. Spiller
Fluck Investment Co.

Ellettsville Road
center line-Bloomington-
82' 39° N

FLUCK INVESTMENT CO


Beginning at a point that is 1292.70 ft. East and 142.91 ft. South of the NW corner of the S $\frac{1}{2}$ of the SW $\frac{1}{4}$ of the SW $\frac{1}{4}$. Thence, running North 2° East 145.17 ft.; thence, running North 88° East for a distance of 338.1 ft. Thence, running South 65° East for a distance of 424.5 ft.; thence, running South 2° East 666 ft. Thence, running West 125 ft.; running thence North 1° 30' West for a distance of 155 ft. and to the South line of the Craig Road. Thence, running South 75° West over and along the South line of the said Craig Road for a distance of 55 ft. to the P.T. of a curve having a radius of 49.3 ft. to the right. Thence, running over and along said curve for a distance of 86.73 ft. and to the P.C. of said curve. Thence, running North 2° West for a distance of 10 ft. and to the P.T. of a curve having a radius of 37.61 ft. to the right. Running thence over and along said curve for a distance of 36.77 ft. and to the P.C. of the same. Thence, running North 73° West for a distance of 104.9 ft.; thence, running North 6° West for a distance of 64.4 ft. Running thence North 30° West for a distance of 83.5 ft.; thence, running North 7° 30' West 255.1 ft.; thence, running South 63° 30' West for a distance of 222.9 ft.; thence, running North 17° West for a distance of 234.6 ft. and to a curve having a radius of 130.90 ft. which forms the South line of the Craig Road. Running thence over and along the said curve for a distance of 106.48 ft. and to the P.C. of the same. Thence, running North 4° West 68.5 ft.; running thence, South 87° East for a distance of 225 ft. and to the place of beginning, containing in all 11.54 acres, more or less.

Forest Park
Hts. 2nd Add.
Jimmie Shaw

As per instructions I have made a study and survey of the description given in the caption of this abstract, and find that the said description is not so stated as to properly give the correct relation to Seminary Lot number 185. Therefore I recommend the description given below, as the one to be use in said caption.

"A part of seminary lot number 185, and described as follows:- Beginning at a point that is 233 feet north and 258.7 feet east of the southwest corner of said seminary lot number 185; thence running east for a distance of 363 feet; thence running south for a distance of 80 feet; thence running west for a distance of 363 feet; thence running north for a distance of 80 feet and to the place of beginning.

As further information on descriptions given in this abstract, I am of the opinoin that the the description given under item 23 of this abstract and all other descriptions using the northwest corner of seminary lot number 188 are in error, for the following reasons. (1) that a portion of the twenty (20) foot alley or seminary lane that runs between seminary lots 188 and 185 has been deeded as part of the realestate transferred. (2) By using this northwest corner of seminary lot number 188 as a starting point, the traverse in closing in, comes south through seminary lot number 184 to the point of beginning which is the northwest corner of seminary lot 188, as stated above, for the reason that the west line of seminary 188 is 46 feet west of the west line of seminary lot 185. This information is all in accordance with the official records on file.



$$\begin{array}{r} 16.5 \\ 3 \\ 8 \overline{) 25.5} \end{array} \begin{array}{r} 62 \\ 90 \\ 1 \end{array}$$

$$\begin{array}{r} 660 \\ 330 \\ 330 \\ 618 \\ \hline 402.2 \end{array}$$

$$200' = 1''$$

$$\begin{array}{r} 16.5 \\ 16 \\ 990 \\ 165 \\ \hline 264.0 \end{array}$$

$$\begin{array}{r} 614 \\ 368 \\ \hline 246 \end{array}$$

$$\begin{array}{r} 614 \\ 368 \\ \hline 246 \end{array}$$


$$\begin{array}{r} 631 \\ 614 \\ \hline 17 \end{array}$$

Rudolph FAUCETT

$$\begin{array}{r} 363.00 \\ 258.70 \\ \hline 621.70 \\ 46 \\ \hline 667.70 \end{array}$$


$$\begin{array}{r} 253 \\ 20 \\ \hline 233 \end{array}$$


31



The East half of the Northwest Quarter of Section Three (3)
Township Eight (8) North Range Two (2) West, containing
Seventy and Ninety-Six Hundredths (70.96) Acres, except a
strip off the East side thereof running the full length,
North and South, containing Ninety-Six Hundredths ($96/100$)
Acres.

John Faucett Farm





$$\begin{array}{r} 428 \\ 468 \\ \hline 688 \end{array}$$

$$\begin{array}{r} 1438 \\ 888 \\ \hline 550 \end{array}$$

$$\begin{array}{r} 820 \\ 480 \\ \hline 1300 \end{array}$$

Faucett

1697

2148
2119

1990

2161

1981

20

2115

2150

1940
20AC

2265 2225

2265

400
575'

1300'

CE

Description


Fowler-Real Estate
Section 29, T7N; R1W
Harrodsburg

A part of the west half of section 29, T7N; R1W, described as follows:-

Beginning at a point that is 2110 feet north and 1040 feet east of southwest corner of said section 29, the same point being 314 feet west of the southwest corner of Lot number 45 in the new town plat of Harrodsburg, Indiana; thence running north for a distance of 760.32 feet; thence running east for a distance of 946.44 feet; thence running north for a distance of 43.56 feet; thence running west for a distance of 16.5 feet; thence running north for a distance of 23.10 feet; thence running north 62 degrees west for a distance of 174.24 feet; thence running north for a distance of 226.38 feet; thence running west for a distance of 1380.06 feet; thence running south for a distance of 1000.88 feet; thence running east for a distance of 600 feet, more or less, and to the place of beginning. Containing in all 21.86 acres, more or less.

VOID-
see Apr. 27, 1951 - PAPERS
JRS

W. Fowler
COPY
2-8-51



VOID - SEE Apr. 27-51
Papers
JW

35-440

82-265

FOWLER REAL ESTATE

Commencing nineteen (19) rods and six (6) inches west of the southwest corner of Lot Number Forty-five (45) in the new town plat of Harrodsburg, thence north 46 rods and 2 links; thence east 56 rods and 34 links; thence north 66 links to the northwest corner Dye House, thence west 25 links; thence north (35) links; thence north 62° west 10 rods and 14 links; thence north 13 rods and 18 links; thence east to the place of beginning, containing 21.86 acres, more or less, in the west half of Section 29, Township 7 North, Range 1 West, EXCEPTING $1\frac{1}{2}$ acres, more or less, sold to Perry Meadows, and EXCEPTING from the above-described land two (2) town lots in the southeast corner of same as heretofore deeded to George Sullivan and Jessie Pedigo; also commence 50 feet west and 165 feet north of the southwest corner of Lot No. 45 in the new town plat of Harrodsburg, thence run west 16 rods, thence north 10 rods, thence east 16 rods, thence south 10 rods to the place of beginning, in Section 29, Township 7 North, Range 1 West, Monroe County, Indiana.

[Handwritten signature]

165'

340.5'

455.5'

R/W line

South 33° East

State Hwy. 46


Yeager to Freeman

April 6, 1951


A part of the northeast quarter of the northwest quarter of section 14, T30N; R2W Described as follows:-Beginning on the west line of said quarter quarter section at a point that is 60 feet south of the northwest corner of said quarter quarter section; thence running east for a distance of 165 feet; thence running south for a distance of 455.5 feet and to the north right of way line of State Highway No. 46; thence running North 55 degrees west over and along the north right of way line for a distance of 205 feet; thence running north for a distance of 340.5 feet, and to the place of beginning. Containing in all 1.48 acres, more or less.

Copy

20-10



$$\begin{array}{r}
 340.8 \\
 455 \\
 \hline
 2 \overline{) 795} \\
 398 \\
 \hline
 165 \\
 1990 \\
 \hline
 2388 \\
 358 \\
 \hline
 65670 \\
 23 \\
 \hline
 157010 \\
 131340 \\
 \hline
 1510410
 \end{array}$$



10.10

$$\begin{array}{r}
 80 \\
 80 \\
 \hline
 6400 \\
 10.1 \\
 \hline
 6400 \\
 6400 \\
 \hline
 64640.8 \\
 23 \\
 \hline
 153520 \\
 129280 \\
 \hline
 1486720
 \end{array}$$

Carl Furst-Earth Quantities

Line	End Areas S.F.	Average End Areas S.F.	Dist.	Cu.Ft.	Cu.Yds.
A	0				
A plus 6'N	1250	626	6	3750✓	139✓
B	1061	1155	19	21,945✓	809✓
C	989	1025	25	25,625✓	949✓
D	1199	1094	25	27,350✓	1013✓
E	1214	1207	25	30,175✓	1117✓
F	1132	1133	25	29,325✓	1086✓
F plus 24 Av. 0		566	24	13,584✓	503✓
Totals				151,754	5,616

John T. Stapleton, C.E.

Copy - 3-2-1951

LINE	E.A.	AU. E.A.	DIST.	C.F.	C.Y.
A	0	625	6	3750	139
A+6'N	1250	1155	19	21,945	809
B	1061	1025	25	25625	949
C	989	1094	25	27350	1013
D	1199	1207	25	30,175	1117
E	1214	1173	25	29325	1086
F+1E1 AU	1132	566	24	13,584	503
F+24 AU	0				
				151,754	5616

$$\begin{array}{r}
 L \\
 230 \\
 \underline{1240} \\
 920 \\
 460 \\
 230 \\
 \underline{28520}
 \end{array}
 \quad
 27 \overline{) 17,1420} \begin{array}{l} 28,520 \\ 6 \text{ CUT (AU)} \end{array}$$

CARL Fuest

$$\begin{array}{r}
 28,520 \\
 3 \\
 \underline{27135} \\
 76 \\
 54 \\
 \underline{220} \\
 218 \\
 \underline{40}
 \end{array}
 \quad
 27 \overline{) 142600} \begin{array}{l} 5281 \end{array}$$

$$\begin{array}{r}
 5616 \\
 0175 \\
 \hline
 28080 \\
 39312 \\
 5616 \\
 \hline
 982800 \\
 25.00 \\
 \hline
 73.28 \\
 25.00 \\
 \hline
 48.28
 \end{array}$$

$$\begin{array}{r}
 5616 \\
 02 \\
 \hline
 11232 \\
 1404 \\
 \hline
 98.28
 \end{array}$$

$$\begin{array}{r}
 5616 \\
 0025 \\
 \hline
 28080 \\
 11232 \\
 \hline
 140400
 \end{array}$$

$$\begin{array}{r}
 98.28 \\
 25.00 \\
 \hline
 73.28
 \end{array}$$

Phone 3259
Bedford, Massachusetts

CARL FURST

November 19, 1951

McGuire & Shook..Architects
1400 Fletcher Trust Building
Indianapolis, Indiana.

Gentlemen:-

The following information gives the results of soundings taken at locations, marked 1, 4, 7, 17, 18, 22 & 23 on the marked plat as returned to me.

<u>Hole #</u>	<u>Ground Elev.</u>		<u>Stone Depth</u>
1	823.61		816.61 (7)
4	813.70	No stone @	9 ft.
7	803.15	" " " "	9 ft.
17	814.19	" " " "	9 ft.
18	808.23	" " " "	9 ft.
22	814.42	" " " "	9 ft.
23	813.29		805.29 (8') <u>Note:</u> Might be buried slab.

The width of Jackson Street cannot be arrived at by studying the official records, as the east line of the said Jackson Street is also the west line of the original City of Bloomington as laid out in the year of 1818. Plat Book 1 Page 4 show this original lay out of the said City, but Jackson Street is not included. Therefor Jackson Street has been formed from time to time when the Additions to the west have been laid out, and no uniform dimensions adhered to for the width of the said Jackson Street. However I find a right of way for this Street of 44.5 feet between the original City and the Fairview Addition at 7th Street, making an over all diemnsions of 655.3' along 7th Street (which includes the 2.8 feet surplus ground along the south side of Inlot 288; the distance ~~of~~ along 8th Street is 653.10 feet. *THE WIDTH OF JACKSON ST. BEING 45.10 FT.*

Additional information asked for in your letter will be forwarded in the next few days. I am sorry for all delays, but due to the inclement weather, we have been unable to obtain this information any sooner and the soundings given above were finished last Sunday morning during a snow storm.

yours truly,

Fairview School

Copy



Capital 2-2146

913.915 MAIN STREET
ROCHESTER, INDIANA

DEEDS

EQUIPMENT CO., Inc.

8015 E. 45th STREET
LAWRENCE, INDIANA

Liberty 6-1523



$$\begin{array}{r} 210 \\ 300 \\ \hline 510 \end{array}$$

$$\begin{array}{r} 840 \\ 510 \\ \hline 330 \end{array}$$

$$\begin{array}{r} 175 \\ 150 \\ \hline 325 \end{array}$$

$$\begin{array}{r} 150 \\ 60 \\ \hline 210 \\ 300 \\ \hline 510 \end{array}$$

330

$$\begin{array}{r} 175 \\ 150 \\ \hline 325 \end{array}$$

$$\begin{array}{r} 155 \\ 60 \\ \hline 215 \end{array}$$

$$\begin{array}{r} 1.132 \\ \hline \end{array}$$

5104

$$\begin{array}{r} 5317 \\ 415 \\ \hline 26585 \\ 5317 \\ \hline 21268 \\ \hline 220,655.5 \end{array}$$

$$\begin{array}{r} 5205 \\ 75 \\ \hline 26025 \\ 36435 \\ \hline 39,037.5 \end{array}$$

$$\begin{array}{r} 30-00 \\ 27-30 \\ \hline 11730 \end{array}$$

$$\begin{array}{r} 179-60 \\ 117-30 \\ \hline 62-30 \end{array}$$

$$\begin{array}{r} 1.127 \\ 75 \\ \hline 5635 \\ 7889 \\ \hline 84,525 \end{array}$$


$$\begin{array}{r} 226,406 \\ 202 \\ \hline 1.132 \end{array}$$

2
00
0



5.23 No.

$$\begin{array}{r} 840 \\ 425 \\ \hline 415 \end{array}$$



$$\begin{array}{r} 411.51 \\ 305.51 \\ \hline 2 \overline{) 717.02} \quad (358.51 \\ \underline{6} \\ 11 \\ \underline{10} \\ 17 \\ \underline{16} \\ 10 \end{array}$$


$$\begin{array}{r} 308.5 \\ 200 \\ \hline 61700 \\ 23 \end{array}$$

$$\begin{array}{r} 1851.00 \\ 123400 \\ \hline 1419100 \end{array}$$

$$\begin{array}{r} 89-60 \\ 27-30 \\ \hline 62.30 \end{array}$$



FAIRIS




1/13/50

Copy

FED. LAND BANK LOAN
TO

GLASGOW

SEC. 25 - WASH. TP.




Part of the southwest quarter of section 32, T9N; R1W, described as follows:—Beginning at a point that is 671 feet north and 914.5 feet west of the southeast corner of the said southwest quarter of said section 32; thence running west 113 feet; thence running south 218 feet; thence running east 100 feet and to the west right of way line of Adams Street or State Highway number 48; running thence north 21 degrees east over and along the west right of way line of said State Highway number 48 for a distance of 245.7 feet; thence running west for a distance of 88 feet, more or less, and to the place of beginning. Containing in all 0.75 acres, more or less.

Copy
 PATTERSON TO FISCUS
 NOV. 13, 1950

$$\begin{array}{r} 71 \\ 62 \\ \hline 140 \end{array}$$

$$\begin{array}{r} 983 \\ 134 \\ \hline 749 \end{array}$$

$$\begin{array}{r} 812 \\ 140 \\ \hline 672 \end{array}$$



Buy @ the

$$\begin{array}{r} 812 \\ 141 \\ \hline 671 \text{ N} \end{array}$$

$$\begin{array}{r} 780.00 \\ 134.50 \\ \hline 645.50 \text{ W} \end{array}$$

$$\begin{array}{r} 780 \\ 134.50 \\ \hline 914.50 \end{array}$$

FISHER # 1

A part of the SW $\frac{1}{4}$ of Section 28, Township 9 North, Range 1 West, beginning at a point that is 1283.4 feet North and 414.5 feet East of the southwest corner of the said SW $\frac{1}{4}$; thence, running North 6 degrees West for a distance of 92.2 feet; thence, running east for a distance of 125.50 feet and to the west property line of a 30 foot road. Thence, running South 3 degrees West over and along the said west property line of said road for a distance of 95.5 feet. Thence, running West for a distance of 108 feet and to the place of beginning. Containing in all 0.25 acres, more or less.

FISHER # 2

A part of the SW $\frac{1}{4}$ of Section 28, Township 9 North, Range 1 West beginning at a point that is 1375.19 feet North and 404.85 feet East of the southwest corner of the said SW $\frac{1}{4}$. Thence, running North 6 degrees West for a distance of 92.2 feet; thence, running South 88 degrees East for a distance of 131.2 feet and to the west property line of a 30 foot road. Thence, running South 4 degrees East over and along the said west property line of said road for a distance of 95.5 feet; thence, running West for a distance of 125.5 feet and to the place of beginning. Containing in all 0.27 acres, more or less.

FISHER # 3

A part of the SW $\frac{1}{4}$ of Section 28, Township 9 North, Range 1 West, beginning at a point that is 1466.98 feet North and 395.21 feet East of the southwest corner of the said SW $\frac{1}{4}$; Thence, running North 6 degrees West for a distance of 92.2 feet. Thence, running South 87 degrees and 30 minutes East for a distance of 125.9 feet and to the west property line of a 30 foot road. Thence, running South 79 degrees East over and along the said west property line of the said Road for a distance of 27.5 feet. Thence, running South 1 degree and 30 minutes West and remaining over and along the west property line of said road for a distance of 95.5 feet; thence, running North 88 degrees West for a distance of 131.2 feet and to the place of beginning. Containing in all 0.29 acres, more or less.

FISHER # 4

A part of the SW $\frac{1}{4}$ of Section 28, Township 9 North, Range 1 West, beginning at a point that is 1558.77 feet North and 385.57 feet East of the Southwest corner of the said SW $\frac{1}{4}$. Thence, running North 6 degrees West for a distance of 426 feet, more or less, and to the center line of a branch. Thence, over and along the center line of said branch the two following courses and distances: North 53 degrees East 63 feet, South 65 degrees East 66 feet. Thence, leaving said branch and running South 10 degrees East for a distance of 172 feet, more or less, and to the west property line of a 30 foot road, said point being at the North terminal of said road. Thence, running over and along the said west property line of said road the following courses and distances: South 101 feet; South 11° 30' West 99.7 feet; South 10° East 92 feet; South 25° East 18.8 feet; South 45° East 19.9 feet. Thence, leaving said road and running North 87° 30' West for a distance of 125.9 feet and to the place of beginning. Containing in all 1.33 acres, more or less.

Copy

FISHER # 5

A part of the SW $\frac{1}{4}$ of Section 28, T9N, R1W, beginning at a point that is 1867.06 feet North and 488.17 feet East of the Southwest corner of the said SW $\frac{1}{4}$. Thence, running North 10° West for a distance of 172 feet, more or less, and to the center line of a branch. Thence, running over and along the center line of said branch the following courses and distances: North 50° East 78.5 feet; North 28° East 71 feet; North 61° East 82 feet and North 50° East 220 feet, more or less, and to the West property line of North College Avenue extended. Thence, running over and along the said west property line of said College Avenue the following courses and distances: South 19° West 82 feet; South 18° 30' West 85 feet; South 8° West 57 feet; South 1° East 82 feet; South 7° East 72 feet. Thence, leaving the west property line of College Avenue and running South 84° West for a distance of 216 feet and to the place of beginning. Containing in all 1.49 acres, more or less.

FISHER # 6

A part of the SW $\frac{1}{4}$ of Section 28, T9N, R1W, beginning at a point that is 1875.66 feet North and 518.17 feet East of the Southwest corner of the said SW $\frac{1}{4}$. Thence, running North 84° East for a distance of 186 feet and to the west property line of College Avenue extended. Thence, running South 12° 30' East over and along the said West property line of said College Avenue for a distance of 103.5 feet. Thence, running South 84° West for a distance of 206.5 feet and to the East property line of a 30 foot roadway. Thence, running North over and along the said East property line of said 30 foot roadway for a distance of 97 feet and to the place of beginning. Containing in all 0.48 acres, more or less.

FISHER # 7

A part of the SW $\frac{1}{4}$ of Section 28, T9N, R1W, beginning at a point that is 1778.66 feet North and 518.17 feet East of the southwest corner of the said SW $\frac{1}{4}$. Thence, running North 84° East for a distance of 206.5 feet and to the west property line of North College Avenue extended. Thence, running South 19° East over and along the west property line of the said College Avenue for a distance of 103.5 feet. Thence, running, South 84° West for a distance of 221.5 feet, and to the East property line of a 30 foot roadway. Thence, running North 11° 30' East over and along the said East property line of said roadway for a distance of 97 feet and to the place of beginning. Containing in all 0.3742 acres, more or less.

FISHER # 8

A part of the SW $\frac{1}{4}$ of Section 28, T9N, R1W, beginning at a point that is 1683.60 feet North and 498.85 feet East of the Southwest corner of the said SW $\frac{1}{4}$. Thence, running North 86° East for a distance of feet, and to the west property line of North College Avenue extended. Thence, running South 21° East over and along the west property line of College Avenue for a distance of 103.5 feet and to the North property line of a 30 foot roadway. Thence running over and along the North and East property lines of said 30 foot roadway the following courses and distances: South 65° West 48.5 feet; South 89° West 193 feet; North 25° West 18.5 feet and North 10° West 92 feet and to the place of beginning. Containing in all, 0.53 acres, more or less.

Description #1

A part of the southwest quarter of section 28, T9N; R1W. Described as follows:-Beginning on the west line of the said section 28, town and range aforesaid, at a point that is 1283.4 feet north of the southwest corner of said section 28; thence running north over and along the west line of said section 28 for a distance of 304.05 feet and to the center line of a branch; thence running north 30 degrees-30 minutes east over and along the center line of said branch for a distance of 108ft; thence running north 41 degrees-30 minutes and continuing over and along the center line of said branch for a distance of 84 feet; thence running north 5 degrees east and still following the center line of this branch for a distance of 46 feet; thence north 46 degrees east and remaining over and along the center line of said branch for a distance of 309 feet; thence running south 6 degrees east (and leaving said branch) for a distance of 720 feet; thence running west for a distance of 414.5 feet and to the place of beginning. Containing in all 4.43 acres, more or less.

Description #2

A part of the southwest quarter of section 28, T9N; R1W. Described as follows; Beginning at a point that is 1283.4 feet north and 414.5 feet east of the southwest corner of said section 28; thence running north 6 degrees west for a distance of 333 feet; thence running east for a distance of 375.6 feet and to the west property line of North College Ave as the same is extended north from the City of Bloomington, Indiana; thence running in a southerly direction over and along the west property line of the said North College Avenue for a distance of 328.7 feet; thence running west for a distance of 414.5 feet and to the place of beginning. Containing in all 3.17 acres, more or less.


Description #3

A part of the southwest quarter of section 28, T9N; R1W. Described as follows:-Beginning at a point that is 1613 feet north and 378.5 feet east of the southwest corner of said section 28; thence running north 6 degrees west for a distance of 387 feet and to the center line of a branch; thence running north 46 degrees east ~~for a distance of 49.66 feet~~ over and along the center line of said branch for a distance of 49.66 feet; thence running north 66 degrees-30 minutes east and following over and along the center line of said branch for a distance of 85.75 feet; thence running north 48 degrees east and remaining over and along the center line of said branch for a distance of 72 feet; thence running north 27 degrees east and continuing over and along the center line of this branch for a distance of 55 feet; thence running north 50 degrees -30 minutes east and still over and along the center line of this branch for a distance of 171 feet; thence running north 44 degrees-30 minutes east over and along the center line of said branch for a distance of 171.5 feet and to the west property line of North College Ave as the same extends north from the City of Bloomington, Indiana; thence running in a southerly direction over and along the west property line of the said North College Ave for a distance of 793.2 feet; thence running west for a distance of 375.6 feet and to the place of beginning. Containing in all 4.08 acres, more or less.

GORDON FISHER

TRACT

7-12-150



May 29, 1963

CORPORATION-DESCRIPTION


A part of the north half of Seminary Lot 134-which is located in the south-west quarter of section 3-T8N;R1W.Beginning at a point that is 529 feet-2 1/2 inches east and 368 feet-8 inches south of the northwest corner of the said Seminary Lot 134;thence running south for 277 feet-4" and to the south line of the lands formerly owned by Edith Bush;thence running 89 degrees-21 minutes west for 264 feet and 7 1/2 inches;thence running north for 280 feet-10 inches; thence running east for 264 feet,more or less,and to the place of beginning.

APARTMENT-HOUSES-SITES

A part of the north half of Seminary Lot 134-which is located in the south-west quarter of section 3-T8N;R1W.Beginning at a point that is 529 feet-2 1/2 inches east and 368 feet-8 inches south of the northwest corner of the said Seminary Lot 134;thence running south for 148 feet;thence running west for 264 feet,more or less,and to the west line of the MAXWELL TERRACE,INC, real estate;thence running north for 148 feet;thence running east for 264 feet, more or less,and to the point of beginning.

John T. September
Civil Engineer & Surveyor





June 8, 1950

I. Fell Transfer

A part of the south half of the northeast quarter and a part of the north half of the southeast quarter of section 32, T9N; R1W, described as follows:-Beginning on the east line of Fairview Street in the City of Bloomington, Indiana, at a point that is 167 feet north of the northeast corner of 9th and Fairview Streets in said city; thence continuing north over and along the east line of said Fairview Street for a distance of 459 feet and to the south right of way line of the Monon Railroad; thence running ~~sk~~ in a southeasterly direction over and along the said south right of way of said Monon Railroad and an arc with a radius of 1420 feet; tangent of 930 feet, more or less; and an intersection angle of 65 degrees, for a distance of 813.2 feet, and to the west property line of North Rogers Street; thence south over and along the west line of said North Rogers Street for a distance of 49.5 ft. and to the northeast corner of the 2.06 acre tract heretofore deeded to B.B. & I Motor & Freight Co. (D.R. 105 Page 168-169), thence running west with the north line of said 2.06 acre tract for a distance of 299 feet;

INGALLS FELL

Page two

I.Fell-Transfer-Continued

thence running south over and along the ^{WEST}~~east~~ line of the said 2.06 acres tract for a distance of 128 feet and to the north property line of 9th Street;thence running west over and along the north property line of said 9th Street for a distance of 163 feet;thence running north for a distance of 167 feet;thence running west for a distance of 209 feet and to the place of beginning.Containing in all 5.40 acres,more or less.


Dec. 28
Henry
H. H. H.

64

654	
132	
1908	
634	
88	328
23	
1725	8984
22	2656
23	85544

$$\begin{array}{r} 242 \\ 25 \\ \hline 267 \end{array}$$

$$\begin{array}{r} 267 - 3\frac{1}{2} \\ 242 \\ \hline 25 - 3\frac{1}{2} \end{array}$$



$$\frac{1309.654.5}{10}$$

1300

442


$$\begin{array}{r} 267 \\ 3-3 \\ \hline 265-5 \end{array}$$

$$\begin{array}{r} 132 \\ 66 \\ 712 \\ \hline 903 \\ 66.5 \\ \hline 969.5 \\ 330 \\ \hline 1299.5 \end{array}$$

$$\begin{array}{r} 330 \\ 46.5 \\ \hline 396.5 \\ 595.2\frac{1}{2} \\ \hline 991.8\frac{1}{2} \\ 6 \\ \hline 597.8\frac{1}{2} \\ 20.0AC \\ \hline 617.8\frac{1}{2} \\ 16.5 \\ \hline 634.3\frac{1}{2} \end{array}$$


$$\begin{array}{r} 529 - 2\frac{1}{2} \\ 66 \\ \hline 595 - 2\frac{1}{2} \\ 66 \\ \hline 661 - 2\frac{1}{2} \end{array}$$

$$\begin{array}{r} 1300 \\ 1300 - 12 \\ \hline 1288 \end{array}$$



$$\begin{array}{r} 529 - 2\frac{1}{2} \\ 132 \\ \hline 661 - 2\frac{1}{2} \end{array}$$

$$\begin{array}{r} 529 \\ 66 \\ \hline 595 \end{array}$$



$$\begin{array}{r} 529 - 2\frac{1}{2} \\ 132 \\ \hline 242 - 3\frac{1}{2} \\ 66 - 6 \\ \hline 330 \end{array}$$

1299 - 12 = 1300 Records

MEASURES 1325

FERGUSON PIECE = 267-3 1/2 - NORTH END.

ATKINSON 263-9" SOUTH END.

$$\begin{array}{r} 242 - 3\frac{1}{2} \\ 25 \\ \hline 267 - 3 \end{array}$$

$$\begin{array}{r} 267.3\frac{1}{2} \\ 242 \\ \hline 25 \end{array}$$

1300

JOHN T. STAPLETON

CIVIL ENGINEER

1309 EAST 2ND STREET
BLOOMINGTON, INDIANA

TELEPHONE 2928

COPY

September 5, 1947

Clerk-Town of Ellettsville
Ellettsville, Indiana.

Dear Vic:-

In answer to your letter of September 4th, I will say that I do not know whose opinion the Board has taken, when they say that my estimate for the Palmer-Bee Water Line was too high. But in this letter I will try to point out, that my estimate was not based on opinions but from actual, available data and facts.

First

The price of four (4") cast iron water pipe, was obtained for me by Mr. Baker of the Bloomington Chamber of Commerce. He obtained this by phoning over various part of the country and the price was \$1.10 per lin. foot. That was the price last May and was not guaranteed to come that cheap in the future. Likewise valves were quoted at \$27.00 each, Valve Boxes at \$6.50 each and Hydrants at \$77.00 each.

Second

The 2960 lin. feet of water main in place, is the amount estimated that might be placed with encountering rock, and 1340 lin. feet of water main in place is the amount that I felt sure rock would have to be considered in the excavation. The respective prices of three and four dollars per foot, were based on the prices that Indiana University has had to pay for this type of construction. It must be remembered that in laying water main it is almost always necessary to widen the trench at every bell (bell holes) that workmen will have the proper room to work in caulking the joints. Ten dollars was allowed for installing the valves and boxes and three dollars was allowed for setting the fire hydrants and they cannot be set that cheap. The above statements and figures are based on actual material and construction costs as quoted to me.

The standard fees that engineers over the country now charge, for surveys and plans, which includes estimates and right of way descriptions is six (6%) percent. Had the Board this amount my bill of course \$470.66 have been \$870.66, but instead I charge just half or 3% which only covered the time and expense I was out in turning out this work.

The forwarding of my check, would be very much appreciated, as this said expense must be met by me in the very near future.

yours truly,

Corporate Town of Ellettsville

ELLETTSVILLE, INDIANA

Sept-4-1947

John Stapleton

Bloomington, Indiana.

Friend John:

I had your bill for services to the amount of \$435.33 for the survey of the water line and presented same to the Board at our meeting...

They thought that the 3% for estimate was not out of the way, but the amount of the estimate was entirely too high which would make your claim too high also.

Therefore they would not allow it until they heard from you again.

Yours very truly

V. E. Faulkner Clerk.

Mutual Building & Loan Association

118 SOUTH COLLEGE AVE.



PHONE 2514

BLOOMINGTON, INDIANA.

A part of lot one hundred (100) in Barkley Gardens, a Subdivision of a part of the west half of the northeast quarter and a part of the northwest quarter of the southeast quarter, and a part of the east half of the northeast quarter and a part of the north half of the northeast quarter of section nine (9) township eight (8) north range one (1) west, described as follows; to-wit: commencing at the northeast corner of said lot #100 in Barkley Gardens, thence south sixty (60) feet along the east line of said lot, thence west to the west line of said lot, thence north to the northwest corner of said lot, thence east along the north line of said lot to the beginning.

FREE + FREE

THORNTON ROAD



0138
64
280

11600
223
11
013
363
053
018
052




116
111
5
363
500
363
1370
1089
2410

Lot #1 Harris ~~XXXXXXXX~~ sub-division of Lot #123 of Barclay Gardens in sec. 9, Township 8, N.R., 1W, bounded and described as follows, to-wit; beginning at a point on the south line of said lot #123 436 feet east of the south west corner thereof and running thence east 104 ft. to the south east corner of said lot, thence north 134 ft to the north east corner of said lot #123, thence southwesterly along the northerly side of said lot 104 ft., thence south 123.3 ft. to the place of beginning.


BARCLAY
GARDENS

HILL SIDE

DR



Surveyed 1946.



Description of Ferguson Tract: A part of the North Half of Seminary Lot #134, beginning at a point on the North line of said Seminary Lot #134, 661 feet and 2 1/2 inches East of the Northwest Corner of said Seminary Lot #134; thence running East over and along the North line of said Seminary Lot for a distance of 267 feet and 3 1/2 inches; thence running South 651.31 feet; thence running West 263 feet and 9 inches; thence running North 652.37 feet to the place of beginning.

State of Indiana)

SS:

County of Monroe)

I, the undersigned, a licensed civil engineer in the State of Indiana, hereby certify that Seminary Lot #134 (Old Number One (1)) measures in the field 1325 feet East and West, while in Deed Record #N, page 503, and Deed Record #J, page 12-16, in the office of the Recorder of Monroe County, Indiana, it appears of record that said Seminary Lot #134 is 1300 feet East and West. Therefore, there is a surplus of 25 feet of land across said Seminary Lot. I do further certify that the above plat is a true and correct representation of that part of the North Half of Seminary Lot #134 which was owned by Jesse D. Ferguson, deceased, at the date of his death on May 20, 1945.

Dated this 3rd day of July, 1950.

John T. Stapleton
John T. Stapleton

Subscribed and sworn to before me, a Notary Public, on this 3rd day of July, 1950.

William Henry Snyder
Notary Public

A part of Seminary Lot 134

Ferguson Tract.

Description

Beginning on the north line of said Seminary Lot 134 at a point that is 396.5 feet west of the northeast corner of said seminary lot; thence running west over and along the north line of said seminary lot 134 for a distance of 267 feet-3 $\frac{1}{2}$ inches more or less and to a point that is 661 feet-2 $\frac{1}{2}$ inches east of the northwest corner of said seminary lot; thence running south for a distance of 652.37 feet; thence running east a distance of 263 feet 9 inches and to a point that is 651.31 feet south of the place of beginning; thence running north for a distance of 651.31 feet and to the place of beginning.

GOSPORT COLUMBUS ROAD

ANDERSON

CO. ROAD. FERGUSON


13
T9N, R1W

E


Copy

FERGUSON

BEGINNING AT A POINT THAT IS 1584 FEET NORTH
+ 924 FEET EAST OF THE S.W. COR. OF SEC. 13, T10N
R1W, THENCE RUNNING N 24° E FOR A DISTANCE
OF 800 FT, MORE OR LESS, THENCE RUNNING
N 39° E FOR A DISTANCE OF 800 FT, MORE OR
LESS, THENCE RUNNING N 2°-30 E FOR A
DISTANCE OF 1300 FT, MORE OR LESS TO
THE INTERSECTION OF A COUNTY PKE ROAD.



SEC 13, T10N, R1W
 WASH. TP.



800
 1200
 1200


1600
 13
 2500
 1200
 1700

2640
 1700
 940

Right of Way Description
Per
Jesse Ferguson Real Estate
in
Section 20 T7N;R1W

A strip of land which is twenty (20) feet in width on both sides of the following described center line.

- a. Beginning on the north line of Section 20 T7N;R1W at a point that is 470.5 feet east of the northwest corner of the northeast quarter of said section 20, town and range aforesaid; thence running south 7 degrees west for a distance of 506 feet; thence running south 0 degrees-30 minutes west for a distance of 488 feet and to the south line of the lands owned by Jesse Ferguson.
- b. Beginning at the northwest corner of the northeast quarter of Section 20 T7N;R1W; thence running east for a distance of 470.5 feet; thence running south 7 degrees west for a distance of 138 feet to the real point of beginning. Thence running south 66 degrees east for a distance of 429.7 feet to the west line of State Highway No.37.



Description


A part of the northeast quarter of the northeast quarter and a part of southeast quarter of the northeast quarter of section 31, T9N; R1W, and described as follows, to-wit:-Beginning at a point that is 1466.75 feet south and 454 feet west of the northeast corner of said section 31; thence running east for a distance of 421 feet and to the center line of the Vernal Pike (Center line of concrete pavement) thence running over and along the center line of said Vernal Pike, the following courses and distances; North 34 degrees west-200 feet; North 36 degrees-30 minutes west-100 feet; thence north 41 degrees-30 minutes west-100 feet; North 48 degrees west-100 feet; North 51 degrees west-134 feet and to a point 500 feet north of the place of beginning; thence south 500 feet to the place of beginning. Containing 2.72 acres, more or less.

7-11-45

JTS

Copy

Joseph Floyd
Real Estate



3.2'

144'

144'

5-18-49
JS

Henderson Street
West sidewalk

FORREST PARK HEIGHTS

TRACT # 1

A part of the north half of the southwest quarter of the southwest quarter and a part of the north half of the southeast quarter of the southwest quarter of section 13; T9N; R2W: Beginning at a point that is 1208.24 feet east and 339.89 feet north of the southwest corner of the said north half of the said southwest quarter of the southwest quarter; thence running south 87 degrees east for a distance of 75 feet; thence running north 79 degrees 30 minutes east for a distance of 50 feet; thence running north 4 degrees west for a distance of 200 feet; thence running north 87 degrees west for a distance of 125 feet; thence running south 4 degrees east for a distance of 213.3 feet and to the place of beginning. Containing in all 0.60 acres, more or less.

TRACT # 2

A part of the north half of the southwest quarter of the southwest quarter of section 13; T9N; R2W: Beginning at a point that is 1083.33 feet east and 346.42 feet north of the southwest corner of the said north half of said quarter quarter; thence running south 87 degrees east for a distance of 125 feet; thence running north 4 degrees west for a distance of 213.3 feet; thence running north 87 degrees west for a distance of 125 feet; thence running south 4 degrees east for a distance of 213.3 feet and to the place of beginning. Containing in all 0.61 acres, more or less.

TRACT # 3

A part of the north half of the southwest quarter of the southwest quarter of section 13; T9N; R2W: Beginning at a point that is 958.50 feet east and 352.95 feet north of the southwest corner of the said north half of said quarter quarter; thence running south 87 degrees east for a distance of 125 feet; thence running north 4 degrees west for a distance of 213.3 feet; thence running north 87 degrees west for a distance of 125 feet; thence running south 4 degrees east for a distance of 213.3 feet, and to the place of beginning. Containing in all 0.61 acres, more or less.

TRACT # 4

A part of the north half of the southwest quarter of the southwest quarter of section 13, T9N; R2W: Beginning at a point that is 833.67 feet east and 359.48 feet north of the southwest corner of the said north half of said quarter quarter; thence running south 87 degrees east for a distance of 125 feet; thence running north 4 degrees west for a distance of 213.3 feet; thence running south 87 degrees west for a distance of 127 feet; thence running south 4 degrees east for a distance of 189.9 feet and to the place of beginning. Containing in all 0.57 acres, more or less.

TRACT # 5

A part of the north half of the southwest quarter of the southwest quarter and a part of the north half of the southeast quarter of the southwest quarter in section 13; T9N; R2W: Beginning at a point that is 1220.59 feet east and 311.23 feet north of the southwest corner of the said north half of the southwest of the southwest quarter; thence running south 87 degrees east for a distance of 62.5 feet; thence running north 77 degrees 30 minutes east for a distance of 50 feet; thence running south 2 degrees west for a distance of 211 feet; thence running north 87 degrees west for a distance of 112.5 feet; thence running north 2 degrees east for a distance of 200 feet and to the place of beginning. Containing in all 0.51 acres, more or less.

FORREST PARK HEIGHTS

TRACT # 6

A part of the southwest quarter of the southwest quarter of section 13; T9N; R2W: Beginning at a point that is 1108.25 feet east and 320.11 feet north of the southwest corner of the said north half of said quarter quarter; thence running south 87 degrees east for a distance of 112.5 feet; thence running south 2 degrees west for a distance of 200 feet; thence running north 87 degrees west for a distance of 112.5 feet; thence running north 2 degrees east for a distance of 200 feet and to the place of beginning. Containing in all 0.52 acres, more or less.

TRACT # 7


A part of the north half of the southwest quarter of the southwest quarter of section 13; T9N; R2W: Beginning at a point that is 983.44 feet east and 326.64 feet north of the southwest corner of the said north half of said quarter quarter; thence running south 87 degrees east for a distance of 100 feet; thence running south 2 degrees west for a distance of 206 feet; thence running north 84 degrees west for a distance of 100 feet; thence running north 1 degree 30 minutes east for a distance of 201.5 feet and to the place of beginning. Containing in all 0.48 acres, more or less.

TRACT # 8

A part of the north half of the southwest quarter of the southwest quarter of section 13; T9N; R2W: Beginning at a point that is 864.61 feet east and 332.86 feet north of the southwest corner of the said north half of the southwest quarter of the southwest quarter; thence running south 87 degrees east for a distance of 119 feet; thence running south 1 degree 30 minutes west for a distance of 201.5 feet; thence running north 84 degrees west for a distance of 102.6 feet; thence running north 1 degree 30 minutes west for a distance of 197.5 feet and to the place of beginning. Containing in all 0.51 acres, more or less.

TRACT # 9

A part of the north half of the southwest quarter of the southwest quarter of Section 13; T9N; R2W: Beginning at a point that is 873.3 feet east of the southwest corner of the said north half of the said southwest quarter of the southwest quarter; thence running north 1 degree 30 minutes west for a distance of 136 feet; thence running south 84 degrees east for a distance of 202.6 feet; thence running south 2 degrees west for a distance of 125 feet; thence running north 87 degrees 30 minutes west for a distance of 192.5 feet and to the place of beginning. Containing in all 0.60 acres, more or less.



FORREST

#10 ~~FORREST~~ PARK HEIGHTS

A part of the north half of the S.W. $\frac{1}{4}$ of the S.W. $\frac{1}{4}$; also a part of the south half of the SW $\frac{1}{4}$ -SW $\frac{1}{4}$; in Sec. 13 T9N; R2W.

Beginning at a point that is 1301.48 ft. East and 109.50 ft. north of the S.W. corner of the said North $\frac{1}{2}$ of the SW $\frac{1}{4}$ of the SW $\frac{1}{4}$; thence running South 2 degrees West for a distance of 127.4 ft; thence running North 87° W for a distance of 200 ft; thence running N2°E for a distance of 127.4 ft; thence running S87°E for a distance of 200 ft & to the place of beginning, containing in all 0.58 acres, more or less.

#11

A part of the South $\frac{1}{2}$ of the SW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Sec. 13-T9N; R2W. Beginning at a point that is 1297.05 ft. East and 17.41 ft. South of the NW corner of the said South half of the SW $\frac{1}{4}$ -SW $\frac{1}{4}$; thence running S2°W for a distance of 125 ft; thence running N87°W for a distance of 200 ft; thence running N2°E for a distance of 125 ft; thence running S87°E for a distance of 200 ft and to the place of beginning, containing in all 0.57 acres, more or less.

1386
1320
18


1348.48
1297.05
21.43

7400
41.43
32.57



1220.59
6.98
1213.61 (E)
87.87
1301.48-E

23
200.12
114.11
4.61
109.50-NORTH



#10 - THE BEST PARK HEIGHTS

A PART OF THE NORTH HALF OF THE S.W. $\frac{1}{4}$ OF THE SW $\frac{1}{4}$,
+ A PART OF THE NORTH HALF OF THE SE $\frac{1}{4}$ OF THE SW $\frac{1}{4}$,
ALSO A PART OF THE SOUTH HALF OF THE SW $\frac{1}{4}$ - SW $\frac{1}{4}$,
+ A PART OF THE SOUTH HALF OF THE SE $\frac{1}{4}$ - SW $\frac{1}{4}$ ALL
IN SEC. 13-T9N, R2W.

BEG. @ A PT. THAT IS 1301.48 FT EAST + 109.50 FT
NORTH OF THE S.W. COR. OF THE OF THE SAID
NORTH $\frac{1}{2}$ OF THE SW $\frac{1}{4}$ OF THE SW $\frac{1}{4}$; THENCE RUNNING
SOUTH 2 DEGREES WEST FOR A DISTANCE OF 127.4 FT,
THENCE RUNNING N 87° W FOR A DISTANCE OF
200 FT; THENCE RUNNING N 2° E FOR A DIST. OF
127.4 FT; THENCE RUNNING S 87° E FOR A DIST. OF
200 FT + TO THE PLACE OF BEG. CONTAINING
IN ALL 0.58 ACRES, MORE OR LESS.

#11

A PART OF THE SOUTH $\frac{1}{2}$ OF THE SW $\frac{1}{4}$ OF THE
S.W. $\frac{1}{4}$ OF SEC. 13-T9N, R2W. - BEG. @ A POINT
THAT IS 1297.05 FT EAST + 17.41 FT SOUTH OF
THE N.W. COR. OF THE SAID SOUTH HALF OF THE
SW $\frac{1}{4}$ - SW $\frac{1}{4}$; THENCE RUNNING S 2° W FOR A
DISTANCE OF 125 FT; THENCE RUNNING N 87° W
FOR A DISTANCE OF 200 FT; THENCE RUNNING
N 2° E FOR A DISTANCE OF 125 FT; THENCE
RUNNING S 87° E FOR A DISTANCE OF
200 FT + TO THE PLACE OF BEG. CONTAINING
IN ALL - 0.57 ACRES, MORE OR LESS

JS

MIDWAY COURTS

TRACT # 1

FOREST PARK HEIGHTS - 1st ADD

A part of the north half of the southwest quarter of the southwest quarter and a part of the north half of the southeast quarter of the southwest quarter of section 13;T9N;R2W:-Beginning at a point that is 1208.24 feet east and 339.89 feet north of the southwest corner of the said southwest quarter of the southwest quarter;thence running south 87 degrees east for a distance of 75 feet;thence running north 77 degrees -30 minutes east for a distance of 50 feet;thence running north 4 degrees west for a distance of 200 feet;thence running north 87 degrees west for a distance of 125 feet;thence running south 4 degrees east for a distance of 213.3 feet and to the place of beginning.Containing in all 0.60 acres, more or less.

TRACT # 2

A part of the north half of the southwest quarter of the southwest quarter of section 13;T9N;R2W:-Beginning at a point that is 1083.33 feet east and 346.42 feet north of the southwest corner of the said ^{NORTH HALF OF SAID} quarter-quarter;thence running south 87 degrees east for a distance of 125 feet;thence running north 4 degrees west for a distance of 213.3 feet;thence running north 87 degrees west for a distance of 125 feet;thence running south 4 degrees east for a distance of 213.3 feet and to the place of beginning.Containing in all 0.61 acres,more or less.

TRACT # 3

A part of the north half of the southwest quarter of the southwest quarter of section 13;T9N;R2W:-Beginning at a point that is 958.50 feet east and 352.95 feet north of the south west corner of the said ^{NORTH HALF OF SAID} quarter-quarter;thence running south 87 degrees east for a distance of 125 feet;thence running north 4 degrees west for a distance of 213.3 feet;thence running north 87 degrees west for a distance of 125 feet;thence running south 4 degrees east for a distance of 213.3 feet, and to the place of beginning.Containing in all 0.61 acres,more or less.

TRACT # 4

A part of the north half of the southwest quarter of the southwest quarter of section 13;T9N;R2W:-Beginning at a point that is 833.67 feet east and 359.48 feet north of the southwest corner of the said ^{NORTH HALF OF SAID} quarter-quarter;thence running south 87 degrees east for a distance of 125 feet;thence running north 4 degrees west for a distance of 213.3 feet;thence running south 87 degrees west for a distance of 127 feet;thence running south 4 degrees east for a distance of 189.9 feet and to the place of beginning. Containing in all 0.57 acres,more or less.

TRACT # 5

A part of the north half of the southwest quarter of the southwest quarter of section 13;T9N;R2W:-Beginning at a point that is 1220.59 feet east and 314.23 feet north of the southwest corner of the said north half of the southwest of the southwest quarter;thence running south 87 degrees east for a distance of 62.5 feet;thence running north 77 degrees-30 minutes east for a distance of 50 feet;thence running south 2 degrees west for a distance of 211 feet;thence running north 87 degrees west for a distance of 112.5 feet;thence running north 2 degrees east for a distance of 200 feet and to the place of beginning.Containing in all 0.51 acres,more or less.

Copy
8-12-1952
Jimmie Hall

MIDWAY COURTS

TRACT # 1

A part of the north half of the southwest quarter of the southwest quarter and a part of the north half of the southeast quarter of the southwest quarter of section 13;T9N;R2W:-Beginning at a point that is 1208.24 feet east and 339.89 feet north of the southwest corner of the said southwest quarter of the southwest quarter;thence running south 87 degrees east for a distance of 75 feet;thence running north 77 degrees -30 minutes east for a distance of 50 feet;thence running north 4 degrees west for a distance of 200 feet;thence running north 87 degrees west for a distance of 125 feet;thence running south 4 degrees east for a distance of 213.3 feet and to the place of beginning.Containing in all 0.60 acres, more or less.

TRACT # 2

A part of the north half of the southwest quarter of the southwest quarter of section 13;T9N;R2W:-Beginning at a point that is 1083.33 feet east and 346.42 feet north of the southwest corner of the said quarter;thence running south 87 degrees east for a distance of 125 feet;thence running north 4 degrees west for a distance of 213.3 feet;thence running north 87 degrees west for a distance of 125 feet;thence running south 4 degrees east for a distance of 213.3 feet and to the place of beginning.Containing in all 0.61 acres,more or less.

TRACT # 3

A part of the north half of the southwest quarter of the southwest quarter of section 13;T9N;R2W:-Beginning at a point that is 958.50 feet east and 352.95 feet north of the south west corner of the said quarter;thence running south 87 degrees east for a distance of 125 feet;thence running north 4 degrees west for a distance of 213.3 feet;thence running north 87 degrees west for a distance of 125 feet;thence running south 4 degrees east for a distance of 213.3 feet, and to the place of beginning.Containing in all 0.61 acres,more or less.

TRACT # 4


A part of the north half of the southwest quarter of the southwest quarter of section 13;T9N;R2W:-Beginning at a point that is 833.67 feet east and 359.48 feet north of the southwest corner of the said quarter;thence running south 87 degrees east for a distance of 125 feet;thence running north 4 degrees west for a distance of 213.3 feet;thence running south 87 degrees west for a distance of 127 feet;thence running south 4 degrees east for a distance of 189.9 feet and to the place of beginning. Containing in all 0.57 acres,more or less.

TRACT # 5

A part of the north half of the southwest quarter of the southwest quarter of section 13;T9N;R2W:-Beginning at a point that is 1220.59 feet east and 314.23 feet north of the southwest corner of the said north half of the southwest quarter;thence running south 87 degrees east for a distance of 62.5 feet;thence running north 77 degrees -30 minutes east for a distance of 50 feet;thence running south 2 degrees west for a distance of 211 feet;thence running north 87 degrees west for a distance of 112.5 feet;thence running north 2 degrees east for a distance of 200 feet and to the place of beginning.Containing in all 0.51 acres,more or less.


$$\begin{array}{r} 873.3 \\ 192.5 \\ \hline 10658 \end{array}$$

$$\begin{array}{r} 136 \\ 197 \\ \hline 333 \end{array}$$



$$\begin{array}{r} 873.30 \\ 8.69 \\ \hline 864.61 \end{array}$$

$$\begin{array}{r} 179-60 \\ 91.30 \\ \hline 88.30 \end{array}$$




#8

$$\begin{array}{r} 9996 \\ 192.75 \\ \hline 2499.80 \\ 69972 \\ 8996.4 \\ 9996 \\ \hline 198.42100 \end{array}$$

$$\begin{array}{r} 0261 \\ 333 \\ \hline 0783 \\ 0783 \\ \hline 0783 \\ 8.6913 \end{array}$$

$$\begin{array}{r} 9996 \\ 333 \\ \hline 29988 \\ 29988 \\ \hline 29988 \\ 332.8668 \end{array}$$

Midway


$$\begin{array}{r} 332.86 \\ 21 \\ \hline 337.86 \\ 190 \\ \hline 547.86 \end{array}$$

$$\begin{array}{r} 125 \\ \times 4 \\ \hline 500 \\ 469 \\ \hline 31 \end{array}$$

$$\begin{array}{r} 215 \\ \times 2 \\ \hline 244 \\ 225 \\ \hline 469 \end{array}$$



$$\begin{array}{r} 162 \\ \times 31 \\ \hline 162 \\ 504 \\ \hline 3054 \end{array}$$

$$\begin{array}{r} 9986 \\ \times 31 \\ \hline 9986 \\ 29948 \\ \hline 305466 \end{array}$$

④

$$\begin{array}{r} 0524 \\ \times 31 \\ \hline 0524 \\ 1572 \\ \hline 16244 \end{array}$$

$$\begin{array}{r} 864.61 \\ + 30.94 \\ \hline 895.55 \end{array}$$

$$\begin{array}{r} 357.86 \\ + 1162. \\ \hline 35948 \end{array}$$

Mordura

$$\begin{array}{r} 588/ \overline{112.5} \\ 50 \end{array}$$

9986

112.5

49930

19972

9986

9586

11234256

(5)

.0524

112.3

572

1048

0524

0524

588452

1108.25

112.34

1220.59E

320.11

5.8E

314.23

MIDWAY

6.53

A 20

E7
30

C

125

124.81

B

36

1

326.64

6.53

320.11

9986

125

49930

19966

9986

1248190

(6)

10524

124.8

4192

2096

1048

0524


6.53952

983.44

124.81

1108.25

Midway



7

$$\begin{array}{r} 33.2.86 \\ 6.22 \\ \hline 326.64N \end{array}$$

$$\begin{array}{r} 9986 \\ 119 \\ \hline 89874 \\ 9986 \\ 9986 \\ \hline 1188334 \end{array}$$

$$\begin{array}{r} 864.61 \\ 118.83 \\ \hline 583.44.E \end{array}$$

$$\begin{array}{r} 0524 \\ 118.8 \\ \hline 4192 \\ 4192 \\ 0524 \\ 0524 \\ \hline 622512 \end{array}$$

Midway

$$\begin{array}{r} 1220.55 \\ 125 \\ \hline 134555 \end{array}$$

$$\begin{array}{r} 6.53 \quad \begin{array}{|l} 87 \\ 90 \end{array} \quad \begin{array}{l} 125 \\ \hline 124.82 \end{array} \quad \begin{array}{l} 36 \\ 9 \end{array} \end{array}$$

$$\begin{array}{r} 833.67 \\ 124.83 \\ \hline 558.50 \end{array}$$

(3)

$$\begin{array}{r} 9986 \\ 125 \\ \hline 49930 \\ 19972 \\ 9986 \\ \hline 1248250 \end{array}$$

$$\begin{array}{r} 359.48 \\ 6.53 \\ \hline 352.95 \end{array}$$

$$\begin{array}{r} 0524 \\ 124.8 \\ \hline \end{array}$$

(2)

$$\begin{array}{r} 958.50 \\ 124.83 \\ \hline 1083.33 \end{array}$$

$$\begin{array}{r} 352.95 \\ 6.53 \\ \hline 346.42 \end{array}$$



$$\begin{array}{r}
 1083.33 \\
 124.81 \\
 \hline
 1208.24E
 \end{array}$$


$$\begin{array}{r}
 1208 \\
 125 \\
 \hline
 1333
 \end{array}$$

$$\begin{array}{r}
 346.42 \\
 6.53 \\
 \hline
 339.89N
 \end{array}$$

$$\begin{array}{r}
 314 \\
 25 \\
 \hline
 339
 \end{array}$$




$$\begin{array}{r}
 1208.24 \\
 75 \\
 \hline
 1283.24 \\
 50 \\
 \hline
 1333.24
 \end{array}$$



$$\begin{array}{r}
 442.5 \\
 430.8 \\
 \hline
 873.3 \text{ EAST}
 \end{array}$$

#11

D-2



$$\begin{array}{r}
 9993 \\
 127 \\
 \hline
 269951 \\
 19986 \\
 9993 \\
 \hline
 1269111
 \end{array}$$


$$\begin{array}{r}
 0349 \\
 127 \\
 \hline
 2443 \\
 0698 \\
 0349 \\
 \hline
 44323
 \end{array}$$

$$\begin{array}{r}
 126.51 \\
 109.50 \\
 \hline
 17.41 \text{ South}
 \end{array}$$

$$\begin{array}{r}
 1301.48 \\
 4.43 \\
 \hline
 1297.05 \text{ E}
 \end{array}$$

#10

180
92
88



~~9993~~


10349-
200
6.9800

200.00
112.52
87.50

1.000
200
2.00000


1.00001
200
2.0012200

0524
88
41.92
4152
4.6112



9986
88
75888
75888
87.8768

center of the old Rockport road 1866



480.5
295
775.5

295
460
34.20

~~COPY~~

480.5
295
775.5

COPY
JB
480.5

Description of
Geo. Fowler Real Estate
in
Sections 8 and 9 T8N; R1W

A part of the southeast and northeast quarters of Section 8 Township 8 North; Range 1 West and a part of northwest quarter of Section 9 town and range aforesaid, and being more particularly described as follows: -Beginning in the center of the South Rogers Street (West Wylie) Pike at a point which is 347.34 feet south and 775.5 west

of the northeast corner of the southeast quarter of said section 8; running thence north 1 degrees west over and along the center line of the South Rogers Street (West Wylie) Pike for a distance of 1412 feet and to the intersection of the old Rockport Road as same was located and traveled in 1866; thence running north 35 degrees-30 minutes east over and along the center line of the above described Rockport Road for a distance of 137.5 feet; thence running north 87 degrees east for a distance of 485 feet and to the west right-of-way line of the Bloomington and Southern Railroad (I.C.R.R.); thence running south 22 degrees-30 minutes east over and along the above described right-of-way line for distance of 207 feet; thence continuing over and along the said right-of-way line of the said railroad-south 16 degrees east for a distance of 995 feet; thence running south 87 degrees west for a distance of 76 feet and to the east line of section 8, town and range aforesaid; thence running south over and along the east line of section 8 for a distance of 544 feet; thence running west for a distance of 480.5 feet; thence running north 2 degrees west for a distance of 147.66 feet; thence running north 89 degrees west for a distance of 295 feet and to the place of beginning. Containing in all 29.56 acres more or less.

Co P-1

September 8, 1948

I, the undersigned, a licensed civil engineer, in and for the State of Indiana, hereby certify that the plat shown here is a true and correct representation of Lot 41 in Hillsdale Addition to the City of Bloomington, Indiana, as shown by the recorded plat of Hillsdale Addition in the County Recorder's Office at Bloomington, Indiana.

I further certify that the improvements situated on said above mentioned real estate is as shown on this plat.

Civil Engineer.

Circle Drive

September 8, 1948

I, the undersigned, a licensed civil engineer, in and for the State of Indiana, hereby certify that the plat shown here is a true and correct representation of Lot 41 in Hillsdale Addition to the City of Bloomington, Indiana, as shown by the recorded plat of Hillsdale Addition in the County Recorder's Office at Bloomington, Indiana.

I further certify that the improvements situated on said above mentioned real estate is as shown on this plat.

garage


1 story
frame
with
stone
front

Civil Engineer.

September 8, 1948

I, the undersigned, a licensed civil engineer, in and for the State of Indiana, hereby certify that the plat shown here is a true and correct representation of Lot 41 in Hillsdale Addition to the City of Bloomington, Indiana, as shown by the recorded plat of Hillsdale Addition in the County Recorder's Office at Bloomington, Indiana.

Copy




John T. Stapleton
Civil Engineer

Matloek to Fritz
Transfer

A part of the northwest quarter of section 28-T9N;R1W;Beginning at a point that is 677.8 feet south and 16.5 feet west of the northeast corner of the said northwest quarter;and on the west right of way line of the north Dunn Street road;thence running south over and along the said west right of way line for a distance of 1714.5 feet and to the lands of Wade Lawhead;thence running west over and along the north line of the said Wade Lawhead lands for a distance of 161.3 feet and to the west line fo the said Wade Lawhead lands;thence running south over and along the west line of the said Wade Lawhead land for a distance of 270 feet and to the north right of way line of the Matloek Road;thence running west over and along the north right of way line of the said Matloek Road for a distance of 742 feet and to the east line of the L.S.Burns lands;thence running north over and along the east line of the said L.S.Burns lands for a distance of 425 feet;thence running north 42 degrees west and remaining adjacent to the L.S.Burns land for a distance of 120.5 feet;thence running west over and along the north lines of the L.S.Burns, John T. Jones, Ralph Rogers and Earl Ketterly lands for a distance of 376.83 feet and to the northwest corner of the Earl Ketterly tract;thence running north 236.6 feet;thence running east for a distance of 37 feet;thence running north for a distance of 165 feet;thence running west for a distance of 5 feet and to the east right of way line of the new State Highway number 37;thence running over and along the said east right of way line of the said new State Highway number 37 the following courses and distances:-north-52.5 feet; north 6 degrees west-126 feet;north 7 degrees east-417 feet;north 8 degrees east 375 feet;thence north 13 east-105.5 feet and north 4 west for a distance of 33.5 feet and to the south line of the George W.Williams lands;thence leaving said east right of way line and running north 88 degrees east over and along the south lines of of the George W.Williams and Miles J.Blazek lands for a distance of 1216.5 feet and to the place of beginning.Containing in all 52.82 acres,more or less.

Matlock Road



Geo. Williams

Miles J. Blazek

Bobber figures 2677.30
2640
37.30
Act figures =


2677.30
2662.30
15.00

677.8 South
1714.5 - Toland
270.0 Lachar

2662.3-

2640

22.3



198
 9
 1782
 218
 2000
 660
 2660
 13
 2677

H. DUNN ST.

WEIGEL - 107-258 - 100 - Bay 16 1/2' West of Cor.

DOOLEY - 110-628 - 67.9 - Bay 202 ft South of Cor.

MARTIN 106-135 - Bay 269.5' South - 67.9'

WARNER - 105-25 - 100'

Harry Warner + Mary Dooley

100
 67.9
 167.9
 67.9
 235.8
 100
 335.8

337.8
 235.8
 102.0


$$\begin{array}{r} 709 \\ 105 \\ \hline 135.5 \\ 5453 \end{array}$$

$$\begin{array}{r} 203 \\ 210 \\ \hline 170 \\ 1183 \end{array}$$


$$\frac{1930}{1580} = 1.22$$

S. 9C

$$\begin{array}{r} 337.8 \\ 340.0 \\ \hline 677.8 \end{array}$$



A part of the northeast quarter of Section 8, T8N; R1W. Described as follows: -Beginning in the center of the South Road Street (West Wylie) Pike at a point that is 1064.7 feet north and 775.5 feet west of the southeast corner of the northeast quarter of said section 8; thence running north 35 degrees-30 minutes east for a distance of 137.5 feet; thence running north 87 degrees east for a distance of 485 feet; thence running north 28 degrees west for a distance of 219.6 feet; thence running north 28 degrees-30 minutes west for a distance of 107 feet; thence running north 31 degrees-30 minutes west for a distance of 144.5 feet; thence running west for a distance of 349.5 feet and to the center of the Wylie Pike (South Rogers Street Road); thence running south 1 degrees east over and along the center line of said Wylie Pike for a distance of 555 feet and to the place of beginning. Containing in all 4.64 acres more or less.



$$C \times \sin E = B$$

$$B \times \tan n = A$$

N 35° 30' E
 1064.70
 + 555.88
 1619.58 NORTH
 +
 775.50
 3.67
 185.17 WEST

Geo Fowler LANDS
 6/4/98
 COPY

966

HERSCHEL
MEGLOTHLIN

ADDIE
JACKSON

SHERMAN
SMOOT

BRUCE
MCLOTHLIN

LLoyD
ByERS

HELMS
DUTCH

GRAHAM
SMYTHIE

STREET

OLD
BLACK
SMITH
SHOE

SCHOOL
LOT 45

STREET

198 ft

22

40

①

130

1108

2000-2001

PROJECTS FOR HOME, INDUSTRY & AGRICULTURE

ESTABLISHED 1886

S. C. JOHNSON & SON, INC. ■ RACINE, WISCONSIN

FOR:

Fowler's Hardware

Harrodsburg, Ind.

109

三

三

23

16
0
5

948

171
177
270
106
221
225
6176

Four 12
Heredosum. Pop

2

No. College

Branch

Measures

Ebert

BLOOMINGTON CRUSHED STONE, INC.

Crushed Stone

Aglime


PHONE 3411

CASCADES PARK ROAD

BLOOMINGTON, IND.

126

5.20		
<u>100</u>		100
58000		10000
	5.80	
	<u>10,000</u>	
	5800000	
	23	
	<u>174000</u>	
	116000	
	<u>1,334000</u>	



$$\begin{array}{r}
 9945 \\
 \underline{310} \\
 99450 \\
 29835 \\
 \hline
 3082950
 \end{array}$$

$$\begin{array}{r}
 1051 \\
 308.3 \\
 \hline
 3153 \\
 8408 \\
 3153 \\
 \hline
 3240233
 \end{array}$$

$$\begin{array}{r}
 385.57 \\
 \underline{32.40} \\
 353.17 \\
 \underline{13.50} \\
 468.17
 \end{array}$$

$$\begin{array}{r}
 1558.77 \\
 \underline{308.29} \\
 1867.06
 \end{array}$$

BLOOMINGTON CRUSHED STONE CO., INC.

Crushed Stone Aglime

PHONE 3411

CASCADES PARK ROAD

BLOOMINGTON, IND.

$$\begin{array}{r} 127 \\ 27 \\ \hline 148 = 72 \\ 2 \end{array}$$

$$\begin{array}{r} 92 \\ 95 \\ \hline 4107 \\ 94 \end{array}$$

$$\begin{array}{r} 144 \\ 131 \\ \hline 2 \overline{) 275} \\ 137 \\ 94 \end{array}$$

$$\begin{array}{r} 1466.98 \\ 91.79 \\ \hline 1558.77 \end{array}$$

$$\begin{array}{r} 548 \\ 1233 \\ \hline 12878 \\ 23 \\ \hline 38634 \\ 23756 \\ \hline 296194 \end{array}$$

$$\begin{array}{r} 395.21 \\ 964 \\ \hline 385.57 \end{array}$$

BLOOMINGTON CRUSHED STONE CO., INC.


Crushed Stone

Aglime

PHONE 3411

CASCADES PARK ROAD

BLOOMINGTON, IND.



$$\begin{array}{r} 180 \\ 36 \\ \hline 84 \end{array}$$

$$\begin{array}{r} 95 \\ 92 \\ \hline 2 \overline{) 187} \\ 94 \end{array}$$

$$\begin{array}{r} 125 \\ 108 \\ \hline 2 \overline{) 233} \\ 116 \\ \hline 94 \\ 464 \\ \hline 1044 \\ \hline 10904 \\ 23 \end{array}$$

$$\begin{array}{r} 32712 \\ 2 \overline{) 808} \\ \hline 250752 \end{array}$$

$$C \times \sin E = B$$

$$B \times \tan D = A$$

$$\begin{array}{r}
 132 \\
 126 \\
 \hline
 1 \overline{) 258}
 \end{array}$$

$$\begin{array}{r}
 129 \\
 93 \\
 \hline
 \end{array}$$

$$\begin{array}{r}
 387 \\
 1161 \\
 \hline
 11957 \\
 23 \\
 \hline
 \end{array}$$

$$\begin{array}{r}
 35551 \\
 23994 \\
 \hline
 275931
 \end{array}$$

$$\begin{array}{r}
 52 \\
 95 \\
 \hline
 2 \overline{) 187} \\
 98
 \end{array}$$

BLOOMINGTON CRUSHED STONE CO., INC.

Crushed Stone


Aglime

PHONE 3411

CASCADES PARK ROAD

BLOOMINGTON, IND.

$$\begin{array}{r} 1778.66 \\ 95.06 \\ \hline 1683.60 \end{array}$$



$$\begin{array}{r} 11-30 \\ 20 \\ \hline 101-30 \end{array}$$

$$\begin{array}{r} 179-60 \\ 101-30 \\ \hline 78-30 \end{array}$$

$$\begin{array}{r} 2034 \\ 95 \\ \hline 16170 \\ 18306 \\ \hline 193236 \end{array}$$

$$\begin{array}{r} 518.17 \\ 19.32 \\ \hline 498.85 \end{array}$$

$$\begin{array}{r} 9800 \\ 97 \\ \hline 68600 \\ 88200 \\ \hline 95.0600 \end{array}$$

$$\begin{array}{r}
 103 \\
 97 \\
 \hline
 2 \overline{) 200} \\
 100
 \end{array}$$

$$\begin{array}{r}
 216 \\
 206 \\
 \hline
 2 \overline{) 422} \\
 21100
 \end{array}$$

$$\begin{array}{r}
 23 \\
 \hline
 63360 \\
 42200 \\
 \hline
 425300
 \end{array}$$

$$\begin{array}{r}
 19 \\
 6303 \\
 \hline
 1
 \end{array}$$

June 3, 1947

To Whom it may Concern:


I, the undersigned, hereby deputize the bearer, Mr. Clark Colbert to make boundary survey and to write the proper description or descriptions of real estate or lands, named and given in "Notice of Survey" issued by Nilson Figg, Trustee of Bean Blossom Township, Monroe County, Indiana on the 23rd day of May 1947.

John T. Stapleton
Monroe County Surveyor

June 3, 1947

To Whom it may Concern:


I, the undersigned, hereby deputize the bearer, Mr. Clark Colbert to make boundary survey and to write the proper description or descriptions of real estate or lands, named and given in "Notice of Survey" issued by Nilson Figg, Trustee of Bean Blossom Township, Monroe County, Indiana on the 23rd day of May 1947.



Monroe County Surveyor

222
1225
05

52
95
101


$$\begin{array}{r} 52.2 \\ 3 \overline{) 276.6} \\ \underline{156} \\ 120 \\ \underline{90} \\ 30 \\ \underline{21} \\ 90 \\ \underline{60} \\ 30 \\ \underline{21} \\ 90 \\ \underline{60} \\ 30 \end{array}$$

Gordon
Fisher

SURVEY DATA REQUIRED

FOR

FIRST NATIONAL BANK PROPERTY

BY


McGUIRE & SHOOK and ASSOCIATES

ARCHITECTS and ENGINEERS

1400 FLETCHER TRUST BUILDING

INDIANAPOLIS, INDIANA

January 13, 1956



Drawing (tracing) to be prepared, dated and signed by registered professional surveyor - to a scale of $1/8" = 1'0"$ showing the following:

- (1) Compass points.
- (2) Width and length of each unit of the entire group of buildings of the Owner - showing property and building lines on both street and alley and in courts - and indicating angularity of these lines. ✓
- (3) Locate and give thicknesses of walls in connection with Item 2. ✓
- (4) Indicate width of sidewalks and alley. ✓
- (5) Establish and locate on drawing a permanent "Bench Mark" to which all other levels may be referred. ✓
- (6) Indicate levels of all floors of each unit in reference to "Bench Mark".
- (7) Indicate levels of all sidewalks at all entrances and exits and at corners of buildings on each street and alley. ✓
- ✓ (8) Indicate level of Court in same manner as for (7). FIND.
- (9) Show depth, size and location of sewers (storm and sanitary) now serving each unit and also each street and/or alley and indicate direction of flow.
- (10) Same as (9) for water services and mains. ✓
- (11) Same as (9) for gas services and mains. ✓
- (12) Show points of entrance of all electric services and indicate current characteristics. ✓
- (13) Show location of each outside stairs and indicate levels of sidewalks and bottom landings of stairs.
- (14) Add any other data that would be helpful as relevant.

2" GAS MAIN - IN ALLEY - 4TH & 5TH - APPROX 4" OF ALLEY - PRESSURE 6" WATER COLUMN.
ELECTRIC - " " " " " " - 1200 VOLTS
WATER MAIN - COURSE AVE - 8" = LITTLE EAST OF 4TH ST - 6" = LITTLE SOUTH OF 5TH ST

TOP FINE H/D
McGUIRE & SHOOK
759.04

Part of In Lot number one hundred and twenty eight (128) in the City of Bloomington Indiana, bounded as follows, to-wit: Commencing at the Northwest corner of said In Lot, as shown by a cross in the cement sidewalk, in front of the present bank entrance, running thence East forty four (44) feet and six (6) inches to a cross indicating the center of a brick partition wall, thence South, parallel with the West line of said In Lot, Seventy nine (79) feet and five (5) inches, thence West, parallel with the North line of said In Lot, to the West line thereof, thence North to the place of beginning.

Subject to the right of the owner of the adjacent real estate on the East of the portion above described to use the stairway and hallway at the north east corner of the real estate hereby conveyed, as a means a ingress and egress, so long as the same shall remain in its present location.

Part of In Lot One Hundred Twenty-eight (128) in the City of Bloomington, Indiana, bounded as follows, to-wit: Commencing at a point in the West line of said Lot Seventy-nine (79) feet and Five (5) inches South of the Northwest corner thereof, running thence South Fifty-three (53) feet and Five (5) inches to the Southwest corner thereof; thence East Forty-four (44) feet and Six (6) inches, to a cross indicating the center of a brick partition wall; thence North Fifty-three (53) feet and Five (5) inches, to a point Seventy-nine (79) feet and Five (5) inches South of the North line of said In Lot, thence West to the place of beginning.

EASEMENT FOR CHIMNEY

EAST + B, N + S. G. B. 04



79' + 5"
53' + 5"
132' - 10"

First National

John T. Stapleton
C.E. #1140



$$\begin{array}{r}
 827 \\
 24 \\
 \hline
 3308 \\
 1654 \\
 \hline
 19848
 \end{array}$$


$$\begin{array}{r}
 827 \\
 24 \\
 \hline
 20,600
 \end{array}$$

$$\begin{array}{r}
 827 \\
 24 \\
 \hline
 2481 \\
 1654 \\
 \hline
 19021 \\
 43560 \\
 \hline
 431900 \\
 172 \\
 \hline
 180
 \end{array}$$


$$\begin{array}{r}
 142 \\
 526
 \end{array}$$

5/10/1903

RECEIVED FROM THE
 OFFICE OF THE
 SECRETARY OF THE
 TREASURY
 DEPARTMENT OF THE
 INTERIOR
 BUREAU OF LANDS
 WASHINGTON, D. C.



Various



407 DEED
406-EXISTING

893' DEED
895' EXISTING TO R/W FENCE

7 LOTS @ 90' H
1" @ 83' H

11.67 BY RECORDS

7.44 @ 90' H
1" @ 83'

Exception #2

Exception #1

740.5' TO R/W FENCE
740.5' DEED

TRUE NORTH - IN THE YEAR OF 1816

EXISTING 900' TO R/W FENCE
913' DEED

SECTION LINE

407 DEED
EXISTING = 490'

NEW FENCE

APPROX

407
893
913
1300

F SURVEYS

1060# UP

FEBRUARY 16, 1966

A PART OF THE NE $\frac{1}{4}$ OF THE NW $\frac{1}{4}$ OF SECTION 1
1- T8N; R1W - IN MONROE COUNTY, INDIANA

BEGINNING AT A POINT THAT IS 869 FT. SOUTH
OF THE NE CORNER OF THE SAID NORTHWEST QUARTER,
THENCE RUNNING WEST FOR 668 FT. + TO A NORTH AND
SOUTH ESTABLISHED LINE FENCE; THENCE RUNNING
NORTH OVER & ALONG THE SAID NORTH + SOUTH LINE
FENCE FOR 869 FT. + TO THE NORTH LINE OF THE
SAID NE $\frac{1}{4}$ OF THE NW $\frac{1}{4}$ OF SAID SECTION 1- (TOWNSHIP LINE)
THENCE RUNNING EAST OVER & ALONG THE SAID
QUARTER QUARTER (TOWNSHIP LINE) FOR 309 FT;
THENCE LEAVING THE SAID NORTH LINE OF THE QUARTER
QUARTER (TOWNSHIP LINE) AND RUNNING SOUTH ^{0-44' WES} FOR
^{618.7} ~~619~~ FT; THENCE RUNNING EAST FOR 372 ^{0-42' WEST} FT, THENCE
RUNNING SOUTH FOR 250 FT + TO THE PLACE OF
BEGINNING. CONTAINING IN ALL ——— ACRES, MORE OR LESS

250
619
869

309 x 869 = 6.17 AC.
43,560

364 x 250 = 2.09 AC.
43,560

TOTAL ACRES = 8.26 ACRES ±


J.F.S.

James Ferguson

F

Section 34-T7N;R1W

A part of the southeast quarter of the southwest quarter of section 34-T7N;R1W. Beginning at the northeast corner of the said quarter quarter; thence running west for 560 feet, and to the center line of the Harrodsburg-Guthrie Road; thence running over and along the said center line of the said Road the following courses and distances; south 7 degrees-15 minutes for 600 feet; south 33 degrees-30 minutes for 620 feet; and south for 200 feet, and to the south line of the said quarter quarter; thence leaving the said center line of the said road and running east for 35 feet and to the southeast corner of the said quarter quarter; thence thence running north over and along the east line of the said quarter quarter for 1320 feet, and to the place of beginning. Containing in all 8.28 acres, more or less.



ALP 3-5


John T. Stapleton
(EARL Figg) 1-27-66


Wm. Frisby-Transfer

December 29, 1965

A part of the southeast quarter of section 12-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 946.97 feet north and 86.97 feet east of the southwest corner of the said said southeast quarter. Said point being in the center line of State Highway 45; thence running south 44 degrees -53 minutes west over and along the said center line of State Highway 45 for 123½ feet; thence leaving the said center line of State Highway 45 and running south 1 degree east for 339 feet, and to a established east and west line fence; thence running north 89 degrees east over and along the said east-west fence for 87 feet, and to a north and south established line fence; thence running north 1 degree-09 minutes west over and the line of said fence for 391 feet, and to the place of beginning. Containing in all 0.75 acres, more or less.

John T. Stapleton
Civil Engineer & Surveyor





Sept. 4, 1958

Raymond Freeman
To
Jerry Buyers

A part of the NorthWest quarter of the SouthEast quarter of section number 21; T8N, R2W. Beginning at a point that is 99.61 feet South and 265 feet East of the Northeast corner of the said Northwest quarter of the Southeast quarter, all in section 21, T8N, R2W; and on the West right of way line of a county road; Thence West for a distance of 200 feet; Thence South 05-30- West for a distance 100 feet; Thence East for a distance of 200 feet, and to the West right of way line of the said county road; Thence North 5-30- East along the West right of way line of the said county road, for a distance of 100 feet, and to the place of beginning. Containing in all 0.46 of an acre more or less.

John T. Stapleton
Civil Engineer

ELSWORTH FENDER

JULY 22, 1963

A PART OF THE SOUTHWEST QUARTER OF THE
SOUTH EAST QUARTER OF SECTION 31-T7N, R1E.
BEGINNING AT THE NE. CORNER OF THE SAID $\frac{1}{4}$ - $\frac{1}{4}$, THENCE
RUNNING SOUTH OVER & ALONG THE EAST LINE OF THE
SAID $\frac{1}{4}$ - $\frac{1}{4}$ FOR 500 FT., THENCE RUNNING WEST FOR 200 FT.
& TO THE CENTER LINE OF THE COUNTY PIKE ROAD;
THENCE ~~RUNNING OVER & ALONG THE CENTER LINE~~
~~OF THE SAID COUNTY PIKE ROAD, THENCE RUNNING~~
~~NORTH 2 1/2 DEGREES WEST OVER & ALONG THE SAID CENTER~~
LINE OF THE SAID CO. PIKE ROAD FOR 570 FT. MORE OR
LESS, AND TO THE NORTH LINE OF SAID $\frac{1}{4}$ - $\frac{1}{4}$, THENCE
RUNNING EAST OVER & ALONG THE SAID NORTH LINE
OF THE SAID $\frac{1}{4}$ - $\frac{1}{4}$ FOR 410 FT. MORE OR LESS, & TO
THE PLACE BEGINNING. CONTAINING IN ALL THREE (3)
ACRES, MORE OR LESS

JS

NOV. 21, 1964

~~KINSEY MEADOW~~ & FRYE - DESCRIPTIONS

FOR INGRESS & EGRESS.

FRYE -
Description

A STRIP OF GROUND 15 FT. IN WIDTH ON EACH SIDE AND PARALLEL TO THE FOLLOWING DESCRIBED CENTER LINE.

A PART OF THE NE $\frac{1}{4}$ OF THE NE $\frac{1}{4}$ & A PART OF THE NW $\frac{1}{4}$ OF THE NE $\frac{1}{4}$ - ALL BEING IN SECTION 14-T-7N; RIW - IN MONROE COUNTY, INDIANA - BEGINNING AT A POINT THAT IS 627 EAST OF THE NW CORNER OF THE SAID NE $\frac{1}{4}$ OF THE NE $\frac{1}{4}$; THENCE RUNNING SOUTH 19-34' WEST FOR 100 FT; THENCE RUNNING S-66-31 WEST FOR 286 FT; THENCE RUNNING S-76-12' WEST FOR 672 FT; THENCE RUNNING SOUTH 74 DEGREE 04 MINUTES WEST FOR 718 FT. + TO THE WEST LINE OF THE ORVILLE R. FRYE & LEONA FRYE - HUSBAND AND WIFE.

116

KINSEY
Description

A STRIP OF GROUND 15 FT. IN WIDTH ON EACH SIDE & PARALLEL TO THE FOLLOWING DESCRIBED CENTER LINE.

~~A PART OF THE NW $\frac{1}{4}$ OF THE NE $\frac{1}{4}$ OF SECTION 14-T-7N; RIW - IN MONROE COUNTY, INDIANA;~~ BEGINNING AT A POINT THAT IS 330.50 FT. EAST OF THE NW COR. OF THE SAID NW $\frac{1}{4}$ OF NE $\frac{1}{2}$. SAID PART BEING ON THE EAST LINE OF THE ALBERT KINSEY & AUGUSTA KINSEY - HUSBAND & WIFE; THENCE RUNNING SOUTH 36 DEGREES-22 MINUTES - WEST FOR 437 FT. + TO THE SOUTH LINE OF THE SAID KINSEY REAL ESTATE.

MEADOWS
Description

A STRIP OF GROUND 15 FT. IN WIDTH ON EACH SIDE & PARALLEL TO THE FOLLOWING DESCRIBED CENTER LINE. - A PART OF THE NW $\frac{1}{4}$ OF THE NW $\frac{1}{4}$ OF NE $\frac{1}{4}$ & A PART NE $\frac{1}{4}$ OF THE NW $\frac{1}{4}$ - ALL IN SECTION 14-T-7N; RIW - IN MONROE COUNTY INDIANA - BEGINNING AT A POINT THAT IS 508 FT. NORTH & 137 FT. EAST OF THE S.E. CORNER OF THE SAID NW $\frac{1}{4}$ OF THE NE $\frac{1}{4}$; THENCE RUNNING WEST FOR 320 FT; THENCE RUNNING N-81-22'W FOR 100 FT. + TO THE CENTER OF A 30 FT. EASEMENT OF KINSEY TO MEADOW - (CONDITIONAL SALES CONTRACT)

KINSEY-MEADOWS-EASEMENTS

Nov. 21, 1964

A STRIP OF G


A PART OF THE NE 1/4 OF THE NE 1/4; A PART OF THE NW 1/4 OF NE 1/4 + A PART OF THE NE 1/4 OF THE NW 1/4 - ALL IN SECTION 14 - T-7-N. R-10-W - IN MONROE COUNTY, INDIANA.

A

98-75
22-33
09-63

04-19
02-22
00-11
13-18

505
15
819



3-15
02-22
09-61

582
137
04-1

282
17
326

519
02-22
09-61


23-13
08-33
09-63

330
030

III

8-15
02-22
09-61

100
26
201




100
10
10
285
137
148

271
04-1
09-61

121
10
285
137
148


69-269
52-25
15-18
4-6
2-2
2-2

104
263
2-22
522-47E
166



180
100
100
104
104

59-069
100-081
59-049
486
972
722
243
243



1273717
110738
161791
32
61355
60501
62659
22522
91200

181
151
128

91200
5
00753
326
282
137
148

25272
243
200
972
104
243

605
656
656
77
137

MEADOW TO ORVILLE FRYE

A PART OF THE NW $\frac{1}{4}$ OF THE NE $\frac{1}{4}$ OF SECTION 14;
T-7-N-R1W-111 MONROE COUNTY, INDIANA.

BEGINNING AT A POINT THAT IS 518 FT-NORTH AND
148 FT. EAST OF THE SAID NW $\frac{1}{4}$ OF THE NE $\frac{1}{4}$; THENCE
RUNNING WEST FOR 148 FT; THENCE RUNNING S-56-40 W FOR
140 FT; THENCE RUNNING SOUTH 22-47-EAST FOR 263 FT.
+ TO A POINT THAT IS 158 NORTH OF THE SOUTH LINE
OF THE SAID NE $\frac{1}{4}$ OF NW $\frac{1}{4}$. THENCE RUNNING EAST FOR
181.5 FT, ~~THENCE RUNNING NORTH FOR 320 FT~~, + TO
THE PLACE OF BEGINNING, CONTAINING IN ALL
1.27 ACRES. MORE OR LESS

503

APRIL 29, 1965

MARSHALL CRACRAFT

TO

JAMES FENDER

A PART OF S.W. $\frac{1}{4}$ OF THE S.E. $\frac{1}{4}$ OF SECTION
31-TTN; R1E-111 MONROE CO. INDIANA

BEGINNING AT THE N.W. CORNER OF THE
SAID $\frac{1}{4}$ - $\frac{1}{4}$; THENCE RUNNING EAST FOR 800 FT.
+ TO THE $\frac{1}{2}$ OF THE OLD BLOOMINGTON &
SALEM ROAD, THENCE RUNNING SOUTH 20 DEGREES
- 49 MINUTES EAST OVER & ALONG THE SAID $\frac{1}{2}$ OF
THE SAID ROAD FOR 352 FT; THENCE RUNNING WEST
ON A LINE THAT 320 FT. PARALLEL TO THE NORTH
LINE OF THE SAID $\frac{1}{4}$ - $\frac{1}{4}$ FOR A DISTANCE OF
925 FT. + TO THE WEST LINE OF THE SAID
 $\frac{1}{4}$ - $\frac{1}{4}$; THENCE RUNNING NORTH OVER & ALONG
THE SAID WEST LINE OF THE SAID $\frac{1}{4}$ - $\frac{1}{4}$ FOR
320 FT. + TO THE PLACE OF BEGINNING.
CONTAIN IN ALL 6.30 ACRES, MORE OR LESS

JTS

AIP-2-39

JAS. FENDER

SEC. 31-T7N, R1E

SCALE FOR SECTION, { Each side large blue squares = 20 chains, 80 rods, 1320 feet; area of square 40 acres.
 660 Ft. = 1 Inch. { Each side small red squares = 5 chains, 20 rods, 330 feet; area of square 2½ acres.

N

NW

NE

SW

W

E

CO. LINE →

S

SCALE FOR QUARTER SECTION, { Each side large blue squares = 10 chains, 40 rods, 660 feet; area of square 10 acres.
 330 Ft. = 1 Inch. { Each side small red squares = 2½ chains, 10 rods, 165 feet; area of square .625 of 1 acre.

PRONTO LAND MEASURE 660-330 MAP SHEET

PRONTO LAND MEASURE

Copyright, 1950, James Hamilton Adair, Flint, Michigan

BLOOMINGTON CRUSHED STONE CO. INC.



- BLOOMINGTON PLANT — PHONE ED 2-3318
- SPRINGVILLE PLANT — PHONE OWENSBURG 863-4201

58

✓


4

Commence 137-170
 137- 327
 137- 326
 137- 326

Pt. - NW $\frac{1}{4}$ SEC. 11 - T8N; R2W.

Begin @ SW Cor. of said $\frac{1}{4}$ SECTION
 EAST 1410 FT. \pm to the pt. where said
 South line INTERSECTS N.W. - E.W. line
 "the I.C.E.C.; then run a NORTHWESTERLY
 DIRECTION along R/W for 850 FT. \pm to a pt
 46 rd. + 9 lbs EAST of the East line of the West $\frac{1}{2}$
 of NW $\frac{1}{4}$; then north 240 ft. to a pt.
 then South west on a direct line 2535 ft \pm
 to the Beg. = 30.3° Acres \pm

A part of the Southwest quarter of Section 11, in Township 8 North, Range 2 West, in Monroe Co., Ind., further described as follows, to-wit: Beginning at the Northwest corner of the Southwest quarter of Section 11, running there North 87 degrees 45 minutes East on and along the North line of said Southwest quarter, 1410 feet to the right of way line of the Illinois Central Railroad; thence South 53 degrees 00 minutes West on and along said right of way line, 500 feet to a point; thence continuing on and along said right of way South 50 degrees 00 minutes West, 309 feet to a point; thence South 44 degrees and 15 minutes West following said right of way line, 309 feet to a point; thence South 37 degrees 00 minutes West along said right of way, 418 feet to a point; thence South 33 degrees 30 minutes West, continuing with said right of way 452 feet to the center of the County Road and the West line of said Section 11, thence North 2 degrees 00 minutes West on and along said Section line and said County road 1389 feet to the place of beginning, containing in all ~~19.75~~ 19.25 acres, more or less;



SARAH FLYOP

JULY-20, 1965

A-PART OF THE SW $\frac{1}{4}$ OF THE S.E. $\frac{1}{4}$

OF SECTION 31-77N, R1E, IN MONROE

COUNTY, INDIANA. BEGINNING AT

THE N.W. CORNER OF THE SAID $\frac{1}{4}$ - $\frac{1}{4}$;

THENCE RUNNING EAST FOR 800 FT. + TO

THE CENTER LINE OF THE OLD BLOOMINGTON

+ SALEM ROAD; THENCE RUNNING SOUTH 20-

DEGREES-49 MINUTES EAST-OVER + ALONG THE

SAID CENTER LINE OF THE SAID ROAD FOR

855.8 FT. THENCE LEAVING THE SAID CENTER LINE

OF THE SAID BLOOMINGTON & SALEM

AND RUNNING WEST ROAD FOR 830.41 FT. + TO THE WEST

LINE OF THE SAID $\frac{1}{4}$ - $\frac{1}{4}$; THENCE RUNNING


NORTH FOR 80 FT. + TO THE PLACE OF

BEGINNING. CONTAINING IN ALL


1.50 ACRES, MORE OR LESS.

J.S. OF FENDER - TRANSFER

J.S.



B x SEC. D = C
B x tan. D = A



F

KIRBY

ROAD

section 50 line

150	100	100	100	100	200	241.5	185	100	100	100	100	100	100	100	100	100	200
School	17	18	19	20		241.5	21	22	23	24	25	26	27	28	29	30	
fence	100	100	100	100	200	50	185	100	100	100	100	100	100	100	100	100	
118	250	118	2	125	130												line fence
3	4	5	6	7	8	9	10	11	12	13	14	15	16				
Road																	
250'																	




September 16, 1964

COMPOSITE DRAWING
of
Sarah A. Floyd-LOTS
in
Section 11-T8N;R2W

TRACT #2

MRS. FLOYD - RETAINS

A PART OF THE NW $\frac{1}{4}$ OF SECTION 11 - T8N, R2W
BEGINNING AT POINT THAT IS 1854.50 FT SOUTH
AND 275 FT EAST OF THE NW CORNER OF THE SAID
NORTHWEST QUARTER, ¹⁹⁵⁴ THENCE RUNNING EAST FOR
1008 FT AND TO THE NORTH LINE OF A 30.3-ACRE
TRACT OF REAL ESTATE DEEDED TO MONROE
COUNTY, INDIANA (DEED ⁵⁰ RECORDED 137 - PAGES 170-171.)
⁶⁸³³⁰ ⁸⁶¹³¹ ^{COMPUTED}
THENCE RUNNING SOUTH 57 DEGREES - 42 MINUTES, WEST
OVER & ALONG THE SAID NORTH LINE OF THE SAID 30.3
ACRES TRACT FOR 1540 FT, MORE OR LESS, AND A POINT
THAT IS 25 FT EAST OF THE SOUTH WEST CORNER
OF THE SAID NORTHWEST QUARTER; THENCE RUNNING
NORTH FOR A DISTANCE OF 685.50 FEET, ^{THENCE RUNNING}
+ TO POINT THAT IS 1954.50 FT SOUTH OF THE
NORTHWEST CORNER OF THE SAID NORTHWEST QUARTER;
THENCE RUNNING EAST FOR 250 FT, THENCE
RUNNING NORTH FOR 100 FT + TO THE PLACE OF BEGINNING.
CONTAINING IN ALL 11.27 ACRES, MORE OR LESS



ARAH FLOYD

TRACT #1

A PART OF THE NORTHWEST QUARTER OF SECTION 11-
T8N, R2W. BEGINNING AT A POINT THAT IS
1854.5 FT. SOUTH AND 115 FT. EAST OF THE N.W. COR.
OF THE SAID NW $\frac{1}{4}$; THENCE RUNNING EAST FOR 1008
FT. AND TO THE NORTH LINE OF 30.3 ACRES TRACT OF
REAL ESTATE DEEDED TO MONROE CO, INDIANA (DEED
RECORD 137 - PAGES 170-171); THENCE RUNNING N-57°42'E
OVER & LONG THE PERIMETER LINE OF THE SAID
MONROE CO, INDIANA REAL ESTATE FOR 970 FT. 100E
OR LESS, + TO ~~THE EAST LINE~~ PROPERTY LINE OF THE
SARAH FLOYD REAL ESTATE; SAID POINT BEING
840 FT, MORE OR LESS NORTH OF A POINT WHERE
EAST LINE OF SARAH FLOYD REAL ESTATE
INTERSECTS THE NORTH R/W LINE OF THE I.C.R.R.;
THENCE RUNNING NORTH FOR 886.51 FT, + TO A POINT
THAT IS 435.00 FT SOUTH OF THE SOUTH R/W LINE OF
THE GIFFORD ROAD (OR 455 FT. SOUTH OF THE NORTH
LINE OF THE SAID NW $\frac{1}{4}$) THENCE RUNNING WEST FOR 200
FT, THENCE RUNNING NORTH FOR 193.50 FT; THENCE
RUNNING WEST FOR 1202.98 FT; THENCE RUNNING NORTH
FOR 241.50 FT; THENCE RUNNING WEST FOR 50 FT,
THENCE RUNNING SOUTH FOR 241.50 FT, THENCE
RUNNING WEST FOR 381.70 FT + TO A POINT THAT
IS 275.00 EAST OF THE WEST LINE OF THE SAID
NORTH-WEST QUARTER; THENCE RUNNING SOUTH FOR
555.00 FT, THENCE RUNNING WEST FOR 250.00 FT, THENCE
RUNNING SOUTH FOR 50 FT, THENCE RUNNING EAST FOR
250.00 FT; THENCE RUNNING SOUTH FOR 100 FT & TO
THE PLACE OF BEGINNING. CONTAINING IN ALL ~~62.56~~
ACRES, MORE OR LESS.


J. S.

Northwest Quarter-Section 11-T8N;R2W

GIFFORD ROAD

764.94

1188'



February 10, 1965

Sarah Floyd-Transfer

A part of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 1854.5 feet south and 275 feet east of the northwest corner of the said northwest quarter; thence running east for 1008 feet and to the property line of the 30.3 acres tract deeded to Monroe County, Indiana by Sarah Floyd-D.R. 137-Page 170; thence running south 57 degrees-42 minutes west (computed) over and along the afore-said property line for 1540 feet, more or less, and to a point that is 25 feet east of the southwest corner of the said northwest quarter; thence running north for 685 1/2 feet; and to a point that is 1954.5 feet south of the northwest corner of the said northwest quarter; thence running east for 250 feet; thence running north for 100 feet, and to the place of beginning. Containing in all 11.27 acres, more or less.

Civil Engineer & Surveyor

SARAH FLOYD

TRACT # 1

A part of the Northwest Quarter of Section 11- Township 8 North, Range 2 West. Beginning at a point that is 1854.5 feet South and 25 feet East of the Northwest Corner of the said Northwest Quarter, thence running East for 1008 feet and to the North line of 30.3 Acres Tract of Real Estate Deeded to Monroe County, Indiana (Deed Record 137 - pages 170-171), thence running North 57 Degrees-42 Minutes East over and along the Perimeter Line of the said Monroe County, Indiana Real Estate for 970 feet more or less, and to the East property line of the Sarah Floyd Real Estate, said point being 840 feet more or less North of a point where East line of Sarah Floyd Real Estate intersects the North Right of Way line of the Illinois Central Railroad, thence running North for 886.51 feet and to a point that is 435.00 feet South of the South Right of Way line of the Olifford Road (or 455 feet South of the North line of the said Northwest Quarter), thence running West for 200 feet, thence running North for 193.50 feet, thence running West for 1202.94 feet, thence running North for 241.50 feet, thence running West for 50 feet, thence running South for 241.50 feet, thence running West for 381.70 feet and to a point that is 275.00 feet East of the West line of the said Northwest Quarter, thence running South for 555.00 feet, thence running West for 250.00 feet, thence running South for 50 feet, thence running East for 250.00 feet, thence running South for 1000 feet and to the place of Beginning. Containing in all 62.56 Acres, more or less.

BLOOMINGTON CRUSHED STONE CO. INC.



- BLOOMINGTON PLANT — PHONE ED 2-3318
- SPRINGVILLE PLANT — PHONE OWENSBURG 863-4201

LEFT. ON KIRBY

KIRBY-ROAD 2-~~4~~-12-13+14

SOLD ON GIFFORD RD

GIFFORD 19, 20 + 2AC

46 rd + 9LK

$$\begin{array}{r}
 759 \\
 3.94 \\
 \hline
 764.94 \\
 2 \\
 \hline
 1529.88
 \end{array}$$

$$\begin{array}{r}
 1188 \\
 764.94 \\
 \hline
 1952.94 \\
 13200 \\
 \hline
 208494 \\
 1320.00 \\
 \hline
 764.94
 \end{array}$$

137-170-71

SARAH FLOYD TRANSFER

PT of NW $\frac{1}{4}$ Sec. 11 - T8N - R2W - Beg at SW COR.
E - over S - LINE 1410' \pm - & TO POINT WHERE S - LINE
INTERSECTS NW R/W LINE of ICRR THENCE IN A N-EASTLY
DIR. on R/W LINE 850' \pm & TO A POINT 46 RODS 9 LINKS ^{EAST}
the East line of W. HALF of said NW $\frac{1}{4}$ - THENCE NORTH
840 FEET & TO A POINT - THENCE SW IN A DIRECT LINE
2535' \pm & TO BEG. - 30.3 AC \pm

2640.00
1954.50

685.50

250
250

500

435.00
241.50

193.50

2161.51
240.00

1921.51
435.00

1486.51
825.51

661.00

2161
1200

961

435.00
240.00

675.00



$$\begin{array}{r} 55 \\ 40 \\ \hline 22022 \\ 6600 \\ 4400 \\ \hline 050000 \end{array}$$

$$\begin{array}{r} 1068 \\ 800 \\ \hline 844.00 \end{array}$$

$$\begin{array}{r} 1068 \\ 800 \\ \hline 844.00 \\ 23 \\ \hline 2563200 \\ 1708800 \\ \hline 19651200 \end{array}$$

$$\begin{array}{r} 64 \\ 40 \\ \hline 6 \end{array}$$

$$\begin{array}{r} 534 \\ 1080 \end{array}$$



$$\begin{array}{r} 1127 \\ 1013 \\ \hline 2146 \\ 1960 \\ \hline 41.06 \end{array}$$

$$\begin{array}{r} 6.2 \\ 22.8 \\ 20.0 \\ \hline 49.0 \\ 19.60 \\ \hline 68.60 \end{array}$$

$$\begin{array}{r} 5 \quad 100 \\ 100 \\ \hline 10000 \\ 45 \\ \hline 20000 \\ 40000 \\ \hline 450000 \\ 23 \\ \hline 1470000 \\ 580600 \\ \hline 11270000 \end{array}$$

$$\begin{array}{r} 1013 \\ 1127 \\ \hline 2146 \end{array}$$

SARAH FLOYD

TRACT #1

A PART OF THE NORTHWEST QUARTER OF SECTION 11-
T8N, R2W, BEGINNING AT A POINT THAT IS
1854.5 FT. SOUTH AND 125 FT. EAST OF THE N.W. COR.
OF THE SAID NW $\frac{1}{4}$; THENCE RUNNING EAST FOR 1008
FT. AND TO THE NORTH LINE OF 30.3 ACRES TRACT OF
REAL ESTATE DEEDED TO MONROE CO, INDIANA (DEED ^{MINUTE}
RECORD 137 - PAGES 170-171); THENCE RUNNING N-57°-42'E
OVER ²/₀ LONG THE PERIMETER LINE OF THE SAID
MONROE CO, INDIANA REAL ESTATE FOR 970 FT. MORE
OR LESS, + TO THE EAST ~~TO~~ PROPERTY LINE OF THE
SARAH FLOYD REAL ESTATE; SAID POINT BEING
840 FT, MORE OR LESS NORTH OF A POINT WHERE
EAST LINE OF SARAH FLOYD REAL ESTATE
INTERSECTS THE NORTH R/W LINE OF THE I.C.R.R.;
THENCE RUNNING NORTH FOR 886.51 FT, + TO A POINT
THAT IS 435.00 FT SOUTH OF THE SOUTH R/W LINE OF
THE GIFFORD ROAD (OR 455 FT SOUTH OF THE NORTH
LINE OF THE SAID NW $\frac{1}{4}$) THENCE RUNNING WEST FOR 200
FT, THENCE RUNNING NORTH FOR 193.50 FT; THENCE
RUNNING WEST FOR 1202.94 FT; THENCE RUNNING NORTH
FOR 241.50 FT; THENCE RUNNING WEST FOR 50 FT;
THENCE RUNNING SOUTH FOR 241.50 FT; THENCE
RUNNING WEST FOR 381.70 FT + TO A POINT THAT
IS 275.00 FT EAST OF THE WEST LINE OF THE SAID
NORTH-WEST QUARTER; THENCE RUNNING SOUTH FOR
555.00 FT; THENCE RUNNING WEST FOR 250.00 FT; THENCE
RUNNING SOUTH FOR 50 FT; THENCE RUNNING EAST FOR
250.00 FT; THENCE RUNNING SOUTH FOR 1000 FT + TO
THE PLACE OF BEGINNING. CONTAINING IN ALL 62.56
ACRES, MORE OR LESS.

JCS

TRACT #10

A part of the West One-Half of the Northwest Quarter of Section 11, Township 8 North, Range 2 West, beginning at a point that is 1254.5 feet South and 25 feet East of the Northwest corner of the said West One-Half of the Northwest Quarter. Thence, running East 250 feet; thence running South 100 feet; thence running West 250 feet; thence running North 100 feet and to the place of beginning. Containing in all 0.58 acres, more or less.

TRACT #11

A part of the West One-Half of the Northwest Quarter of Section 11, Township 8 North, Range 2 West, beginning at a point that is 1354.5 feet South and 25 feet East of the Northwest corner of the said West One-Half of the Northwest Quarter. Thence, running East 250 feet; thence running South 100 feet; thence running West 250 feet; thence running North 100 feet and to the place of beginning. Containing in all 0.58 acres, more or less.

TRACT #12

A part of the West One-Half of the Northwest Quarter of Section 11, Township 8 North, Range 2 West, beginning at a point that is 1454.5 feet South and 25 feet East of the Northwest corner of the said West One-Half of the Northwest Quarter. Thence, running East 250 feet; thence running South 100 feet; thence running West 250 feet; thence running North 100 feet and to the place of beginning. Containing in all 0.58 acres, more or less.

TRACT #13

A part of the West One-Half of the Northwest Quarter of Section 11, Township 8 North, Range 2 West, beginning at a point that is 1554.5 feet South and 25 feet East of the Northwest corner of the said West One-Half of the Northwest Quarter. Thence, running East 250 feet; thence running South 100 feet; thence running West 250 feet; thence running North 100 feet and to the place of beginning. Containing in all 0.58 acres, more or less.

TRACT #14

A part of the West One-Half of the Northwest Quarter of Section 11, Township 8 North, Range 2 West, beginning at a point that is 1654.5 feet South and 25 feet East of the Northwest corner of the said West One-Half of the Northwest Quarter. Thence, running East 250 feet; thence running South 100 feet; thence running West 250 feet; thence running North 100 feet and to the place of beginning. Containing in all 0.58 acres, more or less.

TRACT #15

A part of the West One-Half of the Northwest Quarter of Section 11, Township 8 North, Range 2 West, beginning at a point that is 1754.5 feet South and 25 feet East of the Northwest corner of the said West One-Half of the Northwest Quarter. Thence, running East 250 feet; thence running South 100 feet; thence running West 250 feet; thence running North 100 feet and to the place of beginning. Containing in all 0.58 acres, more or less.

TRACT #16

A part of the West One-Half of the Northwest Quarter of Section 11, Township 8 North, Range 2 West, beginning at a point that is 1854.5 feet South and 25 feet East of the Northwest corner of the said West One-Half of the Northwest Quarter. Thence, running East 250 feet; thence running South 100 feet; thence running West 250 feet; thence running North 100 feet and to the place of beginning. Containing in all 0.58 acres, more or less.

SARAH A. FLOYD TRACTS

TRACT # 17

A part of the west one-half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 150 feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running ~~west~~^{S-87-15W} for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 18

A part of the west one-half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 250 feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 19

A part of the west one-half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 350 feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 20

A part of the west one-half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 450 feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of line of the Gifford Road; thence running east for 200 feet; thence running south for 241.5 feet; thence running west for 200 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 1.11 acres, more or less.

TRACT # 21

A part of the west one-half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 700 feet east and 20 feet south of the northwest corner of the said west half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 185^{30.34} feet; thence running south for 241.5 feet; thence running west for 185^{30.34} feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 1.02 acres, more or less.

TRACT # 22

A part of the west half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 885^{81.34} feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 23

A part of the west one half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 985^{81.34} feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet and to the place of beginning. Containing in all 0.56 acres, more or less.

~~TRACT # 24~~

~~A part of the west one-half of the northwest quarter of section 11-~~

TRACT # 24

A part of the west one-half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is ~~100~~^{105.12} feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 25

A part of the west half of the northwest quarter of section 11-T8N;R2W-in MMonroe County, Indiana. Beginning at a point that is ~~100~~^{105.12} feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 241.5 feet; thence running north for 241.5 feet and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 26

A part of the ~~west one-half~~ of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is ~~100~~^{105.12} feet east and 20 feet south of the northwest corner of the said ~~west one-half~~ of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 27

A part of the ~~west one-half~~ of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is ~~100~~^{105.12} feet east and 20 feet south of the northwest corner of the said ~~west one-half~~ of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 28

A part of the ~~west one-half~~ of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is ~~100~~^{105.12} feet east and 20 feet south of the northwest corner of the said ~~west one-half~~ of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT #29

A part of the ~~west one-half~~ of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is ~~100~~^{105.12} feet east and 20 feet south of the northwest corner of the said ~~west one-half~~ of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 30

A part of the ~~west one-half~~ of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is ~~100~~^{105.12} feet east and 20 feet south of the northwest corner of the said ~~west one-half~~ of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

John T. Stettin

SARAH A. FLOYD TRACTS

TRACT #1A - A PART OF THE WEST HALF OF THE NW $\frac{1}{4}$ OF THE NW $\frac{1}{4}$ OF SECTION 11-TEN, R2W - IN MONROE CO. INDIANA, BEGINNING AT A POINT THAT IS 150 FT EAST & 20 FT SOUTH OF THE NW CORNER OF THE SAID NW $\frac{1}{4}$ + ON THE SOUTH PLW LINE OF THE GIFFORD ROAD - EAST 100, SOUTH 241.50, WEST 100 FT, + NORTH 241.5 + TO BEGINNING = 0.56 AC.

—

TRACT 17 BEG. 250 EAST + 20 FT SOUTH - EAST 100 FT, SOUTH 241.5 FT, WEST 100 FT, NORTH 241.5 FT TO BEG. = 0.56 AC \pm

TRACT 18 BEG. 350 FT EAST + 20 FT SOUTH - EAST 100 FT, SOUTH 241.5 FT, WEST 100 FT, NORTH TO 241.5 TO BEG. = 0.56 AC \pm

TRACT 19 BEG. 450 E + 20 FT SOUTH - EAST 100 FT SOUTH 241.5 FT, WEST 100 FT, NORTH 241.5 TO BEG. = 0.56 AC \pm

TRACT #20 BEG. 350 E + 20 FT SOUTH - EAST 200 FT SOUTH 241.5 FT, WEST 200 FT + NORTH 241.5 FT TO BEG = 1.11 AC \pm

TRACT #21 BEG. 800 FT EAST + 20 FT SOUTH - EAST 185 FT, SOUTH 241.5, WEST 185 FT, + NORTH 241.5 FT TO BEG. = 1.02 AC \pm

TRACT #22 BEG. 925 FT EAST + 20 FT SOUTH - EAST 100 FT SOUTH 241.5, WEST 100 FT, NORTH 241.5 FT TO BEG = 0.56 AC \pm

TRACT #23 BEGINNING 1085 FT EAST + 20 FT SOUTH - EAST 100 FT SOUTH 241.5, WEST 100 FT - NORTH 241.5 FT = 0.56 AC \pm

TRACT #24 BEG. 1185 FT EAST + 20 FT SOUTH - EAST 100 FT, SOUTH 241.5, WEST 100 FT, NORTH 241.5 TO BEG. 0.56 AC \pm

SARAN A. FLOYD TRACTS

TRACT #1-A - A PART OF THE WEST HALF OF THE NW $\frac{1}{4}$ OF THE NW $\frac{1}{4}$ OF SECTION 11 TEN, R2W - IN MONROE CO. INDIANA, BEGINNING AT A POINT THAT IS 150 FT. EAST & 20 FT. SOUTH OF THE NW CORNER OF THE SAID NW $\frac{1}{4}$ + ON THE SOUTH R/W LINE OF THE GIFFORD ROAD - EAST 100, SOUTH 241.50, ^{587.15 W}WEST 100 FT, + NORTH 241.5 + TO BEGINNING = 0.56 AC.

—

TRACT 17 BEG. 250 EAST + 20 FT. SOUTH - EAST 100 FT, SOUTH 241.5 FT, WEST 100 FT, NORTH 241.5 FT. TO BEG. = 0.56 AC. ±

TRACT 18 BEG. 350 FT. EAST + 20 FT. SOUTH - EAST 100 FT, SOUTH 241.5 FT, WEST 100 FT, NORTH TO 241.5 TO BEG. = 0.56 AC. ±

TRACT 19 - BEG. 450 E + 20 FT. SOUTH - EAST 100 FT. SOUTH 241.5 FT, WEST 100 FT, NORTH 241.5 TO BEG. = 0.56 AC. ±

TRACT #20 BEG. 350 E + 20 FT. SOUTH EAST 200 FT. SOUTH 241.5 FT, WEST 200 FT + NORTH 241.5 FT. TO BEG = 1.11 AC. ±

TRACT #21 BEG. 800 FT. EAST + 20 FT. SOUTH - EAST 185 FT, SOUTH 241.5 FT, WEST 185 FT. + NORTH 241.5 FT. TO BEG. = 1.02 AC. ±

TRACT #22 BEG. 985 FT. EAST + 20 FT. SOUTH - EAST 100 FT. SOUTH 241.5 FT, WEST 100 FT, NORTH 241.5 FT. TO BEG = 0.56 AC. ±

TRACT #23 BEGINNING. 1085 FT. EAST + 20 FT. SOUTH - EAST 100 FT. SOUTH 241.5 FT, WEST 100 FT. - NORTH 241.5 FT. = 0.56 AC. ±

TRACT #24 BEG. 1185 FT. EAST + 20 FT. SOUTH - EAST 100 FT, SOUTH 241.5, WEST 100 FT, NORTH 241.5 TO BEG. 0.56 AC. ±

SARAN A. FLOYD TRACT

TRACT # 25

A PART OF THE ~~SW~~ OF THE NW¹/₄ OF SECTION 11-T8N,
R2W-IN MONROE CO. INDIANA. BEGINNING AT A POINT
THIS IS 1286 FT. EAST + 20 FT. SOUTH OF THE
NW CORNER OF THE SAID NW¹/₄; ~~THENCE RUNNING SOUTH R/W~~
LINE OF THE GIFFORD ROAD; THENCE RUNNING EAST
FOR 100 FT; THENCE RUNNING SOUTH 241.5 FT, THENCE
RUNNING WEST FOR 100 FT; THENCE RUNNING NORTH
FOR 241.5 FT + TO THE PLACE OF BEGINNING.
CONTAINING IN ALL 0.56 ACRES MORE OR LESS

[illegible]

EXISTING IN FIELD = 2085.00 L

DIFF. 132.067.

1952.94

32,06 - DIFF. FROM DEED.

WORK SHEET

Sept. 16, 1964

[Signature]

TRACT #1

A part of the West One-Half of the Northwest Quarter of Section 11, Township 8 North, Range 2 West, beginning at a point that is 261.5 feet South and 25 feet East of the Northwest corner of the said West One-Half of the Northwest Quarter. Thence, running North 87 degrees and 15 minutes East for 250.3 feet; thence running South 130 feet; thence running West 250 feet; thence running North 118 feet and to the place of beginning. Containing in all 0.71 acres, more or less.

TRACT # 2

A part of the West One-Half of the Northwest Quarter of Section 11, Township 8 North, Range 2 West, beginning at a point that is 379.5 feet South and 25 feet East of the Northwest corner of the said West One-Half of the Northwest Quarter. Thence, running East 250 feet; thence running South 125 feet; thence running West 250 feet; thence running North 125 feet and to the place of beginning. Containing in all 0.63 acres, more or less.

TRACT #3

A part of the West One-Half of the Northwest Quarter of Section 11, Township 8 North, Range 2 West, beginning at a point that is 504.5 feet South and 25 feet East of the Northwest corner of the said West One-half of the Northwest Quarter. Thence, running East 250 feet; thence running South 100 feet; thence running West 250 feet; thence running North 100 feet and to the place of beginning. Containing in all 0.58 acres, more or less.

TRACT #4

A part of the West One-Half of the Northwest Quarter of Section 11, Township 8 North, Range 2 West, beginning at a point that is 604.5 feet South and 25 feet East of the Northwest corner of the said West One-Half of the Northwest Quarter. Thence, running East 250 feet; thence running South 100 feet; thence running West 250 feet; thence running North 100 feet and to the place of beginning. Containing in all 0.58 acres, more or less.

TRACT #5

A part of the West One-Half of the Northwest Quarter of Section 11, Township 8 North, Range 2 West, beginning at a point that is 704.5 feet South and 25 feet East of the Northwest corner of the said West One-Half of the Northwest Quarter. Thence, running East 250 feet; thence running South 100 feet; thence running West 250 feet; thence running North 100 feet and to the place of beginning. Containing in all 0.58 acres, more or less.

TRACT #6

A part of the West One-Half of the Northwest Quarter of Section 11, Township 8 North, Range 2 West, beginning at a point that is 854.5 feet South and 25 feet East of the Northwest corner of the said West One-Half of the Northwest Quarter. Thence, running East 250 feet; thence running South 100 feet; thence running West 250 feet; thence running North 100 feet and to the place of beginning. Containing in all 0.58 acres, more or less.

TRACT #7

A part of the West One-Half of the Northwest Quarter of Section 11, Township 8 North, Range 2 West, beginning at a point that is 954.5 feet South and 25 feet East of the Northwest corner of the said West One-Half of the Northwest Quarter. Thence, running East 250 feet; thence running South 100 feet; thence running West 250 feet; thence running North 100 feet and to the place of beginning. Containing in all 0.58 acres, more or less.

TRACT #8

A part of the West One-Half of the Northwest Quarter of Section 11, Township 8 North, Range 2 West, beginning at a point that is 1054.5 feet South and 25 feet East of the Northwest corner of the said West One-Half of the Northwest Quarter. Thence, running East 250 feet; thence running South 100 feet; thence running West 250 feet; thence running North 100 feet and to the place of beginning. Containing in all 0.58 acres, more or less.

TRACT #9

A part of the West One-Half of the Northwest Quarter of Section 11, Township 8 North, Range 2 West, beginning at a point that is 1154.5 feet South and 25 feet East of the Northwest corner of the said West One-Half of the Northwest Quarter. Thence, running East 250 feet; thence running South 100 feet; thence running West 250 feet; thence running North 100 feet and to the place of beginning. Containing in all 0.58 acres, more or less.

TRACT # 24

A part of the west one-half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 1085 feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 25

A part of the west half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 1185 feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 241.5 feet; thence running north for 241.5 feet and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 26

A part of the ~~west one-half~~ of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 1285 feet east and 20 feet south of the northwest corner of the said ~~west one-half~~ of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 27

A part of the ~~west one-half~~ of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 1385 feet east and 20 feet south of the northwest corner of the said ~~west one-half~~ of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 28

A part of the ~~west one-half~~ of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 1485 feet east and 20 feet south of the northwest corner of the said ~~west one-half~~ of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 29

A part of the ~~west one-half~~ of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 1585 feet east and 20 feet south of the northwest corner of the said ~~west one-half~~ of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 30

A part of the ~~west one-half~~ of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 1685 feet east and 20 feet south of the northwest corner of the said ~~west one-half~~ of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

John T. Soper

SARAH A. FLOYD TRACTS

TRACT # 17

A part of the west one-half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 150 feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running ~~west~~ ^{south} for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 18

A part of the west one-half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 250 feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 19

A part of the west one-half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 350 feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 20

A part of the west one-half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 450 feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of line of the Gifford Road; thence running east for 200 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 1.11 acres, more or less.

TRACT # 21

A part of the west one-half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 700 feet east and 20 feet south of the northwest corner of the said west half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 185.3 feet; thence running south for 241.5 feet; thence running west for 185.3 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 1.02 acres, more or less.

TRACT # 22

A part of the west half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 885.3 feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 23

A part of the west one half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 985.3 feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 24

~~A part of the west one-half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 1085.3 feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.~~

SARAH A. FLOYD TRACTS

TRACT # 17

A part of the west one-half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 150 feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running ~~west~~ for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 18

A part of the west one-half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 250 feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 19

A part of the west one-half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 350 feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 20

A part of the west one-half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 450 feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of line of the Gifford Road; thence running east for 200 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 1.11 acres, more or less.

TRACT # 21

A part of the west one-half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 700 feet east and 20 feet south of the northwest corner of the said west half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 185³⁰ feet; thence running south for 241.5 feet; thence running west for 185³⁰ feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 1.02 acres, more or less.

TRACT # 22

A part of the west half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 885^{08 34} feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 23

A part of the west one half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 985^{11 23} feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 24

~~A part of the west one-half of the northwest quarter of section 11-~~

SARAH A. FLOYD TRACTS

TRACT # 17

A part of the west one-half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 150 feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running ~~west~~ for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 18

A part of the west one-half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 250 feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 19

A part of the west one-half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 350 feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 20

A part of the west one-half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 450 feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of line of the Gifford Road; thence running east for 200 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 1.11 acres, more or less.

TRACT # 21

A part of the west one-half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 700 feet east and 20 feet south of the northwest corner of the said west half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 185.3 feet; thence running south for 241.5 feet; thence running west for 185.3 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 1.02 acres, more or less.

TRACT # 22

A part of the west half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 885.3 feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet, and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 23

A part of the west one half of the northwest quarter of section 11-T8N;R2W-in Monroe County, Indiana. Beginning at a point that is 985.3 feet east and 20 feet south of the northwest corner of the said west one-half of the said northwest quarter, and on the south right of way line of the Gifford Road; thence running east for 100 feet; thence running south for 241.5 feet; thence running west for 100 feet; thence running north for 241.5 feet and to the place of beginning. Containing in all 0.56 acres, more or less.

TRACT # 24

~~A part of the west one-half of the northwest quarter of section 11-~~

Gifford Road section line

150	100	100	100	200	200	185	100	100	100	100	100	100	100	100	100	200
School	17	18	19	20	21	22	23	24	25	26	27	28	29	30		
100	100	100	100	200	185	100	100	100	100	100	100	100	100	100		

250'

September 16, 1964

- COMPOSITE DRAWING
of
Sarah A. Floyd-EOTS-
in
Section 11-T6N;R2W

WORK SHEET

TRACT #26 - BEG. 1385 FT. EAST + 20 FT. SOUTH - EAST 100 FT.,
SOUTH 241.5 FT., WEST 200 FT. NORTH 241.5 FT.,
TO BEG. = 0.56 AC \pm

TRACT #27 - BEG. 1485 FT. EAST 1485 FT. EAST + 20 FT. SOUTH - EAST 100 FT.,
SOUTH 241.5 FT. - WEST 100 FT. - NORTH 241.5 FT. TO BEG.
= 0.56 AC \pm

TRACT #28 BEG. 1585 FT. EAST + 20 FT. SOUTH - EAST 100 FT. SOUTH 241.5
WEST 100 FT., NORTH 241.5 FT. = 0.56 AC \pm

TRACT #29 - BEG. 1685 FT. EAST + 20 FT. SOUTH - EAST 100 FT. - SOUTH
241.5 FT., WEST 100 FT., NORTH 241.5 FT. TO BEG. = 0.56 AC \pm

TRACT #30 BEG. 1785 FT. EAST + 20 FT. - EAST 100 FT. SOUTH 241.5 FT.,
WEST 100 FT., NORTH 241.5 FT. TO BEG. = 0.56 AC \pm

TRACT #26 - BEG. 1385 FT. EAST + 20 FT. SOUTH - EAST 100 FT.,
SOUTH 241.5 FT., WEST 200 FT. NORTH 241.5 FT.,
TO BEG. = 0.56 AC ±

TRACT #27 - BEG. 1485 FT. EAST 1485 FT. EAST + 20 FT. SOUTH - EAST 100 FT.,
SOUTH 241.5 FT. - WEST 100 FT. - NORTH 241.5 FT. TO BEG.,
= 0.56 AC ±

TRACT #28 - BEG. 1585 FT. EAST + 20 FT. SOUTH - EAST 100 FT. SOUTH 241.5
WEST 100 FT., NORTH 241.5 FT. = 0.56 AC ±

TRACT #29 - BEG. 1685 FT. EAST + 20 FT. SOUTH - EAST 100 FT. - SOUTH
241.5 FT., WEST 100 FT., NORTH 241.5 FT. TO BEG. = 0.56 AC ±

TRACT #30 - BEG. 1785 FT. EAST + 20 FT. - EAST 100 FT. SOUTH 241.5 FT.,
WEST 100 FT., NORTH 241.5 FT. TO BEG. = 0.56 AC ±



SARAH A. FLOOD

ED 2-9364

FARIS REALTY & INSURANCE CO., INC.


SINCE 1892

123 S. COLLEGE AVE - P. O. BOX 642

BLOOMINGTON, INDIANA

The West one-half ($\frac{1}{2}$) of the Northwest Quarter, Section Eleven (11), Township eight(8) North, Range Two(2) West, except three-fourths ($\frac{3}{4}$) of an acre in the Northwest corner thereof which exception is bounded as follows: Commencing at the Northwest corner of the West one-half ($\frac{1}{2}$) of the Northwest Quarter of Section eleven (11), running thence South fifteen (15) rods; thence east eight (8) rods; thence North fifteen (15) rods; thence West eight (8) rods to the place of beginning, containing three-fourths ($\frac{3}{4}$) of an acre, containing after deductiong said exception seventy-nine and one-fourth ($79\frac{1}{4}$) acres more or less. Also, a part of the East one-half ($\frac{1}{2}$) of the Northwest Quarter of said Section, Township and Range aforesaid, described as follows: Commencing at a point one-fourth ($\frac{1}{4}$) mile East of the corner of Section three (3), two (2), ten (10) and eleven (11), Township and Range aforesaid, on the Section line dividng Sections two (2) and eleven (11); running thence East on said Section line forty-six (46) rods and nine (9) links; thence South one hundred thirty-one (131) rods to the right of way of the Indianapolis Southern Railway, thence in a southwesterly direction along the meanderings of said railway forty-four and six-tenths (44.6) rods to the line dividng the Northwest Quarter and the Southwest Quarter of Section eleven (11), thence West with said line six (6) rods, to the Southwest corner of the East one-half ($\frac{1}{2}$) of the Northwest Quarter of said Section eleven (11), thence North one hundred sixty (160) rods to the place of beginning; containing in all one hundred twenty-two (122) acres more or less:

SUBJECT to easements and rights of way for highways; also, said real estate is subject to current taxes; also, real estate is subject to a mortgage in favor of the State Life Insurance Company of Indianapolis with unpaid balance of Four Thousand Six Hundred Thirty Two and $\frac{34}{100}$ Dollars (\$4,632.34), said mortgage being recorded in Monroe County in Book No. 99, Page No. 180-1. Purchasers agree to assume and agree to pay said mortgage.


$$\begin{array}{r} 307.98 \\ 285.00 \\ \hline 17.98 \end{array}$$

ES-60
ET-15
2-45-

$$\begin{array}{r} 250 \\ \times 23 \\ \hline 7500 \\ 50000 \\ \hline 57500 \end{array}$$

$$\begin{array}{r}
 25000 \\
 23 \\
 \hline
 75000 \\
 50000 \\
 \hline
 575000
 \end{array}$$

$$\begin{array}{r}
 130 \\
 118 \\
 \hline
 2248 \\
 1240 \\
 \hline
 250 \\
 6200 \\
 208 \\
 \hline
 31000 \\
 23 \\
 \hline
 93000 \\
 62000 \\
 \hline
 713000
 \end{array}$$

$$\begin{array}{r}
 130 \\
 118 \\
 \hline
 2248 \\
 1240 \\
 \hline
 250 \\
 6200 \\
 208 \\
 \hline
 31000 \\
 23 \\
 \hline
 93000 \\
 62000 \\
 \hline
 713000
 \end{array}$$

$$\begin{array}{r}
 125 \\
 250 \\
 \hline
 6250 \\
 230 \\
 \hline
 31250 \\
 23 \\
 \hline
 93750 \\
 62500 \\
 \hline
 6343750
 \end{array}$$

$$\begin{array}{r}
 118 \\
 130 \\
 \hline
 1248 \\
 124 \\
 \hline
 250 \\
 6200
 \end{array}$$

$$\begin{array}{r}
 130 \\
 118 \\
 \hline
 2248 \\
 1240 \\
 \hline
 250 \\
 6200 \\
 208 \\
 \hline
 31000 \\
 23 \\
 \hline
 93000 \\
 62000 \\
 \hline
 713000
 \end{array}$$

$$\begin{array}{r}
 130 \\
 118 \\
 \hline
 2248 \\
 1240 \\
 \hline
 250 \\
 6200 \\
 208 \\
 \hline
 31000 \\
 23 \\
 \hline
 93000 \\
 62000 \\
 \hline
 713000
 \end{array}$$

$$\begin{array}{r}
 130 \\
 118 \\
 \hline
 2248 \\
 1240 \\
 \hline
 250 \\
 6200 \\
 208 \\
 \hline
 31000 \\
 23 \\
 \hline
 93000 \\
 62000 \\
 \hline
 713000
 \end{array}$$

$$\begin{array}{r}
 118 \\
 130 \\
 \hline
 1248 \\
 124 \\
 \hline
 250 \\
 6200
 \end{array}$$


$$\begin{array}{r}
 250.4 \\
 250.4 \\
 \hline
 1001.6 \\
 1252.0 \\
 55008 \\
 \hline
 70016
 \end{array}$$

$$\begin{array}{r}
 250 \\
 250 \\
 \hline
 12500 \\
 500 \\
 \hline
 62500 \\
 144 \\
 \hline
 \sqrt{62644}
 \end{array}$$

$$\begin{array}{r}
 250.4 \\
 250.4 \\
 \hline
 1001.6 \\
 1252.0 \\
 55008 \\
 \hline
 627001.6
 \end{array}$$

$$\begin{array}{r}
 250.3 \\
 250.3 \\
 \hline
 750.6 \\
 1251.5 \\
 600.6 \\
 \hline
 6300.9
 \end{array}$$





April 5, 1960

Raymond Freeman
Transfer

Tract-A

A part of the northwest quarter of the southeast quarter of section 21, T8N;R2W, Monroe County, Indiana. Beginning at a point that is 1018.52 feet south and 762.23 feet west of the northeast corner of the said northwest quarter of the southeast quarter of section 21, T8N;R2W, and in the center of a county road, thence running north for a distance of 200 feet, thence running north 85 degrees west for a distance of 210 feet, thence running south for a distance of 200 feet and to the center of said county road, thence running south 85 degrees east over and along the center of said road for a distance of 210 feet and to the place of beginning. Containing in all 0.96 acres more or less.


Tract-B

A part of the northwest quarter of the southeast quarter of section 21, T8N;R2W, Monroe County, Indiana. Beginning at a point that is 1600.24 feet south and 971.44 feet west of the northeast corner of the said northwest quarter of the southeast quarter of section 21, T8N;R2W, and in the center of a county road, thence running north for a distance of 200 feet, thence running north 85 degrees west for a distance of 100 feet, thence running south 206 feet and to the center of said county road, thence running east over and along the center of said county road for 100 feet and to the place of beginning. Containing in all 0.46 acres more or less.

Tract-C

A part of the northwest quarter of the southeast quarter of section 21, T8N;R2W, Monroe County, Indiana. Beginning at a point that is 1000.24 feet south and 1071.44 feet west of the northeast corner of the said northwest quarter of the southeast quarter of section 21, T8N;R2W, and in the center of a county road, thence running north for 206 feet, thence running north 85 degrees west for 100 feet, thence running south for 215 feet and to the center of said county road, thence east over and along the center of said road a distance of 100 feet and to the place of beginning. Containing in all 0.48 acres more or less.

John T. Steptoe
Civil Engineer & Surveyor



Raymond Freeman
Transfer
To
CUSTEE DILLILAND.

October 5, 1959

A part of the northwest quarter of the southeast quarter of section number 21, T8N; R2W. Beginning at a point that is 658 feet south, and 606.5 feet west of the northeast corner of the said northwest quarter of the southeast quarter, all in section 21, T8N; R2W, Monroe County, Indiana. Thence running south 50 degrees west for a distance of 164.3 feet, thence running south for a distance of 257.5 feet and to the north right of way line of state road number 45, thence running north 50 degrees east over and along the said right of way line for a distance of 286 feet, thence leaving the north right of way line of said state road 45, and running north 27 degrees and 30 minutes west for a distance of 200 feet and to the place of beginning. Containing in all 0.98 acres more or less.

John T. Stephens
Civil Engineer & Surveyor

2385
105
3485

105.64
257.50
363.14
658.02
1021.14


606.50
125.87
732.37

658.00

180
36
90
40


179-60
35-30
84-30

658.00



337.60
33.76


$C \times \sin E = B$
 $B \times \tan D = A$



7660
164.3
22980
30640
45960
7660
12585380

555

5553
1202
1050600




320.00
33.76
286.24


550.00
150.06
350.94
0962
70188
210564
315846
33760428

8351

125.9
8351
1239
11331
3777
10072
10564263




$$\begin{array}{r} 9961 \\ 30 \\ \hline 298830 \end{array}$$



$$\begin{array}{r} 0874 \\ 30 \\ \hline 26226 \end{array}$$

$$\begin{array}{r} 1021.14 \\ 2.62 \\ \hline 1018.52 - 1018.52 \text{ North} \end{array}$$

$$\begin{array}{r} 732.35 \\ 29.86 \\ \hline 762.23 \text{ West} \end{array}$$



$$\begin{array}{r} 9961 \\ 210 \\ \hline 59610 \\ 19922 \\ \hline 2051810 \end{array}$$


$$\begin{array}{r} 0874 \\ 30 \\ \hline \end{array}$$

$$\begin{array}{r} 1018.52 \text{ S} \\ 18.28 \\ \hline 1036.80 - \text{South} \end{array}$$

$$\begin{array}{r} 762.23 \\ 209.18 \\ \hline 971.41 \text{ W} \end{array}$$

$$\begin{array}{r} 1018.52 \\ 18.28 \\ \hline 1000.24 \end{array}$$

$$\begin{array}{r} 0874 \\ 209.2 \\ \hline 1748 \\ 7866 \\ \hline 1748 \\ 1828408 \end{array}$$



June 14, 1960


Raymond Freeman
Transfer


A part of the northwest quarter of the southeast quarter of section 21, T8N;R2W, Monroe County, Indiana. Beginning at a point that is 350 feet south and 300 feet west of the northeast corner of the said northwest of the southeast quarter of section 21, T8N;R2W, and in the center line of a county road, Thence running west for a distance of 200 feet, thence running north for a distance of 160 feet more or less and to a point 200 feet south of the one half ($\frac{1}{2}$) section line of the said section number 21, thence running east for a distance of 200 feet and to the center line of the said county road, thence running south over and along the center line of the said road for a distance of 160 feet more or less and to the place of beginning.

Containing in all 0.73 acres more or less.

John S. Spletter
Civil Engineer & Surveyor

RAYMOND FREEMAN





February 18, 1960

Raymond Freeman
Transfer

A part of the north west quarter of the south east quarter of section 21, T8N; R2W, Monroe County, Indiana. Beginning at a point that is 550 feet south and 300 feet west of the north east-east corner of the said north west quarter of the south east quarter of section 21, T8N; R2W, and in the center line of a county road; thence running west for a distance of 363.5 feet, thence running north for a distance of 200 feet, thence running east for a distance of 363.5 feet and to the center line of the said county road, thence running south over and along the center line of said road for a distance of 200 feet and to the place of beginning.

Containing in all 1.67 acres more or less.

John T. Speltz
Civil Engineer & Surveyor

TRACT # 1

A part of the Northeast Quarter of the Southwest Quarter, and a part of the Northwest Quarter of the Southeast Quarter, all in Section 21, T8N, R2W, beginning at a point that is 331.11 feet South and 265 feet West of the Northeast corner of the said Northeast Quarter of the Southwest Quarter and in the center line of the Garrison Chapel Road. Thence, running East for a distance of 335 feet; thence, running North for a distance of 331.11 feet, more or less, to the North line of the said quarter sections. Thence, running West for a distance of 503 feet and to the center line of the Garrison Chapel Road; thence, running South 27 degrees and 30 minutes East over and along the center line of the said Garrison Chapel Road for a distance of 370 feet and to the place of beginning, containing in all 3.31 acres, more or less.

TRACT # 2

A part of the Northeast Quarter of the Southwest Quarter, and a part of the Northwest Quarter of the Southeast Quarter, all in Section 21, T8N, R2W, beginning at a point that is 331.11 feet South and 70 feet East of the Northeast corner of the said Northeast Quarter of the said Southwest Quarter. Thence, South for 152 feet; thence, running South 88 degrees and 15 minutes West for a distance of 253 feet and to the center line of the Garrison Chapel Road. Thence, running over and along the said center line of said Garrison Chapel Road the following courses and distances: South 40 degrees East for a distance of 292.5 feet; South 16 degrees East for a distance of 50 feet; South 8 degrees East for a distance of 50 feet; and, South 3 degrees East for a distance of 200 feet and to the intersection of the center lines of the Garrison Chapel Road and Old State Road #45. Thence, running East over and along the said center line of Old State Road #45 for a distance of 117.5 feet; thence, running North for a distance of 215 feet; thence, running South 85 degrees East for a distance of 410 feet; thence, running South for a distance of 200 feet; thence, running East for a distance of 30 feet; thence, running North for a distance of 257.5 feet. Thence, running North 50 degrees East for a distance of 164.3 feet; thence, running North 27 degrees and 30 minutes West for a distance of 120.6 feet; thence, running North 5 degrees and 30 minutes East for a distance of 554 feet; thence, running West for a distance of 648 feet; thence, running South for a distance of 331.11 feet, more or less, and to the place of beginning, containing in all 12.69 acres, more or less.

TRACT # 3

A part of the Northwest Quarter of the Southeast Quarter of Section 21, T8N, R2W, beginning at a point that is 350.94 feet South and 629.74 feet West of the Northeast corner of the said Quarter Quarter. Thence, running North 5 degrees and 30 minutes East for a distance of 154 feet; thence, running East for a distance of 143 feet; thence, running South 5 degrees and 30 minutes West for a distance of 154 feet; thence, running West for a distance of 143 feet, and to the place of beginning, containing in all 0.51 acres, more or less.

TRACT # 4

A part of the Northwest Quarter of the Southeast Quarter of Section 21, T8N, R2W, beginning at a point that is 197.67 feet South and 271.50 feet West of the Northeast corner ~~of the said Quarter Quarter~~ of the said Quarter Quarter. Thence, running North 5 degrees and 30 minutes East for a distance of 100 feet; thence, running East for a distance of 143 feet; thence, running South 5 degrees and 30 minutes West for a distance of 100 feet; thence, running West for a distance of 143 feet and to the place of beginning, containing in all 0.33 acres, more or less.

TRACT # 5

A part of the Northwest Quarter of the Southeast Quarter of Section 21, T8N, R2W, beginning at a point that is 98.14 feet South and 261.93 feet West of the Northeast corner of the said Quarter Quarter; thence, running North 5 degrees and 30 minutes East for a distance of 100 feet. Thence, running East for a distance of 143 feet; thence, running South 5 degrees and 30 minutes West for a distance of 100 feet; thence, running West for a distance of 143 feet and to the place of beginning, containing in all 0.33 acres, more or less.

John T. Stapleton, C.E.
4-18-63

Sta.	Bear	Dist.	COS	LATITUDE		DEPARTURE		DOUBLE AREA	
				North	South	EAST	West	DMD	North
1	W	10-22-00	263.10	.98368	258.81	17995	77.34	77.34	12,252.07
2	E	77-14-30	189.50	22084	41.85	97531	184.82	184.82	7,734.72
3	W	08-22-30	210.00	98933	207.26	14565	30.59	339.05	70,441.03
4	E	71-50-00	229.00	31178	71.40	95015	217.58	526.04	37,559.26
5	W	00-48-00	56.50	99990	56.49	01925	0.81	742.81	41,961.34
6	E	89-21-30	315.80	01120	3.54	99993	315.78	1057.78	3,744.54
7	E	02-59-30	675.70	99864	674.78	05217	35.26	1408.82	950,643.56
8	E	88-22-30	1303.50	02836	36.97	99960	1302.98	2747.06	101,558.81
9	E	24-56-30	36.90	90674	33.46	42170	15.56	4065.60	136,034.98
10	W	01-10-52	1290.27	99979	1290.00	02062	26.60	7054.56	5,230,382.40
11	W	88-40-00	1967.17	02326	45.76	99973	1966.64	2061.32	94,326.00
12					1360.43	1360.39	2071.98	2071.98	5,467,976.19 1,218,662.52
TOWARD TERNICE									4,249,313.67 ÷ 2 = 2,124,656.83 = 48.775 AS

ABACUS SURVEYING & ENGINEERING COMPANY

BLOOMINGTON, INDIANA

ED 9-0269

March 16, 1962

H & H Realty Company
113 S. Walnut St.
Bloomington, Indiana.

Dear Sirs:

Following are the charges r.e. Fairwood Terrace Addition.

<u>Date</u>	<u>Charge</u>
3-5-62	\$ 66.00
3-7-62	33.00
3-8-62	80.00
3-9-62	78.00
3-12-62	62.50
3-13-62	94.50
3-14-62	16.00
3-15-62	<u>102.00</u>
Sub-total	\$532.00
Misc.	<u>7.25</u>
Total	\$539.25

The services performed for the above charges, do not constitute a Land Survey, but were solely for the purpose of determining the location of pre-established points by John T. Stapleton, a licensed engineer in the State of Indiana.

The bearings thus shown are calculated bearings established from an initial magnetic compass bearing.

All distances were measured and an independent random traverse run to verify the Calls.

Thank you,

James S. Strong
James S. Strong
L.S. # 9234

CC:H&H
JTS
FILE


Rec'd from John T. Stapleton
\$539.25
J. Strong

I, the undersigned, a licensed civil engineer in the State of Indiana, do hereby certify that the plat shown here is a true representation of the FAIRWOOD TERRACE ADDITION, and is described as follows:

A part of the Northwest Quarter of the Northwest Quarter and a part of the Northeast Quarter of the Northwest Quarter, all being in Section 15, Township 9 North, Range 1 West, in Monroe County, Indiana, and hereby described as follows: Beginning at a point that is 618.5 feet West of the Northeast corner of the said Northwest Quarter of the Northwest Quarter and on the East Right of Way line of Old State Highway #37; thence running South 10 degrees 22 minutes West over and along the East Right of Way line of Old State Road #37 for a distance of 263.10 feet; thence leaving the said East Right of Way line of Old State Road #37 and running South 77 degrees 14 minutes 30 seconds East for a distance of 189.50 feet; thence running South 08 degrees 22 minutes 30 seconds West for a distance of 210.00 feet; thence running South 71 degrees 50 minutes East for a distance of 229.00 feet; thence running South 00 degrees 49 minutes West for a distance of 56.50 feet; thence running South 89 degrees 21 minutes 30 seconds East for a distance of 315.80 feet; thence running South 02 degrees 59 minutes 30 seconds East for a distance of 675.70 feet; thence running North 88 degrees 22 minutes 30 seconds East for a distance of 1303.50 feet to the Southwest corner of a .00625 acre exception tract; thence running North 24 degrees 56 minutes 30 seconds East over and along the West line of said exception tract for a distance of 36.90 feet and to the East line of the said Northeast Quarter of the Northwest Quarter; thence running North 01 degrees 10 minutes 52 seconds West for a distance of 1290.27 feet (LONG SECTION) and to an old established fence line marking the North line of the said Northwest Quarter of the Northwest Quarter and the Northeast Quarter of the Northwest Quarter; thence running South 88 degrees 40 minutes West over and along said old fence line for a distance of 1967.17 feet and to the place of Beginning containing in all 48.775 acres.


John T. Stapleton, Civil Engineer

SARAH A. FLOYD-GIFFORD ROAD TRACTS



John T. Stapleton

Survey of
T.W.Fulkerdson-Real Estate
N.E. Corner- 10th & Dunn Sts.




Note:-Deed record 126
page 414-deeds
84 feet off of the
entire south end of
lot # 1-in the
University Park Add.
However field survey
shows 8.8' surplus
ground between to
84 feet line and the
north improvement
line of East 10th St.

John T. Stapleton, C.E.

Survey of

T.W. Fulkerson-Real Estate
N.E. Corner- 10th & Dunn Sts.



Note:-Deed record 126
page 414-deeds
84 feet off of the
entire south end of
lot # 1-in the
University Park Add.
However field survey
shows 8.8' surplus
ground between to
84 feet line and the
north improvement
line of East 10th St.

52.8
8.8
44.0
1.2

John T. Stapleton, C.E.

508.34
60
20.834


508.34

B = B' x SEC. D' = 70.66'

A = B' x TAN. D' = 37.34

508.34 / 50

583.96
37.34
621.30



(11)

$$\begin{array}{r} 21,780 \\ 2 \overline{) 43,560} \\ \underline{4} \\ 3 \\ \underline{2} \\ 15 \\ \underline{14} \\ 16 \end{array}$$

23'

$$\begin{array}{r} 21,780 \\ 65340 \\ \underline{1300940} \end{array}$$

$$\begin{array}{r} 231 \\ 93 \\ \underline{693} \\ 20793 \\ \underline{21483} \end{array}$$


$$\begin{array}{r} 233 \\ 93 \\ \underline{699} \\ 2097 \\ \underline{21769} \end{array}$$

$$\begin{array}{r} 232 \\ 93 \\ \underline{702} \\ 21062 \\ \underline{21762} \end{array}$$


$$\begin{array}{r} 234.2 \\ 93 \\ \underline{22993} \\ 7026 \\ \underline{21078} \\ 217806 \end{array}$$

$$\begin{array}{r} 234.5 \\ 93 \\ \underline{7035} \\ 21105 \end{array}$$

$$\begin{array}{r} 234.5 \\ 93 \\ \underline{7035} \\ 21105 \end{array}$$



(20)



JAS. REGISTER-ATTY CHRIS FLEENOR
TO
ROSEZELLA HORTON

12-19-1960

SE COR

A PART SW $\frac{1}{4}$ OF SEC. 12-T8N, R2W.- BEGINNING @ A POINT THAT IS 88.5 FT NORTH OF THE SE CORNER OF THE SAID SW $\frac{1}{4}$, THENCE RUNNING NORTH FOR 93 FT, THENCE RUNNING WEST FOR 234.2 FT, THENCE RUNNING SOUTH FOR 93 FT, THENCE RUNNING EAST FOR 234.2 FT + TO THE PLACE OF BEGINNING, CONTAINING IN ALL - ONE HALF ($\frac{1}{2}$) ACRES, MORE OR LESS

(RETURN TO JS)

JS

A part of the southwest quarter of section 28; -T9N;R1W
Beginning at a point that is 1558.77 feet north and 385.57 feet east
of the southwest corner of the said southwest quarter, Thence running
north 6 degrees west for 426 feet, more or less, and to the center line
of a branch; thence running over and along the center line of the said
branch the following courses and distances; north 53 degrees east for
63 feet, and north 65 degrees east for 66 feet; thence leaving the center
line of the said branch and running south 14 degrees-39 minutes east
for a distance of 178 feet; thence running north 81 degrees east for
171 feet, and to the west property line of North College Avenue (State
Road # 37 South) thence running over and along the said West Property
Line of North College Avenue (State Road # 37 South) the following courses
and distances; south 12 degrees-30 minutes east for 103.5 feet; south 19
degrees east for 103.5 feet; south 21 degrees east for 133.5 feet; thence
leaving the west property line of North College Avenue (State Highway # 37
South) and running south 65 degrees west for 48.5 feet; thence running
south 89 degrees for 223 feet; and to the northeast corner of lot number
3 in the Gordon Fisher Tract, an unrecorded plat; thence running north 79
degrees west for 27.5 feet; thence running north 87 degrees-30 minutes west
for 125.9 feet, and to the place of beginning.


John T. Stapleton

FISH #2

- > WM LEACH - 113-642
- > PURTLEBAUGH - 117-131
- > DONALD OVERBAY - 120-371-2
- > ROBT. JOHNSON - 123-43
- > PHILLIP ANDERSON - 111-348
- > HERMAN ENTERLINE - 98-564
- > VON CLIPP - 95-643
- > RALPH ROGERS - 91-456-7
- > PAUL HAYES - 113-168
- > " " - 114-311
- > LRS. HALL 117-302
- > " " 120-525
- > " " (117-301 - NORTHCEST)

Johnny - I made a carbon -
 just in case - \$10.00?
 Use your own judgment 1 1/2 hrs.
 Martha.

FILE UNDER 'F'



THOS. WILLIAMS
P.O. Box 124
Bloomington, Ind.

William E. Leach and Patricia June Leach, H&W
Deed Record 113, page 642.

A part of the Southwest Quarter of Section 28, Township 9 North, Range 1 West, beginning at a point that is 1867.06 feet North and 488.17 feet East of the Southwest corner of the said Southwest quarter; thence, running North 10 degrees West for a distance of 172 feet, more or less, and to the center line of a branch; thence, running over and along the center line of said branch the following courses and distances: North 50 degrees East 78.5 feet; North 28 degrees East 71 feet; North 61 degrees East 82 feet and North 50 degrees East 220 feet, more or less, and to the West property line of North College Avenue extended; thence, running over and along the said West property line of said College Avenue the following courses and distances: South 19 degrees West 82 feet; South 18 degrees 30 minutes West 85 feet; South 8 degrees West 57 feet; South 1 degree East 82 feet; South 7 degrees East 72 feet; thence, leaving the West property line of College Avenue and running South 84 degrees West for a distance of 216 feet and to the place of beginning. Containing in all 1.49 acres, more or less.

Paul D. Hays and Betty L. Hays H&W
Deed Record 113, page 168.

A part of the Southwest quarter of Section 28, Township 9 North, Range 1 West, bounded and described as follows, to-wit: Beginning at a point that is 1308.4 feet North and 827.5 feet East of the Southwest corner of the Southwest quarter of Section 28, Township and Range aforesaid, which point is on the West property line of North College Avenue as extended North from the limits of the City of Bloomington, Indiana; running thence over and along said West property line of North College Avenue as extended, the following courses and distances, to-wit: North 4 degrees, 54 minutes West for a distance of 50 feet; thence North 7 degrees 26 minutes West for a distance of 50 feet; thence North 9 degrees 56 minutes West for a distance of 54 feet to a point; thence leaving the West property line of said North College Avenue as extended and running West for a distance of 234.5 feet to a point; running thence South 5 degrees, 3 minutes West for a distance of 150 feet; running thence East for a distance of 268 feet and to the place of beginning. Containing in all .86 acres, more or less.

Subject to an easement for a water line over, along, under and through the West half of the above-described real estate, which water line has heretofore been constructed and installed by the grantors.....

Ivan Purtelbaugh and LaVerne Purtlebaugh, H&W
Deed Record 117, page 131.

A part of the Northwest quarter of Section 28, Township 9 North, Range 1 West, described as follows: beginning at a point in the center of State Road 37, said point being $437\frac{1}{2}$ feet South of the North section line as measured along the center of the road, thence East 99 feet, thence South on a curve to the right, parallel to the center line of the State Road $238\frac{1}{2}$ feet, thence West 99 feet to the center of the road, thence North along the center of the road $238\frac{1}{2}$ feet to the place of beginning, containing 0.51 acres more or less.

James O. Hall and Mary M. Hall, H&W
Deed Record 117, page 302.

A part of the Southwest quarter of Section Twenty-eight (28), Township Nine (9) North Range One (1) West, and described as follows, to-wit: Beginning at a point that is seven hundred fifty-four (754) feet and seven (7) inches North and six hundred twenty-eight (628) feet and nine inches East of the Southwest corner of the said Southwest quarter of Section Twenty-eight (28), Township and Range aforesaid; thence running East for a distance of Two Hundred (200) feet and to the West property line of North College Avenue as extended from the City of Bloomington, Indiana; thence running South over and along the West property line of College Avenue a distance of One Hundred One (101) feet; thence running West for a distance of Two Hundred (200) feet; thence running North for a distance of One Hundred (101) feet to the place of beginning. Containing in all forty-six hundredths (0.46) of an acre, more or less.

James O. Hall and Mary M. Hall H&W
Deed Record 117, page 301

Lot Number "A" in Northcrest Addition, being a part of the Southwest quarter of Section Twenty-eight (28), Township Nine (9) North, Range One (1) West, in Monroe County, Indiana.

Donald F. Overbay and Katherine E. Overbay, H&W

Deed Record 120, pages 371-2

Lots No. 6, 7, 8 and 4 of the Gordon Fisher Tracts an unrecorded plat, lying in the Southwest quarter of Section 28, Township 9 North, Range 1 West, described as follows:

Beginning at a point that is 1558.77 feet North and 385.57 feet East of the Southwest corner of said Southwest quarter, thence running North 6 degrees West for a distance of 426 feet more or less and to the center of a branch; thence, over and along the center line of said branch the two following courses and distances, North 53 degrees East 63 feet, thence South 65 degrees East 66 feet, thence leaving said branch and running South 10 degrees East for a distance of 172 feet, thence North 84 degrees East for a distance of 186 feet and to the West Property line of North College Avenue, thence running along the West property line of North College Avenue the following courses and distances: South 12 degrees 30' East 103.5 feet, South 19 degrees East 103.5 feet, South 21 degrees East 133.5 feet, thence leaving the west property line of North College Avenue and running South 65 degrees West 48.5 feet, thence South 89 degrees West 223 feet and to the Northeast corner of Lot No. 3 in Gordon Fisher's Tract, an unrecorded plat, thence running North 79 degrees West 27.5 feet, and thence running North 87 degrees ~~West 27.5 feet~~ and 30 minutes West a distance of 125.9 feet and to the place of beginning.

Grantors reserve unto themselves an easement for the purposes of ingress and egress to other lands a strip 30 feet in width and running in a Westerly direction along and parallel to the South line of the above described real estate from the west property line of North College Avenue for a distance of approximately 241.5 feet.

James O. Hall and Mary M. Hall, H&W

Deed Record 120, page 525

A part of the Southwest quarter of Section 28, Township 9 North, Range 1 West, bounded as follows: Beginning at a point 221.10 feet West of the Southeast corner of the Southwest quarter of said Section 28, thence running East 48.55 feet; thence North 286 feet, thence West 48.55 feet, thence South 286 feet to the place of beginning, known and described as Lot Number 8 of sub-division for Lee F. Johnson and Gwendolyn E. Johnson, husband and wife, in the City of Bloomington, Indiana.

Robert Lowell Johnson and Phyllis Ann Johnson, H&W


Deed Record 123, page 43.

A part of the Southwest quarter of Section Twenty-eight (28), Township Nine (9) North, Range One (1) West, bounded and described as follows, to-wit: Beginning on the West line of the said Section Twenty-eight (28), Township and Range aforesaid, at a point that is One Thousand Two Hundred Eighty-three and Four-tenths (1283.4) feet North of the Southwest corner of said Section Twenty-eight (28); thence running North over and along the West line of said Section Twenty-eight (28) for a distance of Three Hundred Four and Five hundredths (304.05) feet and to the center line of a branch; thence running North Thirty (30) degrees, 30 minutes East over and along the center line of said branch for a distance of One Hundred Eight (108) feet; thence running North Forty-one (41) degrees, Thirty (30) minutes East and continuing over and along the center line of said branch for a distance of Eighty-four (84) feet; thence running North Five (5) degrees East and still following the center line of this branch for a distance of Forty-six (46) feet; thence North Forty-six (46) degrees East and remaining over and along the center line of said branch for a distance of Three Hundred Nine (309) feet; thence running South Six (6) degrees East (and leaving said branch) for a distance of Seven Hundred Twenty (720) feet; thence running West for a distance of Four Hundred Fourteen and five tenths (414.5) feet and to the place of beginning, containing in all Four and Forty-three Hundredths (4.43) acres, more or less.

Philip E. Anderson and Rea LaVon Clipp Anderson, H&W

Deed Record 111, page 348.

A part of the SW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Sec. 28 T 9N, R, W., Beginning on the West line of the said $\frac{1}{4}$ at a point that is 952.1 Ft. North of the S. W. Corner of said $\frac{1}{4}$. Thence running East 238 ft.; Thence running North 166 ft. Thence running west 238 ft. Thence running South 166 ft. & to the place of beginning, containing in all (1.00 Acres more or less.



Herman G. Enterline and Etahel M. Enterline, H&W
Deed Record 98, page 564.

A part of the Southwest quarter of Section Twenty-eight (28), Township Nine (9) North Range one (1) West, bounded as follows to-wit:
Beginning in the center of the Kinser Pike Road, on the West line of said section at a point where the branch crosses the same, said point being sixty-three (63) rods South of the Northwest corner of said Southwest quarter, running thence North along said highway Six hundred and Ten (610) feet, thence East One hundred and seventy three (173) feet, thence South Four Hundred and seven (407) feet to the center of said branch, thence Southwest along said branch to the place of beginning, containing two (2) acres, more or less.

Vaughn P. Clipp and Ruby Faye Clipp, H&W
Deed Record 95, page 643.

Beginning at a point on the West line of Section 28, township 9, North Range 1 West, said point being 770.7 feet North of the Southwest corner of said section 28; running thence North over and along the said West line of section 28 for a distance of 537.7 feet; running thence East for a distance of 827.5 feet; and to the West improvement line of North College Avenue Improvement; thence South over and along the West improvement line of said College Avenue for a distance of 546 feet; running thence West for a distance of 829 feet and to the place of beginning. Containing in all 10.3 acres, more or less.

ETS
1308.4
770.7
537.7

Ralph Rogers and Frank Dobson, as tenants in common in the shares as hereinafter set out

Deed Record 91, page 456-7

A part of the west half of section twenty-eight (28), township nine (9) north, range one (1) west, bounded as follows, to-wit: Commencing at a corner forty-nine and one half ($49\frac{1}{2}$) rods north of the west half mile post of section twenty-eight (28); running thence east fifty-six (56) poles and thirteen (13) links to the center of the turnpike (Dixie Highway); thence south with the meanderings of said turnpike a distance of fifty-five (55) rods; thence in a southwest direction up the spring branch a distance of about seventy-eight (78) rods to a road (Kinser Pike) running between section 28 and 29; thence north with the said road one hundred twelve and one half ($112\frac{1}{2}$) rods to the beginning, ~~except two acres off of the south end thereof sold to Rolla I. Black, which exception is described as follows: Beginning in the center of the Kinser Pike road on the west line of said section where the branch crosses the same, said point being sixty three (63) rods south of the northwest corner of said southwest quarter; running thence north along said highway six hundred and ten (610) feet; thence east one hundred seventy-three (173) feet; thence south four hundred seven (407) feet to said branch; thence southwest along said branch to the place of beginning, containing 2 acres, more or less, and containing after said exception twenty-five (25) acres, more or less.~~

Also, a part of the northwest quarter of section twenty-eight (28), Township nine (9) north, range one (1) west, and bounded and described as follows, to-wit: Commencing at a point one hundred twelve and one half ($112\frac{1}{2}$) rods south of the Northwest corner of said section twenty-eight (28); running thence east four hundred eighty (480) feet; thence north two hundred twenty (220) feet; thence west four hundred eight (480) feet; thence south two hundred twenty (220) feet to the place of beginning, containing two and one fourth ($2\frac{1}{4}$) acres, more or less. Subject to a grant to the Indiana Bell Telephone Company as shown and recorded in Misc. Record #15, page 545.

Also, a part of the northwest quarter of section twenty-eight (28), township nine (9) north, Range one (1) west, to-wit: Commencing at a point one hundred twelve and one half ($112\frac{1}{2}$) rods South and four hundred eighty (480) feet east of the northwest corner of section twenty-eight (28), township nine (9) north, range one (1) west, thence north two hundred twenty two (220) feet; thence east three hundred ninety (390) feet; thence south two hundred twenty (220) feet; thence west three hundred ninety (390) feet to the place of beginning, containing in all one and ninety-eight hundredths (1.98) acres, more or less.

Paul D. Hays and Betty L. Hays, H&W
Deed Record 114, page 311

A part of the Southwest quarter of Section 28, Township 9 North, Range 1 West, beginning at a point that is 1283.4 feet North and 414.5 feet East of the Southwest corner of the said Southwest quarter; thence, running North 6 degrees West for a distance of 92.2 feet; thence running East for a distance of 125.50 feet and to the West property line of a 30 foot road; thence, running South 3 degrees West over and along the said West property line of said road for a distance of 95.5 feet; thence, running West for a distance of 108 feet and to the place of beginning. Containing in all 0.25 acres, more or less.

Donald F. Overbay and Katherine E. Overbay, H&W
Deed Record 120, pages 371-2

Lots No. 6, 7, 8 and 4 of the Gordon Fisher Tracts an unrecorded plat, lying in the Southwest quarter of Section 28, Township 9 North, Range 1 West, described as follows:

Beginning at a point that is 1558.77 feet North and 385.57 feet East of the Southwest corner of said Southwest quarter, thence running North 6 degrees West for a distance of 426 feet more or less and to the center of a branch, thence, over and along the center line of said branch the two following courses and distances, North 53 degrees East 63 feet, thence South 65 degrees East 66 feet, thence leaving said branch and running South 10 degrees East for a distance of 172 feet, thence North 84 degrees East for a distance of 186 feet and to the West Property line of North College Avenue, thence running along the West property line of North College Avenue the following courses and distances: South 12 degrees 30' East 103.5 feet, South 19 degrees East 103.5 feet, South 21 degrees East 133.5 feet, thence leaving the west property line of North College Avenue and running South 65 degrees West 48.5 feet, thence South 89 degrees West 223 feet and to the Northeast corner of Lot No. 3 in Gordon Fisher's Tract, an unrecorded plat, thence running North 79 degrees West 27.5 feet, and thence running North 87 degrees ~~West 27.5 feet~~ and 30 minutes West a distance of 125.9 feet and to the place of beginning.

Grantors reserve unto themselves an easement for the purposes of ingress and egress to other lands a strip 30 feet in width and running in a Westerly direction along and parallel to the South line of the above described real estate from the west property line of North College Avenue for a distance of approximately 241.5 feet.

James O. Hall and Mary M. Hall, H&W
Deed Record 120, page 525

A part of the Southwest quarter of Section 28, Township 9 North, Range 1 West, bounded as follows: Beginning at a point 221.10 feet West of the Southeast corner of the Southwest quarter of said Section 28, thence running East 48.55 feet, thence North 286 feet, thence West 48.55 feet, thence South 286 feet to the place of beginning, known and described as Lot Number 8 of sub-division for Lee F. Johnson and Gwendolyn E. Johnson, husband and wife, in the City of Bloomington, Indiana.

Robert Lowell Johnson and Phyllis Ann Johnson, H&W


Deed Record 123, page 43.

✓ A part of the Southwest quarter of Section Twenty-eight (28), Township Nine (9) North, Range One (1) West, bounded and described as follows, to-wit: Beginning on the West line of the said Section Twenty-eight (28), Township and Range aforesaid, at a point that is One Thousand Two Hundred Eighty-three and Four-tenths (1283.4) feet North of the Southwest corner of said Section Twenty-eight (28); thence running North over and along the West line of said Section Twenty-eight (28) for a distance of Three Hundred Four and Five hundredths (304.05) feet and to the center line of a branch; thence running North Thirty (30) degrees, 30 minutes East over and along the center line of said branch for a distance of One Hundred Eight (108) feet; thence running North Forty-one (41) degrees, Thirty (30) minutes East and continuing over and along the center line of said branch for a distance of Eighty-four (84) feet; thence running North Five (5) degrees East and still following the center line of this branch for a distance of Forty-six (46) feet; thence North Forty-six (46) degrees East and remaining over and along the center line of said branch for a distance of Three Hundred Nine (309) feet; thence running South Six (6) degrees East (and leaving said branch) for a distance of Seven Hundred Twenty (720) feet; thence running West for a distance of Four Hundred Fourteen and five tenths (414.5) feet and to the place of beginning, containing in all Four and Forty-three Hundredths (4.43) acres, more or less.

Philip E. Anderson and Rea LaVon Clipp Anderson, H&W

Deed Record 111, page 348.

✓ A part of the SW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Sec. 28 T 9N, R. 1W., Beginning on the West line of the said $\frac{1}{4}$ at a point that is 952.1 Ft. North of the S. W. Corner of said $\frac{1}{4}$. Thence running East 238 ft.; Thence running North 166 ft. Thence running west 238 ft. Thence running South 166 ft. & to the place of beginning, containing in all (1.00 Acres more or less.



Ivan Purtelbaugh and LaVerne Purtlebaugh, H&W
Deed Record 117, page 131.

? A part of the Northwest quarter of Section 28, Township 9 North, Range 1 West, described as follows: beginning at a point in the center of State Road 37, said point being $437\frac{1}{2}$ feet South of the North section line as measured along the center of the road, thence East 99 feet, thence South on a curve to the right, parallel to the center line of the State Road $238\frac{1}{2}$ feet, thence West 99 feet to the center of the road, thence North along the center of the road $238\frac{1}{2}$ feet to the place of beginning, containing 0.51 acres more or less.

James O. Hall and Mary M. Hall, H&W
Deed Record 117, page 302.

A part of the Southwest quarter of Section Twenty-eight (28), Township Nine (9) North Range One (1) West, and described as follows, to-wit: Beginning at a point that is seven hundred fifty-four (754) feet and seven (7) inches North and six hundred twenty-eight (628) feet and nine inches East of the Southwest corner of the said Southwest quarter of Section Twenty-eight (28), Township and Range aforesaid; thence running East for a distance of Two Hundred (200) feet and to the West property line of North College Avenue as extended from the City of Bloomington, Indiana; thence running South over and along the West property line of College Avenue a distance of One Hundred One (101) feet; thence running West for a distance of Two Hundred (200) feet; thence running North for a distance of One Hundred (101) feet to the place of beginning. Containing in all forty-six hundredths (0.46) of an acre, more or less.

James O. Hall and Mary M. Hall H&W
Deed Record 117, page 301

(Lot Number "A" in Northcrest Addition, being a part of the Southwest
(quarter of Section Twenty-eight (28), Township Nine (9) North, Range
(One (1) West, in Monroe County, Indiana.
()

William E. Leach and Patricia June Leach, H&W
Deed Record 113, page 642.

A part of the Southwest Quarter of Section 28, Township 9 North, Range 1 West, beginning at a point that is 1867.06 feet North and 488.17 feet East of the Southwest corner of the said Southwest quarter; thence, running North 10 degrees West for a distance of 172 feet, more or less, and to the center line of a branch; thence, running over and along the center line of said branch the following courses and distances: North 50 degrees East 78.5 feet; North 28 degrees East 71 feet; North 61 degrees East 82 feet and North 50 degrees East 220 feet, more or less, and to the West property line of North College Avenue extended; thence, running over and along the said West property line of said College Avenue the following courses and distances: South 19 degrees West 82 feet; South 18 degrees 30 minutes West 85 feet; South 8 degrees West 57 feet; South 1 degree East 82 feet; South 7 degrees East 72 feet; thence, leaving the West property line of College Avenue and running South 84 degrees West for a distance of 216 feet and to the place of beginning. Containing in all 1.49 acres, more or less.

Paul D. Hays and Betty L. Hays H&W
Deed Record 113, page 168.

A part of the Southwest quarter of Section 28, Township 9 North, Range 1 West, bounded and described as follows, to-wit: Beginning at a point that is 1308.4 feet North and 827.5 feet East of the Southwest corner of the Southwest quarter of Section 28, Township and Range aforesaid, which point is on the West property line of North College Avenue as extended North from the limits of the City of Bloomington, Indiana; running thence over and along said West property line of North College Avenue as extended, the following courses and distances, to-wit: North 4 degrees, 54 minutes West for a distance of 50 feet; thence North 7 degrees 26 minutes West for a distance of 50 feet; thence North 9 degrees 56 minutes West for a distance of 54 feet to a point; thence leaving the West property line of said North College Avenue as extended and running West for a distance of 234.5 feet to a point; running thence South 5 degrees, 3 minutes West for a distance of 150 feet; running thence East for a distance of 268 feet and to the place of beginning. Containing in all .86 acres, more or less.

Subject to an easement for a water line over, along, under and through the West half of the above-described real estate, which water line has heretofore been constructed and installed by the grantors.....

Herman G. Enterline and Ethel M. Enterline, H&W
Deed Record 98, page 564.

✓ A part of the Southwest quarter of Section Twenty-eight (28), Township Nine (9) North Range one (1) West, bounded as follows to-wit:
Beginning in the center of the Kinser Pike Road, on the West line of said section at a point where the branch crosses the same, said point being sixty-three (63) rods South of the Northwest corner of said Southwest quarter, running thence North along said highway Six hundred and Ten (610) feet, thence East One hundred and seventy three (173) feet, thence South Four Hundred and seven (407) feet to the center of said branch, thence Southwest along said branch to the place of beginning, containing two (2) acres, more or less.

Vaughn P. Clipp and Ruby Faye Clipp, H&W
Deed Record 95, page 643.

✓ Beginning at a point on the West line of Section 28, township 9, North Range 1 West, said point being 770.7 feet North of the Southwest corner of said section 28; running thence North over and along the said West line of section 28 for a distance of 537.7 feet; running thence East for a distance of 827.5 feet; and to the West improvement line of North College Avenue Improvement; thence South over and along the West improvement line of said College Avenue for a distance of 546 feet; running thence West for a distance of 829 feet and to the place of beginning. Containing in all 10.3 acres, more or less.

770.7
537.7
181.2

827.5
546
1373.5

181.2
166.0
347.2

Ralph Rogers and Frank Dobson, as tenants in common in the shares as hereinafter set out

Deed Record 91, page 456-7


A part of the west half of section twenty-eight (28), township nine (9) north, range one (1) west, bounded as follows, to-wit: Commencing at a corner forty-nine and one half ($49\frac{1}{2}$) rods north of the west half mile post of section twenty-eight (28); running thence east fifty-six (56) poles and thirteen (13) links to the center of the turnpike (Dixie Highway); thence south with the meanderings of said turnpike a distance of fifty-five (55) rods; thence in a southwest direction up the spring branch a distance of about seventy-eight (78) rods to a road (Kinser Pike) running between section 28 and 29; thence north with the said road one hundred twelve and one half ($112\frac{1}{2}$) rods to the beginning, ~~except two acres off of the south end thereof sold to Rolla I. Black, which exception is described as follows:~~ Beginning in the center of the Kinser Pike road on the west line of said section where the branch crosses the same, said point being sixty three (63) rods south of the northwest corner of said southwest quarter; running thence north along said highway six hundred and ten (610) feet; thence east one hundred seventy-three (173) feet; thence south four hundred seven (407) feet to said branch; thence southwest along said branch to the place of beginning, containing 2 acres, more or less, and containing after said exception twenty-five (25) acres, more or less.

Also, a part of the northwest quarter of section twenty-eight (28), Township nine (9) north, range one (1) west, and bounded and described as follows, to-wit: Commencing at a point one hundred twelve and one half ($112\frac{1}{2}$) rods south of the Northwest corner of said section twenty-eight (28); running thence east four hundred eighty (480) feet; thence north two hundred twenty (220) feet; thence west four hundred eighty (480) feet; thence south two hundred twenty (220) feet to the place of beginning, containing two and one fourth ($2\frac{1}{4}$) acres, more or less. Subject to a grant to the Indiana Bell Telephone Company as shown and recorded in Misc. Record #15, page 545.


Also, a part of the northwest quarter of section twenty-eight (28), township nine (9) north, Range one (1) west, to-wit: Commencing at a point one hundred twelve and one half ($112\frac{1}{2}$) rods South and four hundred eighty (480) feet east of the northwest corner of section twenty-eight (28), township nine (9) north, range one (1) west, thence north two hundred twenty-two (220) feet; thence east three hundred ninety (390) feet; thence south two hundred twenty (220) feet; thence west three hundred ninety (390) feet to the place of beginning, containing in all one and ninety-eight hundredths (1.98) acres, more or less.

Paul D. Hays and Betty L. Hays, H&W
Deed Record 114, page 311

A part of the Southwest quarter of Section 28, Township 9 North, Range 1 West, beginning at a point that is 1283.4 feet North and 414.5 feet East of the Southwest corner of the said Southwest quarter; thence, running North 6 degrees West for a distance of 92.2 feet; thence, running East for a distance of 125.50 feet and to the West property line of a 30 foot road; thence, running South 3 degrees West over and along the said West property line of said road for a distance of 95.5 feet; thence, running West for a distance of 108 feet and to the place of beginning. Containing in all 0.25 acres, more or less.



yy



200


④

1


NORTHEAST QUARTER OF SECTION 23-TEN, R. 1W.

BEGINNING AT POINT THAT IS 233.66 FT. EAST AND 49.66 FT. SOUTH OF THE N.W. CORNER OF THE $\frac{1}{4}$ - $\frac{1}{4}$; THENCE RUNNING SOUTH 78 DEGREES EAST OVER AND ALONG THE CENTER LINE OF THE HONEY CREEK PIKE ROAD, FOR A DISTANCE OF 364 FT. THENCE RUNNING SOUTH 43°39' EAST, FOR 410 FT; THENCE RUNNING NORTH 78 DEG. EAST FOR 326 FT, THENCE NORTH 42 DEG. 45 MIN. WEST TO THE CENTER OF THE CENTER LINE OF THE HONEY CREEK ROAD; THENCE RUNNING N-78-W OVER & ALONG THE SAID CENTER LINE OF THE HONEY CREEK ROAD FOR 364 FT. TO THE PLACE OF BEGINNING. CONTAINING IN ALL 3.78 ACRES, MORE OR LESS.

0.69 sec Temp.



Kenny Fender-Transfer




A part of the northwest quarter of the southwest quarter of section 20 T9N;R1W: Beginning at a point that is 3576.5 feet south of the northwest corner of the said section 20; thence running east for a distance of 99.8 feet; thence running south 1 degrees -45 minutes east for a distance of 235 feet; thence running north 60 degrees west for a distance of 117 feet; thence running north for a distance of 170 feet, and to the place of beginning. Containing in all 10.52 acres, more or less.

Feb. 6, 1960

John T. Spalding
Civil Engineer & Surveyor

SARAH A. FLOYD---TRACTS
 1m
 West $\frac{1}{2}$ -N.W. $\frac{1}{4}$ -Section 11 -T8N;R1W



261.50
 118.00
 379.50
 125.00
 504.50
 100.00
 604.60
 804.5
 30
 834.5

1450
 125
 1575
 118
 1693
 261.5
 1954.5